



© Lembaga Pembangunan Industri Pembinaan Malaysia 2018



Sebarang pertanyaan berkaitan buku ini hendaklah dimajukan kepada:

Ketua Eksekutif

Lembaga Pembangunan Industri Pembinaan Malaysia

Bahagian Standard & Bahan Binaan

Tingkat 34, Menara Dato' Onn

Pusat Dagangan Dunia Putra

No.45, Jalan Tun Ismail

50480 Kuala Lumpur

Malaysia

Tel : 603-4047 7000

Faks : 603-4047 7070

Emel : qpass@cidb.gov.my

Web : www.cidb.gov.my

Cetakan pertama 2019

Sebarang aspek dari penerbitan ini tidak boleh diterbit semula dalam sebarang bentuk atau cara sama ada elektronik, mekanikal, fotokopi dan rakaman tanpa kebenaran dari CIDB.

Kandungan

Prakata	3-4
Fourth Schedule	5-10
Indeks Pengeluar - Mengikut Abjad	11-20
Senarai Pengeluar - Mengikut Kategori	21-157
Aluminium	22-25
Cement	26-31
Ceramic Pipes And Pipe Fitting	32-35
Fibre Cement Flat Sheet	36
Glass	37-47
Insulation Materials	48-50
Iron And Steel Products	51-110
Precast Concrete Piles	111-125
Precast Concrete Pipes	126-128
Radiant Barrier	129-133
Ready Mix Concrete	134-143
Sanitaryware	144-150
Unglazed / Glazed Ceramic Tiles	151-157

PRAKATA



PRAKATA

Selaras dengan keperluan memastikan persekitaran industri pembinaan yang berkualiti dan selamat, Akta 520 (Pindaan) 2011, telahpun diwartakan pada 15 September 2011 dan telah dikuatkuasakan mulai 1 Jun 2015. Antara pindaan yang diberi penekanan adalah pematuhan terhadap standard yang telah ditetapkan bagi bahan binaan. Peruntukan kawal selia bahan binaan di bawah Seksyen 33 Pindaan Akta 520 ini menjadikan CIDB salah satu agensi yang memantau dan menguatkuasakan bahan-bahan binaan yang berada di pasaran.

Bahan binaan yang dikawal selia CIDB adalah tersenarai di bawah Jadual Keempat Akta 520 tersebut. 13 kategori yang disenaraikan termasuklah produk *aluminium, cement, ceramic pipes and pipe fittings, fibre cement flat sheet, glass, insulation materials, iron and steel products, precast concrete piles, precast concrete pipes, radiant barrier, ready mix concrete, sanitaryware* dan *unglazed glazed ceramic tiles*. Peruntukan Akta menetapkan sesiapa yang berurusan dengan bahan binaan yang tidak diperakukuan, apabila disabitkan, boleh didenda tidak kurang daripada RM 10,000.00 tetapi tidak melebihi RM 500,000.00.

Bagi menyokong aspirasi tersebut, Daftar Bahan Binaan Yang Diperakukan CIDB 2018 diterbitkan sebagai sumber rujukan untuk penggiat industri mengenalpasti pengeluar-pengeluar dan produk-produk binaan yang telah diperakukan oleh CIDB dan telah memperolehi Perakuan Pematuhan Standard (PPS). Daftar ini juga akan dapat membantu pengeluar-pengeluar mewujudkan peluang jalinan kerjasama dan persaingan sihat sesama mereka.

Diharapkan penerbitan Daftar ini dapat memberi manfaat dan menyumbang ke arah peningkatan akauntabiliti, integriti serta professionalisme industri pembinaan di Malaysia, dan seterusnya meningkatkan kualiti hasil kerja pembinaan secara keseluruhannya.

Nota:

Senarai maklumat pengeluar dan bahan binaan adalah setakat 31 Disember 2018.

Untuk maklumat terkini, boleh didapati terus dari laman web ccpm.cidb.gov.my

FOURTH SCHEDULE



FOURTH SCHEDULE

FOURTH SCHEDULE

[Subsection 33C (1)]

STANDARDS FOR CERTIFICATION OF CONSTRUCTION MATERIAL

No	<i>Types of construction materials</i>	<i>Types of construction materials</i>
1	Sanitarywares	
	(a) Ceramic wash basins	MS 2578
	(b) Ceramic water closet pans without flushing cisterns	MS 147 MS 1522
	(c) Ceramic water closet pans with flushing cisterns	MS 147 MS 1522 MS 795: Parts 1 to 3
	(d) Ceramic bidets and urinals (floor or wall mounted)	MS 147 MS 1799
	(e) Ceramic flushing cisterns equipped with mechanism (close couple, medium level, high level or concealed)	MS 147 MS 795: Parts 1 to 3
	(f) Ceramic flushing cisterns not equipped with mechanism (close couple, medium level, high level or concealed)	MS 147
	(g) Plastic flushing cisterns equipped with mechanism (close couple, medium level, high level or concealed)	MS 795: Parts 1 to 3
2	Glazed and unglazed ceramic tiles	MS ISO 13006
3	Ceramic pipes and pipe fittings	MS 1061: Parts 1 to 3
4	Cement	
	(a) Portland cement	
	(i) White Portland cements of all kinds	MS 888
	(ii) Other Portland cement of all kinds	MS EN 197: Parts 1 and 2
	(b) Aluminous cement	BS 915 BS EN 14647
	(c) Other hydraulic cement	MS EN 197: Parts 1 and 2
	(d) Masonry Cement	MS EN 413: Parts 1 and 2
5	Prefabricated timber roof truss system	CIS 5
6	Precast concrete piles for foundation	MS 1314: Parts 1 to 7
7	Insulation materials	
	(a) Slag wool, rock wools and similar mineral wools (including their intermixtures) in bulk, sheets or rolls	MS 1020

FOURTH SCHEDULE

(b)	Thin sheets (voiles), webs, mats, mattresses, boards and similar non-woven products, of fibre glass	MS 1020
(c)	Glass fibre (including wools)	MS 1020
8	Glass	
(a)	Clear float glass, non-wired or non-coloured throughout the mass, other than square or rectangular shape (including those with one, two, three or four corner cut)	MS 1135
(b)	Tinted float glass, coloured throughout the mass (body tinted), opacified, flashed or merely surface ground, other than optical glass	MS 1135
(c)	Coated glass	MS 2397
(d)	Safety glass	MS 1498
9	Fibre cement flat sheet not containing asbestos	MS 1296
10	Radiant barrier (thermal insulation foil)	MS 2095
11	Iron and steel products	
(a)	Hot rolled carbon steel sheets or plates	
(i)	Hot rolled steel coils, sheets or plates	MS EN 10025: Part 2 MS 1705 MS 1768
(ii)	Hot rolled chequered coils, sheets or plates	ASTM A786 MS EN 10025: Part 2
(b)	Coated steel coils or sheets	
(i)	Coils or sheets electrolytically plated or coated with zinc	MS 2543
(ii)	Zinc-coated carbon steel profiles hot dipped. Otherwise, plated or coated with zinc. * Only in sheets	*MS 2500 (Profile)
	Coil/sheet zinc-coated carbon steel hot dipped. Otherwise, plated or coated with zinc.	MS 2384 MS 2385
(iii)	Profile aluminum-zinc alloy coated continuous hot-dip. Plated or coated with aluminum-zinc alloy. * Only in sheets	*MS 2500 (Profile)
	Coil/sheet aluminum-zinc alloy coated continuous hot-dip. Plated or coated with aluminum-zinc alloy. * Only in sheets	JIS G 3317 JIS G 3323 MS 1196 AS 1397
(iv)	Painted, varnished or coated with plastic	MS 2383 JIS G 3318
(v)	Plated or coated roofing tile	MS 2500 (Steps)

FOURTH SCHEDULE

(c) Pipes and tubes

(i) Seamless carbon steel pipes	API 5L MS ISO 3183 API 5CT
(ii) Welded carbon steel pipes Circular cross-section, non-circular cross-section square or rectangular cross-section. Others of non-circular cross- section	MS 61386: Part 21 BS31 MS 863 MS 1862 EN 10219: Part 1 EN 10210: Part 1 JIS G 3444 EN 39 SPAN TS21827: Part 1 SPAN TS21827: Part 2 API 5L API 5CT MS ISO 3183 MS 2381

(d) Structural and other cast iron and articles

(i) Bridges and bridge sections	MS EN 10025: Part 2
(ii) Towers and lattice masts	MS EN 10025: Part 2
(iii) Scaffolding	MS 1462: Part 1 to 4
(iv) Corrugated sheet pile cold form	MS 2025:Part 1 MS 2025: Part 2
(v) Bearing piles – angle shape and section	MS EN 10025: Part 2
(vi) Guardrails	AASHTO M-180 BS EN ISO- 1461
(vii) Fabricated structure	MS EN 10025: Part 2
(viii) Railway track	JIS E 1101 DIN 536 BS EN 13674
(ix) Light gauge steel section	MS EN 10025: Part 2
(x) Equal angles, shape and section U, I, L, T or H	MS EN 10025: Part 2

(e) Wire rod, bars and wires

(i) Coil form	
(A) Hot rolled steel reinforcement bar	MS 146
(B) Steel wire rod	MS ISO 16120: Part 1 MS ISO 16120: Part 2 MS ISO 16120: Part 3 MS ISO 16120: Part 4
(c) Round bar in coil	MS 144

FOURTH SCHEDULE

(d) Wire, strands and ropes	MS 1138: Part 2 MS 1138: Part 3 MS 1138: Part 4 MS ISO 4344 MS ISO 2408
(i) Wire mesh for construction	MS 145
(iii) Straight form	
(A) Carbon steel for structural use	MS 144
(B) Carbon steel for structural machine use (flat bar)	MS EN 10025: Part 2
(C) Hot rolled steel reinforcement bar	MS 146
(D) Round bar	MS 144
(f) Stainless steel products	
(i) Seamless, welded stainless steel pipes for construction purpose	MS 1841 ASTM A554
(ii) Seamless, welded stainless steel pipes for the conveyance of water	MS 1988 BS EN 10312 ASTM A 312 JIS G 3448
(iii) Light gauge stainless steel tube for ordinary piping	JIS G 3448
(iv) Stainless steel-angled, shape and cross-section	MS 2240: Part 2
(v) Casing and tubing of a kind used in drilling for oil and gas	API 5CT
(g) Alloy steel product	
(i) Hot rolled alloy steel plate and coil	MS EN 10025: Part 6
(ii) Equal angles, shape and section U,I, L,T or H	MS EN 10025: Part 5 MS EN 10025: Part 6
(h) Cast iron product	
(i) Non-malleable cast iron - manhole covers	BS EN 124
(ii) Tube, pipe and hollow profile	MS 1919 BS EN 598 ISO 6594
12 Aluminium	
(a) Aluminium plates, sheets and strip of a thickness exceeding 0.2 mm, whether or not alloyed	MS 2040
(b) Aluminium foils of a thickness not exceeding 0.2 mm, not backed: rolled but not further	MS 1848
(c) Aluminium plates, sheets and strips	MS 2040
(d) Aluminium structures	MS 832 MS 1017

FOURTH SCHEDULE

(e)	Aluminium composite panel for exterior and interior wall	MS 2571
(f)	Aluminium and aluminium alloy – coil coated sheet and strips for general applications	MS EN 1396
(g)	Aluminium and aluminium alloy for extruded shape	MS 2289
13	Ready mix concrete	MS 523: Parts 1 to 3 CIS 21

*Note: The latest edition of the standard specifications published by the relevant accreditation body shall apply.”.

Made 29 November 2016
[KKR.PUU.110-1/5/3; PN(PU2)546/V]



INDEKS PENGELOUAR

INDEKS PENGELUAR

	ALUMINIUM	CEMENT	CERAMIC PIPES AND PIPE FITTING	FIBRE CEMENT FLAT SHEET	GLASS	INSULATION MATERIALS	IRON AND STEEL PRODUCTS	PRECAST CONCRETE PILES	PRECAST CONCRETE PIPES	RADIANT BARRIER	READY MIX CONCRETE	SANITARYWARE	UNGLAZED / GLAZED CERAMIC TILES
A STAR GLASSTECH (M) SDN BHD													
A.S.STEEL INDUSTRIES SDN BHD													
AALBORG PORTLAND MALAYSIA SDN BHD													
ABLE STEEL PIPES SDN BHD													
ADVANCED TECHNICAL LAMINATES MANUFACTURING SDN BHD													
AGT SAFETY GLASS SDN BHD													
AJIYA SAFETY GLASS SDN BHD													
AJIYA SAFETY GLASS SDN BHD													
AJIYA SAFETY GLASS SDN BHD													
AJIYA SAFETY GLASS SDN BHD													
ALLIANCE PRECAST INDUSTRIES SDN BHD													
ALLIANCE PRECAST INDUSTRIES SDN BHD													
ALLIANCE STEEL (M) SDN BHD													
ALLPIPES TECHNOLOGY SDN BHD													
ALPINE PIPE MANUFACTURING SDN BHD													
ALUMINIUM COMPANY OF MALAYSIA BERHAD													
AMCAN COLOR COATING INDUSTRIES SDN BHD													
AMCAN SDN BHD													
AMSTEEL MILLS SDN BHD													
ANN JOO STEEL BERHAD													
ANN JOO STEEL BERHAD													
ANN JOO STEEL BERHAD													
ANTARA STEEL MILLS SDN BHD													
APOLITE CONCRETE PRODUCT SDN BHD													
ASAS ANGANA SDN BHD													
ASIA ROOFING INDUSTRIES SDN BHD													
ASIA ROOFING INDUSTRIES SDN BHD													
ASIA WIRE STEEL MESH MANUFACTURERS SDN BHD													
ASSOCIATED AIR-PAK INDUSTRIES SDN BHD													
ASSOCIATED PAN MALAYSIA CEMENT SDN BHD													
ASSOCIATED PAN MALAYSIA CEMENT SDN BHD (RAWANG)													
ASTEEL AJIYA SDN BHD													
ASTEEL SDN BHD													

INDEKS PENGELUAR

	ALUMINIUM	CEMENT	CERAMIC PIPES AND PIPE FITTING	FIBRE CEMENT FLAT SHEET	GLASS	INSULATION MATERIALS	IRON AND STEEL PRODUCTS	PRECAST CONCRETE PILES	PRECAST CONCRETE PIPES	RADIANT BARRIER	READY MIX CONCRETE	SANITARYWARE	UNGLAZED / GLAZED CERAMIC TILES
ASTINO (MALAYSIA) COLOUR STEEL SHEET SDN BHD													
ASTINO (MALAYSIA) COLOUR STEEL SHEET SDN BHD													
ASTINO SCAFFOLDING SDN BHD													
ASTINO SOUTHERN SDN BHD													
ASTINO SOUTHERN SDN BHD													
BAN SOONG HENG SDN BHD													
BEKALAN PIE SDN BHD													
BESI ASIA ENGINEERING WORKS SDN BHD													
BOON & CHEAH STEEL PIPES SDN BHD													
BP ALUMINIUM EXTRUSION SDN BHD													
BRC INDUSTRIES SDN BHD													
BRC PREFAB HOLDINGS SDN BHD													
BRILLIANT TRADING & SUPPLIES SDN BHD													
BW YEE SENG STEEL INDUSTRIES SDN BHD													
C L PILE SDN BHD													
CABARAN PERKASA SDN BHD													
CEMENT INDUSTRIES (SABAH) SDN BHD													
CERAMICA INDAH SDN BHD													
CHOO BEE METAL INDUSTRIES BERHAD													
CHRS SAMAWIRA MESH SB													
CLAY INDUSTRIES SDN BHD													
CMS CEMENT INDUSTRIES SDN BHD													
CMS CEMENT SDN BHD (BINTULU PLANT)													
CMS CEMENT SDN BHD (KUCHING PLANT)													
CMS CONCRETE PRODUCTS SDN BHD													
CMS WIRES SDN BHD													
CONCRETE ENGINEERING PRODUCTS BHD (BATANG KALI)													
CONCRETE ENGINEERING PRODUCTS BHD (NILAI)													
CONCRETE ENGINEERING PRODUCTS BHD (PASIR GUDANG)													
CONCRETE ENGINEERING PRODUCTS BHD (RAWANG)													
CONCRETE ENGINEERING PRODUCTS BHD (SG PETANI)													
CS ECO GLASS (M) SDN BHD													
CSC STEEL SDN BHD													

INDEKS PENGELUAR

CUT & BEND SDN BHD		ALUMINIUM		CEMENT	CERAMIC PIPES AND PIPE FITTING	FIBRE CEMENT FLAT SHEET	GLASS	INSULATION MATERIALS	IRON AND STEEL PRODUCTS	PRECAST CONCRETE PILES	PRECAST CONCRETE PIPES	RADIANT BARRIER	READY MIX CONCRETE	SANITARYWARE	UNGLAZED / GLAZED CERAMIC TILES
DAHTEC MARKETING SDN BHD															
DURABON SDN BHD (JOHOR)															
DVC MANUFACTURING SDN BHD															
EAST COAST MANUFACTURING SDN BHD															
EASTEEL SERVICES (MALAYSIA) SDN BHD															
EC EXCEL WIRE SDN BHD															
ECCO STEEL INDUSTRIES SDN BHD															
ENG BENG MANUFACTURING (M) SDN BHD										■	■				
ENG LIAN HUP MANUFACTURING SDN BHD															
ENGLEN MANUFACTURING SDN BHD															
ENGTEX DUCTILE IRON PIPE INDUSTRY SDN BHD															
ENGTEX METALS SDN BHD															
ENGTEX METALS SDN BHD															
ENGTEX PIPE INDUSTRY SDN BHD															
ENGTEX STEEL INDUSTRIES SDN BHD															
ENGTEX STEEL PIPE SDN BHD															
E-RETE (MALAYA) SDN BHD												■			
ESTABLISHED METAL INDUSTRIES SDN BHD															
EUROPEAN PROFILES (M) SDN BHD															
EVERLAST ACCESS TECHNOLOGIES SDN BHD															
EVERLAST ALUMINIUM (M) SDN. BHD		■													
EVERPRESS ALUMINIUM INDUSTRIES SDN BHD															
FIRST STATUS SDN BHD										■					
FIW STEEL SDN BHD											■				
FJ CONCRETE & PILES SDN BHD											■				
FOIL LAMINATE INDUSTRIES SDN BHD												■			
FOJOHN ENTERPRISE (SIBU) SDN BHD												■			
GALVACO INDUSTRIES SDN BHD												■			
G-CAST CONCRETE SDN BHD												■			
GLIMEX INDUSTRIES SDN. BHD.								■							
GOLDEN PHAROS GLASS SDN BHD									■						
GSG CONCRETE INDUSTRIES (M) SDN BHD										■					

INDEKS PENGELUAR

	ALUMINIUM	CEMENT	CERAMIC PIPES AND PIPE FITTING	FIBRE CEMENT FLAT SHEET	GLASS	INSULATION MATERIALS	IRON AND STEEL PRODUCTS	PRECAST CONCRETE PILES	PRECAST CONCRETE PIPES	RADIANT BARRIER	READY MIX CONCRETE	SANITARYWARE	UNGLAZED / GLAZED CERAMIC TILES
GSG CONCRETE INDUSTRIES (M) SDN BHD													
GUOCERA SDN BHD													
GUOCERA TILE INDUSTRIES (MERU) SDN BHD													
HANSON BUILDING MATERIALS MALAYSIA S/B													
HARDRIVE PILES SDN BHD													
HENGLASS (M) SDN BHD													
HIAP HIN CHAN TRADING CO SDN BHD													
HINLIONG GLASS CO SDN BHD													
HOLCIM (MALAYSIA) SDN. BHD													
HOTO STAINLESS STEEL INDUSTRIES SDN BHD													
HUATRACO SCAFFOLD SDN BHD													
HUME CEMENT SDN BHD													
HUME CONCRETE (EM) SDN. BHD													
HYPAK SDN BHD													
INDUSTRIAL CONCRETE PRODUCTS SDN BHD													
INDUSTRIAL CONCRETE PRODUCTS SDN BHD													
INDUSTRIAL CONCRETE PRODUCTS SDN BHD													
INDUSTRIAL CONCRETE PRODUCTS SDN BHD													
INDUSTRIAL CONCRETE PRODUCTS SDN BHD													
INDUSTRIAL CONCRETE PRODUCTS SDN BHD													
INDUSTRIAL CONCRETE PRODUCTS SDN BHD													
INDUSTRIAL CONCRETE PRODUCTS SDN BHD													
INNO CERAMITEC SDN BHD													
INTAN KERAMAT SDN BHD													
INTERGATE STEEL MILL SDN BHD													
JAPMAS STEEL SDN BHD													
JAPMAS STEEL SDN BHD													
JI KANG DIMENSI SDN BHD													
JPC-INTAN SDN BHD													
JPC-INTAN SDN BHD													
JPC-INTAN SDN BHD													
JS ALUMINIUM EXTRUDER SDN BHD													

INDEKS PENGELUAR

	ALUMINIUM	CEMENT	CERAMIC PIPES AND PIPE FITTING	FIBRE CEMENT FLAT SHEET	GLASS	INSULATION MATERIALS	IRON AND STEEL PRODUCTS	PRECAST CONCRETE PILES	PRECAST CONCRETE PIPES	RADIANT BARRIER	READY MIX CONCRETE	SANITARYWARE	UNGLAZED / GLAZED CERAMIC TILES
K FOIL INSULATION (MALAYSIA) SDN BHD													
KAMEN STEEL INDUSTRIES SDN BHD													
KANZEN TETSU SDN BHD													
KANZEN TETSU SDN BHD (NILAI PLANT)													
KCSS WIREMESH SDN BHD													
KIBING GROUP (M) SDN BHD													
KIEN SAFETY GLASS SDN BHD													
KIM HIN CERAMIC (SEREMBAN) SDN BHD													
KIN KEE STEEL PIPE MANUFACTURING SDN BHD													
KING HONG STEEL SDN BHD													
KISWIRE SDN. BHD (PC FACTORY)													
KLANG VALLEY WIRE SDN BHD													
KTK CONCRETE SDN BHD													
KUANTAN WIRE PRODUCTS SDN BHD													
LAFARGE CEMENT SDN BHD													
LAFARGE CEMENT SDN BHD													
LAFARGE CONCRETE (M) SDN BHD - KL PLANT													
LAFARGE CONCRETE (M) SDN BHD - PJ PLANT													
LE NAM MEGASHEET (M) SDN BHD													
LEADER CONCRETE SDN BHD													
LEADER SAFETY GLASS INTERNATIONAL SDN BHD													
LEADER STEEL SDN BHD													
LEADER STEEL SERVICE CENTRE SDN BHD													
LEE CHUAN GUAN STEEL SDN BHD (SCAFFOLD DIVISION)													
LEFORM SDN BHD													
LF ENGINEERING SDN BHD													
LY CONCRETE PRODUCTS SDN BHD - KOTA TINGGI PLANT													
LYE MANUFACTURING SDN BHD													
LYSAGHT CORRUGATED PIPE SDN BHD													
MACRO DIMENSION CONCRETE SDN BHD													
MACRO DIMENSION CONCRETE SDN BHD													
MALAYSIA STEEL WORKS (KL) BERHAD													
MALAYSIA STEEL WORKS (KL) BHD													

INDEKS PENGELUAR

	ALUMINIUM	CEMENT	CERAMIC PIPES AND PIPE FITTING	FIBRE CEMENT FLAT SHEET	GLASS	INSULATION MATERIALS	IRON AND STEEL PRODUCTS	PRECAST CONCRETE PILES	PRECAST CONCRETE PIPES	RADIANT BARRIER	READY MIX CONCRETE	SANITARYWARE	UNGLAZED / GLAZED CERAMIC TILES
MALAYSIAN MOSAICS SDN BHD													
MALAYSIAN MOSAICS SDN BHD													
MALAYSIAN MOSAICS SDN BHD													
MALAYSIAN SHEET GLASS SDN BHD					■								
MAPEL HARMONY SDN BHD							■	■					
MDC PRECAST INDUSTRIES SDN BHD								■	■				
MELEWAR STEEL TUBE SDN BHD													
MELEWAR STEEL TUBE SDN BHD													
MELEWAR STEEL TUBE SDN BHD													
METEX STEEL SDN BHD													
METRIC CONCRETE INDUSTRIES SDN BHD								■	■				
MODULAR CONSTRUCTION SERVICES (M) SDN BHD							■						
MYDECOR SDN BHD												■	
NAGAKO CERAMICS SDN BHD												■	
NAM HENG SAFETY GLASS (J) SDN BHD					■								
NEGERI SEMBILAN CEMENT INDUSTRIES SDN BHD - PERLIS PLANT		■											
NIRO CERAMIC (M) SDN BHD													■
NS BLUESCOPE MALAYSIA SDN BHD								■					
OKA CONCRETE INDUSTRIES SDN BHD									■				
OKA CONCRETE INDUSTRIES SDN BHD										■			
OOI JOO KEE & BROTHERS SDN. BHD.									■				
ORIENTAL STEEL PIPE SDN BHD													
ORIENTAL STEEL PIPE SDN BHD													
ORO SAFETY GLASS SDN BHD					■								
PAHANG CEMENT SDN BHD		■											
PAKAI INDUSTRIES BERHAD											■		
PANTECH STAINLESS&ALLOY INDUSTRIES SDN BHD								■					
PAU TATT WATER PIPE SDN BHD									■				
PBJ CONCRETE SDN BHD										■			
PERAK HANJOONG SIMEN SDN BHD			■										
PERFECT CHANNEL SDN BHD													
PERFECT MIX PORTFOLIO SDN BHD (NUSAJAYA PLANT)										■			
PERNIAGAAN LOGAM XING FA SDN BHD											■		

INDEKS PENGELUAR

	ALUMINIUM	CEMENT	CERAMIC PIPES AND PIPE FITTING	FIBRE CEMENT FLAT SHEET	GLASS	INSULATION MATERIALS	IRON AND STEEL PRODUCTS	PRECAST CONCRETE PILES	PRECAST CONCRETE PIPES	RADIANT BARRIER	READY MIX CONCRETE	SANITARYWARE	UNGLAZED / GLAZED CERAMIC TILES
PERUSAHAAN KONKRIT MERDEKA SDN BHD													
PGF INSULATION SDN BHD													
PIPEFAB INDUSTRIES SDN BHD													
PMW CONCRETE INDUSTRIES SDN BHD													
PRESS METAL BERHAD													
PROGRESS WELDED MESH SDN BHD													
RM WIRE INDUSTRIES SDN BHD													
ROCA MALAYSIA SDN BHD													
ROCKWOOL MALAYSIA SDN BHD (BRJ)													
ROCKWOOL MALAYSIA SDN BHD (MLK)													
SABAH WIREMESH & FENCING SDN BHD													
SAMA SANITARYWARE (M) SDN BHD													
SAN MIGUEL YAMAMURA WOVEN PRODUCTS SDN BHD													
SCAFFOLDS BUILDER SDN BHD													
SCIB CONCRETE MANUFACTURING SDN BHD													
SEACERA GROUP BERHAD													
SEDCO PRECAST SDN BHD													
SEJATI KONKRIT SDN BHD													
SEJATI KONKRIT SDN BHD													
SETIA READYMIX SDN BHD - BANGSAR PLANT (PLANT IDENTIFICATION: SRSB-14-W-1)													
SETIA READYMIX SDN BHD - BERANANG PLANT (PLANT IDENTIFICATION: SRSB-010-D-4)													
SETIA READYMIX SDN BHD - SEMENYIH PLANT (PLANT IDENTIFICATION : SRSB-010-D-3)													
SETIA READYMIX SDN BHD - SETIA ALAM PLANT 1 (PLANT IDENTIFICATION: SRSB-010-D-1)													
SETIA READYMIX SDN BHD - SETIA ALAM PLANT 2 (PLANT IDENTIFICATION: SRSB-010-D-2)													
SHG SAFETY GLASS SDN BHD													
SLAG CEMENT (SOUTHERN) SDN BHD													
SLAG CEMENT SDN BHD													
SOUTHERN CONCRETE SDN BHD													
SOUTHERN PC STEEL SDN BHD (55573-U)													
SOUTHERN PIPE INDUSTRY (M) SDN BHD													

INDEKS PENGELUAR

	ALUMINIUM	CEMENT	CERAMIC PIPES AND PIPE FITTING	FIBRE CEMENT FLAT SHEET	GLASS	INSULATION MATERIALS	IRON AND STEEL PRODUCTS	PRECAST CONCRETE PILES	PRECAST CONCRETE PIPES	RADIANT BARRIER	READY MIX CONCRETE	SANITARYWARE	UNGLAZED / GLAZED CERAMIC TILES
SOUTHERN STEEL BERHAD													
SOUTHERN STEEL MESH SDN BHD													
SOUTHERN STEEL MESH SDN BHD													
SOUTHERN STEEL ROD SDN BHD													
SPC INDUSTRIES SDN BHD													
ST STEEL INDUSTRIES SDN BHD													
STEEL INDUSTRIES (SABAH) SDN BHD													
STRONG MIXED CONCRETE SDN BHD													
STRONG MIXED CONCRETE SDN BHD													
STRONG MIXED CONCRETE SDN BHD													
SUBANG SAFETY GLASS SDN BHD													
SUNGAI RASAU PLANT 1													
SUNGAI RASAU PLANT 2													
SUNWAY SPUN PILE (M) SDN BHD													
SUNWAY VCP SDN BHD													
SUPER PILES SDN BHD													
SUPERB ALUMINIUM INDUSTRIES SDN BHD													
SYARIKAT LANRIC INDUSTRIES SDN BHD													
T.E.M. CASTING PRODUCTS SDN BHD													
T.J. POTTERY SDN BHD													
TAMPIN SIN YONG WAI INDUSTRY SDN BHD													
TAN TIMUR STAINLESS STEEL DAN COOPER SDN BHD													
TASEK CORPORATION BERHAD													
TEIKSHUN FOUNDRY SDN BHD													
TEONG HUAT CLAY PRODUCTS SDN BHD													
TIMES CERAMICA SDN BHD													
TOPLINE SAFETY GLASS (M) SDN BHD													
TROCELLEN S.E.A. SDN BHD													
TSK INDUSTRIES SDN BHD													
UAC BERHAD													
UNIQUE MIX (PENANG) SDN BHD													
UNIQUE STEEL & HARDWARE SDN BHD													

INDEKS PENGELUAR

	ALUMINIUM	CEMENT	CERAMIC PIPES AND PIPE FITTING	FIBRE CEMENT FLAT SHEET	GLASS	INSULATION MATERIALS	IRON AND STEEL PRODUCTS	PRECAST CONCRETE PILES	PRECAST CONCRETE PIPES	RADIANT BARRIER	READY MIX CONCRETE	SANITARYWARE	UNGLAZED / GLAZED CERAMIC TILES
UNITED G.I. PRODUCTS SDN BHD													
UNITED JAYA SDN BHD													
UNITED SEASONS SDN BHD													
VENUS CERAMIC INDUSTRY SDN.BHD													
VITALITY INDUSTRIES SDN BHD	■												
VPN (M) SDN BHD							■						
WEBFORGE (KL) SDN BHD													
WEI DAT STEEL WIRE SDN BHD													
WHITE HORSE CERAMIC INDUSTRIES SDN BHD													
WHITE HORSE CERAMIC INDUSTRIES SDN BHD													
WINABUMI SDN BHD					■		■						
WING WA GLASS SUPPLIER SDN BHD					■								
YANG AKTIF ENGINEERING WORKS SDN BHD							■						
YETTA STEEL INDUSTRIES SDN BHD							■						
YEW LEAN FOUNDRY & CO. SDN BHD													
YH LAMINATED PRODUCTS SDN BHD								■	■				
YI-LAI INDUSTRY BERHAD										■			
YUNG KONG METAL WORKS CO BHD							■						



SENARAI PENGELOUAR
MENGIKUT KATEGORI

ALUMINIUM COMPANY OF MALAYSIA BERHAD

No. PPS : 1170524SL0184
No. CERT : A002094

NO. 3, PERSIARAN WAJA, BUKIT RAJA INDUSTRIAL
ESTATE KLANG 41050 SELANGOR

TEL : 03-33412311
FAX : 03-33412793

TARIKH MULA	06-07-2018	TARIKH TAMAT	05-07-2019
JENIS / SAIZ		JENAMA	STANDARD
Aluminium And Aluminium Alloys - Sheets And Coiled Sheets Model : Alloy Type = 1100, 3105 Rating : Temper Grade = H14, H26 Type : Coil and Sheet ; Size : Thickness(mm) = 0.5 - 3.0 ; Maximum Width(mm) = 1220 ; Maximum Sheet Length(mm) =2440		Aluminium Company of Malaysia Berhad	MS 2040:2007

BP ALUMINIUM EXTRUSION SDN BHD

No. PPS : 1190424SB0358
No. CERT : A001632

NO 15 & 16, JALAN 1C KKIP SELATAN,
INDUSTRIAL ZONE 2 (IZ2), KKIP 88460 SABAH

TEL : 088-499111
FAX : 088-499222

TARIKH MULA	24-04-2019	TARIKH TAMAT	23-04-2020
JENIS / SAIZ		JENAMA	STANDARD
Aluminium and Aluminium Alloy - Extruded Shapes Alloy 6063 - 13.48mm - 148.36mm, 6063 - 13.48 - 148.36mm		BP Aluminium Extrusion Sdn Bhd	MS 2289:2010

EVERLAST ALUMINIUM (M) SDN BHD

No. PPS : 1180118SL0243
No. CERT : A002158

LOT 1828, JALAN KPB 3 JALAN BALAKONG,
BUKIT BELEMBING SERI KEMBANGAN 43300 SELANGOR

TEL : 03-8961 5223
FAX : 03-8961 1112

TARIKH MULA	18-01-2019	TARIKH TAMAT	17-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Mobile Tower MODEL : SWAB, SWAAB & SWAAAB, TYPE : SINGLE WIDTH PLATFORM, SIZE : WIDTH (MM) : 615, LENGTH (MM) : 1865, HEIGHT (MM) : 3540, 5820 & 8100		EVERLAS, PMB Quick Access & Qaccess	BS EN 1004:2004
Mobile Tower MODEL : SWFAB, SWFAAB & SWFAAAB, TYPE : SINGLE WIDTH PLATFORM SIZE : WIDTH (MM) : 615 LENGTH (MM) : 2365 HEIGHT (MM) = 3255, 5250 & 7245		PMB Quick Access & Qaccess	BS EN 1004:2004
Mobile Tower MODEL : DWFAB, DWFAAB & DWFAAAB, TYPE : DOUBLE WIDTH PLATFORM SIZE : WIDTH (MM) : 1230 LENGTH (MM) : 1865, 2365 HEIGHT (MM) : 3255, 5250, 7245			

<p>Mobile Tower MODEL : DWAB, DWAAB & DWAAAB, TYPE : DOUBLE WIDTH PLATFORM SIZE : WIDTH (MM) : 1230 LENGTH (MM) : 1865, 2365 HEIGHT (MM) : 3540, 5820, 8100</p> <p>Mobile Tower MODEL : MSAB, MSAAB & MSAAAB, TYPE : MINISNAP WITH SINGLE WIDTH PLATFORM, SIZE : WIDTH (MM) : 615 LENGTH (MM) : 1865 HEIGHT (MM) : 1730, 3440, 5150</p>		
---	--	--

EVERPRESS ALUMINIUM INDUSTRIES SDN BHD

No. PPS : 1190107NS0339
No. CERT : A002133

LOT 1282 & 1283, KAWASAN PERINDUSTRIAN TAMAN MELUR BATANG BENAR,
MANTIN 71700 NEGERI SEMBILAN

TEL : +6067990309
FAX : +6067996837

TARIKH MULA	07-01-2019	TARIKH TAMAT	06-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Aluminium and Aluminium Alloy - Extruded Shapes CIRCUMSCRIBING CIRCLE DIAMETER (CCD) = 19MM -133MM, 67MM -141MM		EVERPRESS ALUMINIUM INDUSTRIES SDN.BHD	MS 2289:2010

JS ALUMINIUM EXTRUDER SDN BHD

No. PPS : 1190115SL0343
No. CERT : A002156

LOT 2261, JALAN HELANG, KAWASAN PERUSAHAAN KEBUN BARU,
TELOK PANGLIMA GARANG 42500 SELANGOR

TEL : 03-31231996
FAX : 03-31231997

TARIKH MULA	15-01-2019	TARIKH TAMAT	14-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Aluminium and Aluminium Alloy - Extruded Shapes ALLOY TYPE : 6063 TEMPER GRADE : T5, T6 SHAPE : HOLLOW CIRCUMSCRIBING CIRCLE DIAMETER (CCD) : 19.46 MM - 181.46 MM		JS ALUMINIUM EXTRUDER SDN.BHD.	MS 2289:2010
Aluminium and Aluminium Alloy - Extruded Shapes ALLOY TYPE : 6063 TEMPER GRADE : T5, T6 SHAPE : SOLID CIRCUMSCRIBING CIRCLE DIAMETER (CCD) : 19.46 MM -181.46 MM			

LB ALUMINIUM BERHAD

No. PPS : 1180925SL0305
No. CERT : A002113

LOT 11, JALAN PERUSAHAAN 1, KAWASAN PERUSAHAAN BERANANG SEMENYIH 43700 SELANGOR

TEL : 03-87258822
FAX : 03-87258828

TARIKH MULA	25-09-2018	TARIKH TAMAT	24-09-2019
JENIS / SAIZ		JENAMA	STANDARD
Aluminium and Aluminium Alloy - Extruded Shapes Alloy Type = 6063 Temper Grade = T5, T6 Shape Hollow - Size CCD 52 -113 Shape Solid -Size CCD 36 - 163		LB ALUMINIUM	MS 2289:2010

PRESS METAL BERHAD

No. PPS : 1181113SL0322
No. CERT : A002133

LOT 6464 , BATU 5 3/4 , JALAN KAPAR , SEMENTA KLANG 42100 SELANGOR

TEL : 03-32913188
FAX : 03-32919133

TARIKH MULA	13-11-2018	TARIKH TAMAT	12-11-2019
JENIS / SAIZ		JENAMA	STANDARD
Aluminium and Aluminium Alloy - Extruded Shapes ALLOY TYPE = 6060, 6063 TEMPER GRADE = T5, T6 SHAPE = SOLID SIZE = CIRCUMSCRIBING CIRCLE DIAMETER (CCD) = 39 - 113 ALLOY TYPE = 6060, 6063 TEMPER GRADE = T5, T6 SHAPE = HOLLOW SIZE = CIRCUMSCRIBING CIRCLE DIAMETER (CCD) = 77 -112		COMSASH, COMDOOR, COMWALL	MS 2289:2010

SUPERB ALUMINIUM INDUSTRIES SDN BHD

No. PPS : 1181009SL0310
No. CERT : A002120

LOT 1-22, JALAN PERINDUSTRIAN MAHKOTA 2
KAWASAN PERINDUSTRIAN MAHKOTA 43700 SELANGOR

TEL : 03-87232652
FAX : 03-87242622

TARIKH MULA	09-10-2018	TARIKH TAMAT	08-10-2019
JENIS / SAIZ		JENAMA	STANDARD
Aluminium and Aluminium Alloy - Extruded Shapes ALLOY TYPE: 6061, A 6061 SS TEMPER GRADE: T6 DIAMETER: 250 MM MAX SHAPE: SOLID, HOLLOW ALLOY TYPE: 6063, A 6063 SS TEMPER GRADE: T5, T6 DIAMETER: 250 MM MAX SHAPE: SOLID, HOLLOW		SUPERB ALUMINIUM	MS 2289:2010

VITALLY INDUSTRIES SDN BHD

No. PPS : 1190109JH0341
No. CERT : A004091

NO PTD3255, KAWASAN PERINDUSTRIAN BUKIT BAKRI BATU 8,
JALAN BAKRI, 84200 MUAR, JOHOR

TEL : 06-9860088
FAX : 06-9868800

TARIKH MULA

09-01-2019

TARIKH TAMAT

08-01-2020

JENIS / SAIZ	JENAMA	STANDARD
Flame Retardant Aluminium Composite Panel ALLOY DESIGNATION 3003 TEMPER GRADE H16 (TOTAL THICKNESS 4MM ALUMINIUM THICKNESS 0.5MM. MAX WIDTH 1250MM LENGTH 4880MM)	VITALLY	MS 2571:2017
ALLOY DESIGNATION 3003 TEMPER GRADE H16 (TOTAL THICKNESS 4MM ALUMINIUM THICKNESS 0.4MM. MAX WIDTH 1250MM LENGTH 4880MM)		

AALBORG PORTLAND MALAYSIA SDN BHD

No. PPS : 1150401PK0030
No. CERT : A001292

LOT 75244, PINJI ESTATE, LAHAT
30750 KINTA PERAK

TEL : 05 3218988
FAX : 05 3236070

TARIKH MULA	29-05-2018	TARIKH TAMAT	28-05-2019
JENIS / SAIZ		JENAMA	STANDARD
White Portland Cement 52.5N		KNIGHT; AALBORG WHITE	MS 888:2011
White Portland-Limestone Cement B-LL 32.5R		UNICORN; BONDCRETE	MS 888:2011

ASSOCIATED PAN MALAYSIA CEMENT SDN BHD

No. PPS : 1160229PK0104
No. CERT : A003927

KANTHAN PLANT, BATU 13 1/2, JALAN KUALA KANGSAR, 31200 CHEMOR,
PERAK DARUL RIDZUAN, 31200 KINTA PERAK

TEL : 05-2011202
FAX : 05-2017259

TARIKH MULA	05-04-2019	TARIKH TAMAT	04-04-2020
JENIS / SAIZ		JENAMA	STANDARD
Masonry Cement MC 12.5		WALCRETE (TIGER)	MS EN 413-1:2012
Portland - Fly Ash Cement CEM II/A-V 52.5N, CEM II/B-V 42.5N		MASCRETE PRO, MASCRETE ECO	MS EN 197-1:2014
Portland Cement PORTLAND CEMENT		CAP HARIMAU, CAP KUDA, CAP RUMAH, CAP BADAK	MS EN 197-1:2014, MS EN 197-1 : 2007
Portland-limestone Cement CEM II/B-LL 32.5R		PHOENIX, RUMAH	MS EN 197-1:2014

ASSOCIATED PAN MALAYSIA CEMENT SDN BHD (RAWANG)

No. PPS : 1170120SL0162
No. CERT : A002140

RAWANG PLANT JALAN CIKU RAWANG
48000 RAWANG SELANGOR

TEL : 03 60916711
FAX : 03 60919361

TARIKH MULA	20-01-2019	TARIKH TAMAT	19-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Portland - Fly Ash Cement CEM II/ B-V 32.5N		MASCRETE LH	MS EN 197-1:2014
Portland - Fly Ash Cement CEM II/ B - V42.5N		MASCRETE ECO	MS EN 197-1:2014
Portland - Composite Cement PHOENIX / CEM II/B-M (L-V)32.5R		PHOENIX	MS EN 197-1:2014
Portland Cement CEM I 52.5N		CAP BADAK,CAP HARIMAU, CAP KUDA , CAR RUMAH	MS EN 197-1:2014
Masonry Cement MC 12.5		WALCRETE	MS EN 413-1:2012

CEMENT INDUSTRIES (SABAH) SDN BHD

No. PPS : 1151006SB0049
No. CERT : A001623

SEPANGAR INDUSTRIAL ESTATE MENGGATAL, 30KM NORTH OF KOTA KINABALU
88839 KOTA KINABALU SABAH

TEL : 088411122
FAX : 088411133

TARIKH MULA

05-10-2018

TARIKH TAMAT

04-10-2019

JENIS / SAIZ

JENAMA

STANDARD

Portland Cement
PORTLAND CEMENT (RATING: CEM I 42.5N)

CAP GAJAH, CAP MERIAM,
CAP BERUANG

MS EN 197-1:2014

CMS CEMENT INDUSTRIES SDN BHD

No. PPS : 1170612SR0195
No. CERT : A001684

LOT 571, BLOCK 4, SENTAH SEGU L.D, JALAN MAMBONG,
OFF JALAN PUNCAK BORNEO, KUCHING 93250 SARAWAK

TEL : 082-610229
FAX : 082-610227

TARIKH MULA

13-07-2018

TARIKH TAMAT

12-07-2019

JENIS / SAIZ

JENAMA

STANDARD

Portland Cement
42.5N

CMS

MS EN 197-1:2014

CMS CEMENT SDN BHD (BINTULU PLANT)

No. PPS : 1160815SR0139
No. CERT : A 001687

LOT 766, BLOCK 20, KEMENA LAND DISTRICT KIDURONG INDUSTRIAL ESTATE
97007 BINTULU SARAWAK

TEL : 086254727
FAX : 086254753

TARIKH MULA

23-08-2018

TARIKH TAMAT

22-08-2019

JENIS / SAIZ

JENAMA

STANDARD

Portland Cement
PORTLAND CEMENT

CMS

MS EN 197-1:2014

CMS CEMENT SDN BHD (KUCHING PLANT)

No. PPS : 1160609SR0131
No. CERT : A 001682

LOT 5985, JALAN SIMEN RAYA PENDING INDUSTRIAL ESTATE
93740 KUCHING SARAWAK

TEL : 082332111
FAX : 082349601

TARIKH MULA

22-06-2018

TARIKH TAMAT

21-06-2019

JENIS / SAIZ

JENAMA

STANDARD

Portland Cement
PORTLAND CEMENT

CMS

MS EN 197-1:2014

HOLCIM (MALAYSIA) SDN. BHD

No. PPS : 1150413JH0032
No. CERT : A 002890

LOT 119, JALAN PUKAL 3
81700 PASIR GUDANG JOHOR

TEL : +607 251 3411
FAX : +607 2514417

TARIKH MULA	09-08-2018	TARIKH TAMAT	08-08-2019
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Masonry Cement MC 12.5	HOLCIM EASY WALL (HEW)	MS EN 413-1:2012
Masonry Cement MC 12.5	WALCRETE	MS EN 413-1:2012
Portland - Fly Ash Cement CEM II / A-V 42.5N	HOLCIM READY FLOW (HRF)	MS EN 197-1:2014
Portland - Fly Ash Cement CEM II / A-V 42.5N	HOLCIM QUICK CAST (HQC)	MS EN 197-1:2014
Portland - Fly Ash Cement CEM II / B-V 42.5N	MASCRETE ECO (ME)	MS EN 197-1:2014
Portland Cement CEM I 52.5N	ORDINARY PORTLAND CEMENT (OPC)	MS EN 197-1:2014
Portland - Composite Cement CEM II / B-M 32.5N	HOLCIM TOP STANDARD (HTS)	MS EN 197-1:2014

HUME CEMENT SDN BHD

No. PPS : 1160307PK0106
No. CERT : A003925

LOT 300254 JALAN GOPENG KOTA BAHRU
KOTA BAHRU GOPENG 31610 PERAK

TEL : 0378669000
FAX :

TARIKH MULA	06-03-2019	TARIKH TAMAT	05-03-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Portland Cement CEM I 52.5N	PANDA	MS EN 197-1:2014
Portland - Composite Cement CEM II/B-M(S-L) 32.5R	PANDA	MS EN 197-1:2014
Masonry Cement MC 12.5	CAP ORANG KUAT	MS EN 413-1:2012

LAFARGE CEMENT SDN BHD

No. PPS : 1160614KD0134
No. CERT : A 001371

LANGKAWI PLANT, TELUK EWA, MUKIM AYER HANGAT
07000 PULAU LANGKAWI KEDAH

TEL : 04-9508000
FAX : 04-9591710

TARIKH MULA	30-08-2018	TARIKH TAMAT	29-08-2019
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Masonry Cement MC 12.5	Walcrete	MS EN 413-1:2012

Portland Cement CEM I 42,5 N; CEM I 52,5 N	KUDA, HARIMAU, RUMAH	MS EN 197-1:2014
---	----------------------	------------------

LAFARGE CEMENT SDN BHD

No. PPS : 1150325JH0028
No. CERT : A004103

LOT 2, JALAN KONTENA KAWASAN PELABUHAN JOHOR
81700 PASIR GUDANG JOHOR

TEL : 072525022
FAX : 072526277

TARIKH MULA	05-04-2019	TARIKH TAMAT	04-04-2020
JENIS / SAIZ		JENAMA	STANDARD
Pozzolanic Cement CEM IV/B (V) 32.5R		PHOENIX	MS EN 197-1:2014
Portland Cement CEM I 52.5N		LAFARGE CEMENT	MS EN 197-1:2014
Portland - Fly Ash Cement CEM II / B-V 42.5N		MASCRETE ECO	MS EN 197-1:2014
Portland - Fly Ash Cement CEM II / B-V 42.5N - LH		MASCRETE LH	MS EN 197-1:2014

**NEGERI SEMBILAN CEMENT INDUSTRIES SDN BHD
- PERLIS PL**

No. PPS : 1151118PR0059
No. CERT : A001443

BUKIT KETRI, MUKIM CHUPING
KANGAR 02450 PERLIS

TEL : 049367100
FAX : 049367115

TARIKH MULA	20-09-2018	TARIKH TAMAT	19-09-2019
JENIS / SAIZ		JENAMA	STANDARD
Portland Cement CEM I 42.5N & CEM I 52.5N		BLUE LION	MS EN 197-1:2014
Masonry Cement MASONRY CEMENT MC 12.5		BLUE LION	MS EN 413-1:2012
Portland - Composite Cement CEM II B/M (S-L) 32.5R		BLUE LION	MS EN 197-1:2014

PAHANG CEMENT SDN BHD

No. PPS : 1160127PH0091
No. CERT : A001500

P.O.BOX 232, BUKIT SAGU
25720 KUANTAN PAHANG

TEL : 09-5158208
FAX : 09-5133305

TARIKH MULA	17-01-2019	TARIKH TAMAT	16-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Masonry Cement MC 22.5X / 50 KG BAG		WALLCEM	MS EN 413-1:2012
Portland Cement CEM I 42.5 N; CEM I 52.5 N / BULK		CAP ORANG KUAT	MS EN 197-1:2014

Portland-limestone Cement CEM II/B-L 32.5N / 50KG BAG	CASTLE, DRAGON	MS EN 197-1:2014
--	----------------	------------------

PERAK HANJOONG SIMEN SDN BHD

No. PPS : 1160217PK0101
No. CERT : A003923

BATU 14, MUKIM KAMPUNG BUAIA
33700 KUALA KANGSAR PERAK

TEL : 057596000
FAX : 057774640

TARIKH MULA	17-03-2019	TARIKH TAMAT	16-03-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Portland Cement CEM I / 52.5N, CEM I / 42.5N	ORANG KUAT	MS EN 197-1:2014
Portland-limestone Cement CEM II / A-L 42.5N, CEM II / B-L 32.5N	CASTLE	MS EN 197-1:2014
Portland-limestone Cement CEM II / B-L 32.5N	DRAGON	MS EN 197-1:2014
Masonry Cement MASONRY CEMENT	WALLCEM	MS EN 413-1:2012

SLAG CEMENT (SOUTHERN) SDN BHD

No. PPS : 1150902JH0034
No. CERT : A 002892

LOT 3, OFF JALAN PUKAL, PASIR GUDANG
81707 PASIR GUDANG JOHOR

TEL : 07-2525355
FAX : 07-2512037

TARIKH MULA	20-08-2018	TARIKH TAMAT	19-08-2019
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Portland - Composite Cement PORTLAND COMPOSITE CEMENT CEM II/B-M (S-V) 42.5N	DRAGON	MS EN 197-1:2014
Portland Cement PORTLAND CEMENT CEM I 42.5N	CAP RUMAH API, CAP ORANG KUAT	MS EN 197-1:2014
Portland Slag Cement PORTLAND SLAG CEMENT CEM II/B-S 42.5N	DRAGON, SLAGCEM	MS EN 197-1:2014
Blastfurnace Cement BLASTFURNACE CEMENT CEM III/A 32.5N, CEM III/B 32.5N	SLAGCEM	MS EN 197-1:2014
Portland-limestone Cement PORTLAND LIMESTONE CEMENT CEM II/B-L	CASTLE, WALLCEM, DRAGON	MS EN 197-1:2014

SLAG CEMENT SDN BHD

No. PPS : 1150902SL0035
 No. CERT : A002114

LOT NO. 55709, DRY BULK TERMINAL 2, JALAN TERATAI 2, WESTPORT,
 PULAU INDAH, PORT KLANG 42009 KLANG SELANGOR

TEL : 03-31011388
 FAX : 03-31011377

TARIKH MULA

25-09-2018

TARIKH TAMAT

24-09-2019

JENIS / SAIZ	JENAMA	STANDARD
Portland Cement PORTLAND CEMENT CEM I 42.5N	KIJANG, CAP ORANG KUAT	MS EN 197-1:2014
Portland Slag Cement PORTLAND SLAG CEMENT CEM II/A-S 42.5N, CEM II/B-S 42.5N	SLAGCEM, DRAGON	MS EN 197-1:2014
Blastfurnace Cement BLASTFURNACE CEMENT CEM III/A 42.5N		
Blastfurnace Cement BLASTFURNACE CEMENT CEM III/B 32.5N	SLAGCEM, MARINECEM, SRC	MS EN 197-1:2014
Blastfurnace Cement SULFATE RESISTANCE BLASTFURNACE CEMENT CEM III/B 32.5N-LH/SR		
Blastfurnace Cement BLASTFURNACE CEMENT CEM III/A 42.5L	DRAGON, SLAGCEM	MS EN 197-1:2014
Portland - Fly Ash Cement PORTLAND FLY ASH CEMENT CEM II/B-V 32.5R, II/B-V 42.5N, II/A-V 42.5N	MASCEM, DRAGON	MS EN 197-1:2014
Portland - Composite Cement PORTLAND COMPOSITE CEMENT CEM II/A-M (S-V) 42.5N, II/B-M (S-V) 32.5R, II/B-M (S-V) 32.5N	DRAGON	MS EN 197-1:2014
Composite Cement COMPOSITE CEMENT CEM V/A (S-V) 32.5N		
Portland-Limestone Cement CEM II/B-L 32.5N	Castle, Dragon, Wallcem	MS EN 197-1:2014

TASEK CORPORATION BERHAD

No. PPS : 1150921PK0039
 No. CERT : A003918

LOT 5, PERSIARAN TASEK, TASEK INDUSTRIAL ESTATE,
 31400 KINTA PERAK

TEL : 05-291 1011
 FAX : 05-291 9932

TARIKH MULA

27-11-2018

TARIKH TAMAT

26-11-2019

JENIS / SAIZ	JENAMA	STANDARD
Portland Cement PORTLAND CEMENT CEM I 42.5N	Buaya	MS EN 197-1:2014
Masonry Cement MASONRY CEMENT		
Portland - Fly Ash Cement PORTLAND-FLY ASH CEMENT	Green buaya	MS EN 197-1:2014
Portland-limestone Cement PORTLAND-LIMESTONE CEMENT	Cap Loceng	MS EN 197-1:2014

BAN SOONG HENG SDN BHD

No. PPS : 1171123PK0226
 No. CERT : A003917

PLOT 77, JALAN SERAMIK CHEPOR 11/1,
 KAWASAN PERINDUSTRIAN SERAMIK ULU CHEPOR 31200 PERAK

TEL : 052015594
 FAX : 052017398

TARIKH MULA	23-11-2018	TARIKH TAMAT	22-11-2019
JENIS / SAIZ		JENAMA	STANDARD
Vitrified Clay Pipes And Fittings and Pipe Joint for Drains and Sewers DN100x0.9m, DN150x1m, DN150x1.5m, DN225x1m, DN225x1.75m, DN300x1m, DN300x1.75m and their respective fittings.		BSH	MS 1061:1999

JPC-INTAN SDN BHD

No. PPS : 1190513JH0362
 No. CERT : A 001223

57TH MILE, JALAN JOHOR, AYER HITAM,
 86100 KLUANG JOHOR

TEL : 07-7582537
 FAX : 07-7582237

TARIKH MULA	13-05-2019	TARIKH TAMAT	12-05-2020
JENIS / SAIZ		JENAMA	STANDARD
Vitrified Clay Pipes And Fittings and Pipe Joint for Drains and Sewers PIPE - FN 28,34 KN/M (UNGLAZED & GLAZED) JOINTS - JO - SLEEVE POLYPROPYLENE JOINTS - JO - LINK FIXED RUBBER RING PIPE - FN 34 KN/M (UNGLAZED & GLAZED) PIPE - CLASS 160 (UNGLAZED & GLAZED) FITTINGS - BEND 90O, BEND 45O, BEND 30O (UNGLAZED & GLAZED) FITTINGS - T JUNCTION 90O, Y JUNCTION 45O (UNGLAZED & GLAZED) JOINTS - JO - FLEX INTERFACING POLYURETHANE JOINTS - L RUBBER JOINT INTERFACING POLYURETHANE PIPE - CLASS 120 (UNGLAZED & GLAZED)		JPC-INTAN, CLAYTAN	MS 1061:1999

JPC-INTAN SDN BHD

No. PPS : 1160314JH0107
 No. CERT : A 001223

57TH MILE, JALAN JOHOR, AYER HITAM,
 86100 KLUANG JOHOR

TEL : 07-7582537
 FAX : 07-7582237

TARIKH MULA

09-05-2017

TARIKH TAMAT

08-05-2018

JENIS / SAIZ	JENAMA	STANDARD
Vitrified Clay Pipes And Fittings and Pipe Joint for Drains and Sewers PIPE - FN 28 KN/M (UNGLAZED & GLAZED)	JPC-INTAN, CLAYTAN	MS 1061:1999
JOINTS - JO - SLEEVE POLYPROPYLENE		
JOINTS - JO - LINK FIXED RUBBER RING		
PIPE - FN 34 KN/M (UNGLAZED & GLAZED)		
PIPE - CLASS 160 (UNGLAZED & GLAZED)		
FITTINGS - BEND 90O, BEND 45O, BEND 30O (UNGLAZED & GLAZED)		
FITTINGS - T JUNCTION 90O, Y JUNCTION 45O (UNGLAZED & GLAZED)		
JOINTS - JO - FLEX INTERFACING POLYURETHANE		
JOINTS - L RUBBER JOINT INTERFACING POLYURETHANE		
PIPE - CLASS 120 (UNGLAZED & GLAZED)		
PIPE-CLASS 240 (UNGLAZED)		

JPC-INTAN SDN BHD

No. PPS : 1180506JH0273
 No. CERT : A 002874

57TH MILE, JALAN JOHOR, 86100 JOHOR

TEL : 07-7582537
 FAX : 07-7582237

TARIKH MULA

09-05-2018

TARIKH TAMAT

08-05-2019

JENIS / SAIZ	JENAMA	STANDARD
Vitrified Clay Pipes And Fittings and Pipe Joint for Drains and Sewers PIPE - FN 28 KN/M (UNGLAZED & GLAZED)	JPC-INTAN, CLAYTAN	MS 1061:1999
JOINTS - JO - SLEEVE POLYPROPYLENE		
JOINTS - JO - LINK FIXED RUBBER RING		
PIPE - FN 34 KN/M (UNGLAZED & GLAZED)		
PIPE - CLASS 160 (UNGLAZED & GLAZED)		
FITTINGS - BEND 90O, BEND 45O, BEND 30O (UNGLAZED & GLAZED)		
FITTINGS - T JUNCTION 90O, Y JUNCTION 45O (UNGLAZED & GLAZED)		

JOINTS - JO - FLEX INTERFACING POLYURETHANE		
JOINTS - L RUBBER JOINT INTERFACING POLYURETHANE		
PIPE - CLASS 120 (UNGLAZED & GLAZED)		
PIPE-CLASS 240 (UNGLAZED)		

SUNWAY VCP SDN BHD

No. PPS : 1161104SL0150
 No. CERT : A002160

LOT 6489 & 6490, OFF 6TH MILE
 JLN KAPAR 42100 KLANG SELANGOR

TEL : 03-32915288
 FAX : 03-32915388

TARIKH MULA	25-01-2019	TARIKH TAMAT	24-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Vitrified Clay Pipes With Flexible Mechanical Joints PIPE CLASS160 NOMINAL SIZE (DN)/ LENGTH 200MMX2.0M (GLAZED)		SUNWAY VCP	MS 1061:PART 1:1999
PIPE CLASS160/ NOMINAL SIZE (DN)/ LENGTH 225MMX1.75M (GLAZED)			
PIPE CLASS160/ NOMINAL SIZE (DN)/ LENGTH 225MMX2.0M (GLAZED)			
PIPE CLASS160/ NOMINAL SIZE (DN)/ LENGTH 250MMX2.0M (GLAZED)			
PIPE CLASS160/ NOMINAL SIZE (DN)/ LENGTH 300MMX2.0M (GLAZED)			
PIPE CLASS160/ NOMINAL SIZE (DN)/ LENGTH 450MMX2.0M (GLAZED)			
PIPE CLASS160/ NOMINAL SIZE (DN)/ LENGTH 600MMX2.0M (GLAZED)			
FITTINGS - BEND 45 DEGREE NOMINAL SIZE : DN 150 (GLAZED)			
PIPE - CRUSHING STRENGTH (FN)34KN/M / NOMINAL SIZE DN150 X1.5M (GLAZED), 150 X 1.75M(GLAZED)			
FITTINGS - BEND 90 DEGREE / NOMINAL SIZE : DN 225 (GLAZED)			
FITTINGS - JUNCTION 45 DEGREE / NOMINAL SIZE : DN 225/150 (GLAZED)			
FITTINGS - JUNCTION 90 DEGREE/ NOMINAL SIZE : DN 225/150 (GLAZED)			

TEONG HUAT CLAY PRODUCTS SDN BHD

No. PPS : 1180424PR0265
No. CERT : A003929

PLOT 79 PUSAT INDUSTRI SERAMIK FASA 1 BATU 10
JALAN JELAPANG -CHEPOR 31200 PERAK

TEL : 05-2011716
FAX : 05-2011716

TARIKH MULA	25-04-2019	TARIKH TAMAT	24-04-2020
JENIS / SAIZ		JENAMA	STANDARD
Vitrified Clay Pipes With Flexible Mechanical Joints 100MM X 1M; 150MM X 1M; 225MM X 1M; 300MM X 1M		TH	MS 1061:PART 1:1999

UAC BERHAD

No. PPS : 1181015PK0312
 No. CERT : A001543

36, JALAN PORTLAND, TASEK INDUSTRIAL ESTATE
 31400 IPOH, PERAK

TEL : 603-77219393
 FAX : 603-77219300

TARIKH MULA	15-10-2018	TARIKH TAMAT	14-10-2019
JENIS / SAIZ	JENAMA	STANDARD	
Non Asbestos Fibre Cement Flat Sheets UCO SUPERFLEX, UCO FLEXABORD, UCO VISTABORD, UCO MULTIFLEX, UCO SMOOTH PLANK, UCO SEDARTEX WOODGRAIN, UCO PANEL WOODGRAIN, UCO FORRA PLUS, UCO CHEMERAH PLUS, UCO TIKA, UCO ANGKASA, UCO DURAVENT, UCO LATTICE, UCO SHINGLES / 2440X1220, 1220X1220, 1220X610, 2250X1220, 3660X230, 3600X225, 2250X600, 610X610 (THICKNESS 3.2, 3.5, 4.5, 6.0, 7.5, 9.0, 12.0, 15.0, 18.0, 19.0, 20.0, 22.0, 25.0)	UCO	MS 1296:2010	

A STAR GLASSTECH (M) SDN BHD

No. PPS : 1170621JH0200
No. CERT : A 002885

LOT 1365, JALAN SAWAH PEKAN NENAS,
PONTIAN 81500 JOHOR

TEL : 07-6996989
FAX : 07-6992988

TARIKH MULA

21-06-2018

TARIKH TAMAT

20-06-2019

JENIS / SAIZ	JENAMA	STANDARD
Laminated Safety Glass In Building Rating : Class B Type : Layers of Glass = 2 Interlayer = Polyvinyl Butyral (PVB) Size : Float Glass Thickness (MM) = 3,4,5 Interlayer Thickness (MM) = 0.38, 0.76, 1.14, 1.52 Total Thickness (MM) = 6.38 - 10.38	A STAR	MS 1498:2011
Rating : Class A Type : Layers of Glass = 2 Interlayer = Polyvinyl Butyral (PVB) Size : Float Glass Thickness (MM) = 5,6,8,10 Interlayer Thickness (MM) = 0.38, 0.76, 1.14, 1.52 Total Thickness (MM) = 10.76 - 21.52		
Rating : Class B Type : Layers of Glass = 2 Interlayer = Polyvinyl Butyral (PVB) Size : Tempered Glass Thickness (MM) = 4,5 Interlayer Thickness (MM) = 0.38, 0.76, 1.14, 1.52 Total Thickness (MM) = 8.76 - 10.38		
Rating : Class A Type : Layers of Glass = 2 Interlayer = Polyvinyl Butyral (PVB) Size : Tempered Glass Thickness (MM) = 5,6,8,10,12,15,19 Interlayer Thickness (MM) = 0.38 0.76, 1.14, 1.52 Total Thickness (MM) = 10.76 - 39.52		
Rating : Class A Type : Layers of Glass = 2 Interlayer = Ionoplast Polymer (SG) Size : Tempered Glass Thickness (MM) = 15 Interlayer Thickness (MM) = 1.78 Total Thickness (MM) = 31.78		
Rating : Class B Type : Layers of Glass = 2 Interlayer = Polyvinyl Butyral (PVB) Size : Float Glass Thickness (MM) = 4,5 Interlayer Thickness (MM) = 0.38, 0.76, 1.14, 1.52 Tempered Glass Thickness (MM) = 4,5 Total Thickness (MM) = 8.76 - 10.38		
Rating : Class A Type : Layers of Glass = 2 Interlayer = Polyvinyl Butyral (PVB) Size : Float Glass Thickness (MM) = 5,6,8,10,12 Interlayer Thickness (MM) = 0.38, 0.76, 1.14, 1.52 Tempered Glass Thickness (MM) = 5, 6,8,10, 12 Total Thickness (MM) = 10.76 - 25.52		
Rating : Class B Type : Layers of Glass = 2 Interlayer = Polyvinyl Butyral (PVB) Size : Heat Strengthen Glass Thickness (MM) = 4,5 Interlayer Thickness (MM) = 0.38, 0.76, 1.14, 1.52 Total Thickness (MM) = 8.76 - 10.38		

AGT SAFETY GLASS SDN BHD

No. PPS : 1180503SL0270
No. CERT : A003935

NO.11, JALAN KESUMA 2/1, BANDAR TASIK KESUMA, 43700 BERANANG,
SELANGOR DARUL EHSAN.

TEL : 03-8724 3561
FAX : 03-8724 3566

TARIKH MULA	03-05-2019	TARIKH TAMAT	02-05-2020
JENIS / SAIZ		JENAMA	STANDARD
Tempered Safety Glass in Building CLASS A/ 4 MM, 5 MM, 6 MM, 8 MM, 11 MM, 12 MM, 15 MM, 19 MM		AGT SAFETY GLASS	
CLASS A / FLOAT LAMINATED SAFETY GLASS 6.76 - 31.52, 9.52 - 25.52			
CLASS B / FLOAT LAMINATED SAFETY GLASS 6.38 - 12.38			

AJIYA SAFETY GLASS SDN BHD

No. PPS : 1161129PP0154
No. CERT : A002812

PLOT 248A, LENGKOK PERINDUSTRIAN BUKIT MINYAK 16, KAWASAN PERINDUSTRIAN
BUKIT MINYAK, BUKIT MERTAJAM 14100 BUKIT MERTAJAM PULAU PINANG

TEL : 04-5-88777
FAX : 04-5071115

TARIKH MULA	28-12-2018	TARIKH TAMAT	27-12-2019
JENIS / SAIZ		JENAMA	STANDARD
Tempered Safety Glass in Building 4MM, 5MM, 6MM, 8MM, 10MM, 12MM, 15MM, 19MM		AJIYA	
		MS 1498:2011, MS 1498:2017	

AJIYA SAFETY GLASS SDN BHD

No. PPS : 1161207SL0155
No. CERT : A002139

NO. 6, JALAN PPU 3, TAMAN PERINDUSTRIAN PUCHONG UTAMA,
PUCHONG 47100 PETALING SELANGOR

TEL : 603-80623939
FAX : 603-80621113

TARIKH MULA	24-12-2018	TARIKH TAMAT	23-12-2019
JENIS / SAIZ		JENAMA	STANDARD
Tempered Safety Glass in Building 4MM, 5MM, 6MM, 8MM, 10MM, 12MM, 15MM, 19MM		AJIYA	
Laminated Safety Glass In Building FLOAT LAMINATED SAFETY GLASS FLOAT GLASS THICKNESS (MM) = 3, 4, 5, 6, 8, 10, 12, 15, 19 INTERLAYER THICKNESS (MM) = POLYVINYL BUTYRAL (PVB) = 0.38, 0.76, 1.14, 1.52 TOTAL THICKNESS (MM) = 6.38 - 39.52		MS 1498:2011, MS 1498:2017	
TEMPERED LAMINATED SAFETY GLASS TEMPERED GLASS THICKNESS (MM) = 4, 5, 6, 8, 10, 12, 15, 19 INTERLAYER THICKNESS (MM) = POLYVINYL BUTYRAL (PVB) = 0.38, 0.76, 1.14, 1.52 TOTAL THICKNESS (MM) = 8.76 - 39.52			

HEAT-STRENGTHENED LAMINATED SAFETY GLASS HEAT-STRENGTHENED GLASS THICKNESS (MM) = 4, 5, 6, 8, 10 INTERLAYER THICKNESS (MM) = POLYVINYL BUTYRAL (PVB) = 0.38, 0.76, 1.14, 1.52 TOTAL THICKNESS (MM) = 8.76 - 21.52		
--	--	--

AJIYA SAFETY GLASS SDN BHD

No. PPS : 1161207JH0156
No. CERT : A004086

LOT 7025, JALAN KEMPAS LAMA, SEELONG JAYA
81400 JOHOR BAHRU JOHOR

TEL : 607-5991733
FAX : 607-5992733

TARIKH MULA	24-12-2018	TARIKH TAMAT	23-12-2019
JENIS / SAIZ		JENAMA	STANDARD
Tempered Safety Glass in Building 4MM, 5MM, 6MM, 8MM, 10MM, 12MM, 15MM, 19MM		AJIYA	MS 1498:2011, MS 1498:2017
Laminated Safety Glass In Building FLOAT LAMINATED SAFETY GLASS FLOAT GLASS THICKNESS (MM) = 3, 4, 5, 6, 8, 10, 12, 15, 19 INTERLAYER THICKNESS (MM) = POLYVINYL BUTYRAL (PVB) = 0.38, 0.76, 1.14, 1.52 TOTAL THICKNESS (MM) = 6.38 - 39.52			
TEMPERED LAMINATED SAFETY GLASS TEMPERED GLASS THICKNESS (MM) = 4, 5, 6, 8, 10, 12, 15, 19 INTERLAYER THICKNESS (MM) = POLYVINYL BUTYRAL (PVB) = 0.38, 0.76, 1.14, 1.52 TOTAL THICKNESS (MM) = 8.76 - 39.52			
HEAT-STRENGTHENED LAMINATED SAFETY GLASS HEAT-STRENGTHENED GLASS THICKNESS (MM) = 4, 5, 6, 8, 10 INTERLAYER THICKNESS (MM) = POLYVINYL BUTYRAL (PVB) = 0.38, 0.76, 1.14, 1.52 TOTAL THICKNESS (MM) = 8.76 - 21.52			

AJIYA SAFETY GLASS SDN BHD

No. PPS : 1161207JH0157
No. CERT : A004087

LOT 575, 1 KM, LEBUHRAYA SEGAMAT - KUANTAN SEGAMAT
85000 SEGAMAT JOHOR

TEL : 07-9313133
FAX : 07-9313142

TARIKH MULA	24-12-2018	TARIKH TAMAT	23-12-2019
JENIS / SAIZ		JENAMA	STANDARD
Laminated Safety Glass In Building FLOAT LAMINATED SAFETY GLASS FLOAT GLASS THICKNESS (MM) = 3, 4, 5, 6, 8, 10, 12, 15, 19 INTERLAYER THICKNESS (MM) = POLYVINYL BUTYRAL (PVB) = 0.38, 0.76, 1.14, 1.52 TOTAL THICKNESS (MM) = 6.38 - 71.12 FLOAT LAMINATED SAFETY GLASS FLOAT GLASS THICKNESS (MM) = 3, 4, 5, 6, 8, 10, 12, 15, 19 INTERLAYER THICKNESS (MM) = IONOPLAST POLYMER (SG) = 0.89, 1.52, 2.28, 3.04 TOTAL THICKNESS (MM) = 6.89 - 71.12		AJIYA	MS 1498:2011, MS 1498:2017

<p>TEMPERED LAMINATED SAFETY GLASS TEMPERED GLASS THICKNESS (MM) = 3, 4, 5, 6, 8, 10, 12, 15, 19 INTERLAYER THICKNESS (MM) = POLYVINYL BUTYRAL (PVB) = 0.38, 0.76, 1.14, 1.52 TOTAL THICKNESS (MM) = 6.76 - 71.12</p> <p>TEMPERED LAMINATED SAFETY GLASS TEMPERED GLASS THICKNESS (MM) = 3, 4, 5, 6, 8, 10, 12, 15, 19 INTERLAYER THICKNESS (MM) = IONOPLAST POLYMER (SG) = 0.89, 1.52, 2.28, 3.04 TOTAL THICKNESS (MM) = 6.89 - 71.12</p> <p>HEAT-STRENGTHENED LAMINATED SAFETY GLASS HEAT-STRENGTHENED GLASS THICKNESS (MM) = 4, 5, 6, 8, 10 INTERLAYER THICKNESS (MM) = POLYVINYL BUTYRAL (PVB) = 0.38, 0.76, 1.14, 1.52 TOTAL THICKNESS (MM) = 8.76 - 44.56</p> <p>HEAT-STRENGTHENED LAMINATED SAFETY GLASS HEAT-STRENGTHENED GLASS THICKNESS (MM) = 4, 5, 6, 8, 10 INTERLAYER THICKNESS (MM) = IONOPLAST POLYMER (SG) = 0.89, 1.52, 2.28, 3.04 TOTAL THICKNESS (MM) = 8.89 - 49.12</p> <p>Tempered Safety Glass in Building 3MM, 4MM, 5MM, 6MM, 8MM, 10MM, 12MM, 15MM, 19MM</p>		
--	--	--

ASIA TEMPERED GLASS SDN BHD

No. PPS : 1180104SL0237
No. CERT : A002175

NO 1, JALAN HI TECH 7, JALAN SG LALANG, KAWASAN PERINDUSTRIAN HI TECH,
JALAN SUNGAI LALANG, SEMENYIH 43500 SELANGOR

TEL : 03-87230032
FAX : 03-87230355

TARIKH MULA	05-04-2019	TARIKH TAMAT	04-04-2020
JENIS / SAIZ		JENAMA	STANDARD
Laminated Safety Glass In Building FLOAT LAMINATED SAFETY GLASS CLASS B LAYER OF GLASS : 2 TOTAL THICKNESS : 6.38 mm - 10.38 mm		AT ASIA	MS 1498:2017
FLOAT LAMINATED SAFETY GLASS CLASS A LAYER OF GLASS : 2 TOTAL THICKNESS : 16.38 mm , 16.76 mm			
TEMPERED LAMINATED SAFETY GLASS CLASS A LAYER OF GLASS : 2 TOTAL THICKNESS : 9.52 mm - 39.52 mm			

ASTEEL AJIYA SDN BHD

No. PPS : 1190405SR0275
 No. CERT : A004175

LOT 1268, BLOCK 8, JALAN BAKO, DEMAK LAUT
 INDUSTRIAL ESTATE PHASE IV 93050 SARAWAK

TEL : 082-433403
 FAX : 082-433686

TARIKH MULA

05-04-2019

TARIKH TAMAT

04-04-2020

JENIS / SAIZ

JENAMA

STANDARD

Tempered Safety Glass in Building
 NOMINAL THICKNESS (MM) =4, 5, 6, 8, 10, 12, 15, 19

AJIYA

MS 1498:2017

CS ECO GLASS (M) SDN BHD

No. PPS : 1180426NS0267
 No. CERT : A001141

LOT 635 & 660, KAWASAN PERINDUSTRIAN TUANKU JAAFAR SUNGAI
 GADUT 71450 NEGERI SEMBILAN

TEL : 066789266
 FAX : 066789266

TARIKH MULA

06-05-2019

TARIKH TAMAT

05-05-2020

JENIS / SAIZ

JENAMA

STANDARD

Tempered Safety Glass in Building
 CLASS 1 / NOMINAL THICKNESS 4mm,5mm, 6mm, 8mm,
 10mm, 12mm, 15mm, 19mm

CS ECO GLASS

MS 1498:2017

FLOAT LAMINATED SAFETY GLASS
 CLASS 2
 TOTAL THICKNESS 6.38MM - 10.38MM

FLOAT LAMINATED SAFETY GLASS
 CLASS 1
 TOTAL THICKNESS 10.52MM, 13.90MM - 25.90MM,
 8.76MM - 26.28MM

GLIMEX INDUSTRIES SDN BHD

No. PPS : 1170607SB0193
 No. CERT : A001618

LOT 23, JALAN 1 H, KKIP SELATAN EOIZ PHASE II,
 KOTA KINABALU INDUSTRIAL PARK KOTA KINABALU 88450 SABAH

TEL : +6088-498770
 FAX : +6088-494770

TARIKH MULA

07-06-2018

TARIKH TAMAT

06-06-2019

JENIS / SAIZ

JENAMA

STANDARD

Tempered Safety Glass in Building
 Class A, Tempered 5mm, 6mm, 8mm, 10mm, 12mm, 15mm,
 19mm

Glimex

MS 1498:2011

Float Laminated Safety Glass
 Class B
 Float Glass Thickness = 3, 4 and 5mm
 Polyvinyl Butyral (PVB) = 0.38mm
 Total Thickness = 6.38mm - 8.38mm

Float Laminated Safety Glass
 Class A
 Float Glass Thickness = 3, 4, 5, 6, 8, 10 and 12mm
 Polyvinyl Butyral (PVB) = 0.38mm and 0.76mm
 Total Thickness = 8.76mm - 24.76mm

Tempered Laminated Safety Glass Class A Glass Thickness = 5, 6, 8, 10 and 12mm Polyvinyl Butyral (PVB) = 1.52mm Total Thickness = 11.52mm - 25.52mm		
---	--	--

GOLDEN PHAROS GLASS SDN BHD

No. PPS : 1151218SL0071
No. CERT : A002164

LOT 7, JALAN PERAK, KAWASAN PERUSAHAAN, TELOK PANGLIMA GARANG, 42500 KUALA LANGAT SELANGOR	TEL : 03-31226115
---	-------------------

FAX : 03-31226117

TARIKH MULA	01-03-2019	TARIKH TAMAT	29-02-2020
JENIS / SAIZ		JENAMA	STANDARD
Tempered Safety Glass in Building Class A/ 3mm, 4mm, 5mm, 6mm, 8mm, 10mm, 12mm, 15mm, 19mm		GP GLASS	MS 1498:2011
Laminated Safety Glass In Building FLOAT LAMINATED SAFETY GLASS RATING : CLASS A TOTAL THICKNESS (mm) : 12.38 - 39.52 LAYERS OF GLASS : 2 INTERLAYER : POLYVINYL BUTYRAL (PVB) FLOAT GLASS THICKNESS (mm) : 6,8,10,12,15,19 INTERLAYER THICKNESS (mm) : 0.38,0.76,1.14,1.52			

HENGLASS (M) SDN BHD

No. PPS : 1190315SL0355
No. CERT : A002171

2 1ST FLOOR JALAN BK 1/15 KINRARA INDUSTRIAL PARK BANDAR KINRARA PUCHONG 47100 SELANGOR	TEL : 03-80708430
--	-------------------

FAX : 03-80708194

TARIKH MULA	15-03-2019	TARIKH TAMAT	14-03-2020
JENIS / SAIZ		JENAMA	STANDARD
Tempered Safety Glass in Building 4 MM, CLASS 1; 5 MM, CLASS 1; 6 MM, CLASS 1; 8 MM, CLASS 1; 10 MM, CLASS 1; 12 MM, CLASS 1; 15 MM, CLASS 1;		HENGLASS (M) SDN. BHD.	MS 1498:2017

HINLIONG GLASS CO. SDN. BHD

No. PPS : 1170609SR0194
No. CERT : A001721

LOT 1772 JALAN PRUNUS 2 PIASAU INDUSTRIAL ESTATE 98000 MIRI SARAWAK (CAWANGAN MIRI)	TEL : 085-651772
--	------------------

FAX : 085-653864

TARIKH MULA	09-06-2018	TARIKH TAMAT	08-06-2019
JENIS / SAIZ		JENAMA	STANDARD
Tempered Safety Glass in Building 5, 6, 8, 10, 12 (mm)		Company ID : Hinliong Glass Co. Sdn Bhd	MS 1498:2011

INTAN KERAMAT SDN BHD

No. PPS : 1170814SL0211
No. CERT : A002095

LOT 14858, JALAN UDANG GANTUNG,
TELOK GONG PELABUHAN KLANG 42000 SELANGOR

TEL : 0331342809
FAX : 0331341609

TARIKH MULA

14-08-2018

TARIKH TAMAT

13-08-2019

JENIS / SAIZ	JENAMA	STANDARD
<p>Tempered Safety Glass in Building CLASS A - NOMINAL THICKNESS (mm) = 4, 5, 6, 8, 10, 12, 15, 19</p> <p>CLASS B - FLOAT LAMINATED SAFETY GLASS (FLOAT GLASS THICKNESS mm = 3 INTERLAYER THICKNESS mm = 0.38 TOTAL THICKNESS mm = 6.38)</p> <p>CLASS A - FLOAT LAMINATED SAFETY GLASS (FLOAT GLASS THICKNESS mm = 4, 5, 6, 8, 10, 12, 15 INTERLAYER THICKNESS mm = 0.38, 0.76, 1.14, 1.52 TOTAL THICKNESS mm = 8.38 - 30.76)</p> <p>CLASS A - TEMPERED LAMINATED SAFETY GLASS (FLOAT GLASS THICKNESS mm = 4, 5, 6, 8, 10, 12, 15, 19; INTERLAYER THICKNESS mm = 1.14, 1.52 TOTAL THICKNESS mm = 9.52 - 39.52)</p>	CRYSTAL	MS 1498:2011

KIBING GROUP (M) SDN BHD

No. PPS : 1170808NS0207
No. CERT : A001131

LOT 635 & 660, KAWASAN PERINDUSTRIAN TUANKU JAAFAR 71450
SUNGAI GADUT NEGERI SEMBILAN 71450 NEGERI SEMBILAN

TEL : 606-6753907
FAX : 606-6753907

TARIKH MULA

30-08-2018

TARIKH TAMAT

29-08-2019

JENIS / SAIZ	JENAMA	STANDARD
<p>Float Glass GRADE = QUALITY - Q1 COLOUR = CLEAR NOMINAL THICKNESS (MM) = 4, 5, 8, 10, 12 MAXIMUM SIZE = 3660 X 2440</p> <p>GRADE = QUALITY - Q1 COLOUR = CLEAR NOMINAL THICKNESS (MM) = 6 MAXIMUM SIZE = 4064 X 3050</p> <p>GRADE = QUALITY - Q2 COLOUR = CLEAR NOMINAL THICKNESS (MM) = 4 MAXIMUM SIZE = 3050 X 2134</p> <p>GRADE = QUALITY - Q2 COLOUR = CLEAR NOMINAL THICKNESS (MM) = 5, 6, 8, 10 MAXIMUM SIZE = 3660 X 2440</p>	KIBING GROUP (M) SDN BHD	MS 1135:2009

KIEN SAFETY GLASS SDN BHD

No. PPS : 1180817SL0299
No. CERT : A002108

LOT 1558, KAMPUNG JAYA INDUSTRIAL AREA, OFF JALAN HOSPITAL,
SUNGAI BULOH 47000 KUALA SELANGOR SELANGOR

TEL : 03-6157 7425
FAX : 03-6157 7424

TARIKH MULA	17-08-2018	TARIKH TAMAT	16-08-2019
JENIS / SAIZ		JENAMA	STANDARD
Tempered Safety Glass in Building Class A / Tempered 4 mm, 5 mm, 6 mm, 8 mm, 10 mm, 12 mm, 15 mm, 19 mm		KSG	MS 1498:2011

LEADER SAFETY GLASS INTERNATIONAL SDN BHD

No. PPS : 1170106PK0161
No. CERT : A003921

PLOT 28, JALAN JOHAN 2/1 KAWASAN PERINDUSTRIAN PENGKALAN 2,
PUSING 31550 BATU GAJAH PERAK

TEL : 053666288
FAX : 053660388

TARIKH MULA	06-01-2019	TARIKH TAMAT	05-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Tempered Safety Glass in Building NORMINAL THICKNESS (MM) = 4, 5, 6, 8, 10, 12, 15, 19		LEADER GLASS TEMPERED	MS 1498:2011

MALAYSIAN SHEET GLASS SDN BHD

No. PPS : 1141010JH0013
No. CERT : A004088

PLO 435, JALAN KELULI 3, PASIR GUDANG, JOHOR,
MALAYSIA 81700 PASIR GUDANG JOHOR

TEL : 072513446
FAX : 072528351

TARIKH MULA	03-01-2019	TARIKH TAMAT	02-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Reflective Glass CEMG (EMERALD GREEN) / 5MM, 6MM (THICKNESS) CDHF (ARCTIC BLUE) / 5MM ,6MM (THICKNESS) CHF (BLUE) / 8MM (THICKNESS)		PILKINGTON	MS 2397:2011, MS 2397:2016
Float Glass FL (CLEAR) & GGN (LIGHT GREEN) / 2MM, 3MM, 4MM, 5MM, 6MM (THICKNESS), MAX. SIZE (4064X3048MM)		PILKINGTON	MS 1135:2009
EMG (EMERALD GREEN), DH (ARCTIC BLUE), HFL (LIGHT BLUE) / 4MM, 5MM, 6MM (THICKNESS), MAX. SIZE (4064X3048MM)			
FL (CLEAR) / 2MM, 3MM, 4MM, 5MM, 6MM, 8MM, 10MM, 12MM, 15MM, 19MM (THICKNESS), MAX. SIZE (5080X3302MM)			
DGR (DARK GREY) / 3MM, 3.2MM, 5MM, 6MM (THICKNESS), MAX. SIZE (5080X3302MM)			
EMG (EMERALD GREEN) 4MM, 5MM, 6MM, 8MM (THICKNESS) MAX. SIZE (5080X3302MM)			

HFL (LIGHT BLUE) / 4MM, 5MM, 6MM, 8MM, 10MM, 12MM (THICKNESS) MAX. SIZE (5080X3302MM)		
BLACK / 3MM, 3.2MM, 5MM, 6MM (THICKNESS) MAX. SIZE (5080X3302MM)		
GGN (LIGHT GREEN) / 2MM, 3MM, 4MM, 5MM, 6MM, 8MM, 10MM, 12MM, 15MM, 19MM (THICKNESS) MAX. SIZE (5080X3302MM)		
DH (ARCTIC BLUE) / 4MM, 5MM, 6MM, 8MM (THICKNESS) MAX. SIZE (5080X3302MM)		
GRY (GREY) / 5MM, 6MM, 8MM, 10MM, 12MM (THICKNESS) MAX. SIZE (4064X3048MM)		

NAM HENG SAFETY GLASS (J) SDN BHD

No. PPS : 1171120JH0225
No. CERT : A 004074

PTD 93890, JALAN SEELONG,
SENAI 81400 JOHOR

TEL : 607-5995101
FAX : 607-5996246

TARIKH MULA

20-11-2018

TARIKH TAMAT

19-11-2019

JENIS / SAIZ**JENAMA****STANDARD**

Laminated Safety Glass In Building
TEMPERED LAMINATED SAFETY GLASS

HEAT STRENGTHENED LAMINATED SAFETY GLASS

FLOAT LAMINATED SAFETY GLASS

FLOAT LAMINATED SAFETY GLASS

TEMPERED SAFETY GLASS

(COMPANY ID) NAM HENG
SAFETY GLASS (J) SDN. BHD

MS 1498:2017

ORO SAFETY GLASS SDN BHD

No. PPS : 1170730KD0206
No. CERT : A 001373

D137 PLOT 21 JALAN CENDANA 4/4 KAWASAN PERINDUSTRIAN
CENDANA 08000 KEDAH

TEL : 04-423 2323
FAX : 04-425 2525

TARIKH MULA

03-10-2018

TARIKH TAMAT

02-10-2019

JENIS / SAIZ**JENAMA****STANDARD**

Tempered Safety Glass in Building
CLASS 1 / THICKNESS 5MM, 6MM, 8MM, 10MM, 12MM, 15MM, 19MM

ORO SAFETY GLASS

MS 1498:2017

SHG SAFETY GLASS SDN BHD

No. PPS : 1180928WP0307
No. CERT : A001005

NO 18, JALAN METRO PERDANA BARAT 9, BATU 7,SRI EDARAN LIGHT INDUSTRIAL AREA, KEPONG 52100 WILAYAH PERSEKUTUAN

TEL : 05-3573888
FAX : 05-3573777

TARIKH MULA	28-09-2018	TARIKH TAMAT	27-09-2019
JENIS / SAIZ		JENAMA	STANDARD
Tempered Safety Glass in Building RATING : CLASS 1 NOMINAL THICKNESS (mm) = 5, 6, 8, 10, 12		SHG	MS 1498:2017

SUBANG SAFETY GLASS SDN BHD

No. PPS : 1180104SL0238
No. CERT : A002148

LOT 10244, JALAN SUBANG 6, TAMAN PERINDUSTRIAN SUBANG SUBANG JAYA 47600 SELANGOR

TEL : 0123671708
FAX : 03-80815098

TARIKH MULA	04-01-2019	TARIKH TAMAT	03-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Laminated Safety Glass In Building FLOAT LAMINATED SAFETY GLASS GLASS THICKNESS (mm) = 3,4,5,6,8,10 INTERLAYER THICKNESS (mm) = 0.38, 0.76 TOTAL THICKNESS (mm) = 6.38 - 18.76 CLASSIFICATION OF SAFETY GLASS = CLASS B LAYERS OF GLASS = 2 INTERLAYER = POLYVINYL BUTYRAL (PVB) FLOAT LAMINATED SAFETY GLASS GLASS THICKNESS (mm) = 10,12 INTERLAYER THICKNESS (mm) = 0.38, 0.76 TOTAL THICKNESS (mm) = 20.38-24.76 CLASSIFICATION OF SAFETY GLASS = CLASS A LAYERS OF GLASS = 2 INTERLAYER = POLYVINYL BUTYRAL (PVB) TEMPERED LAMINATED SAFETY GLASS GLASS THICKNESS (mm) = 5,6,8,10,12 INTERLAYER THICKNESS (mm) = 1.52 TOTAL THICKNESS (mm) = 11.52-25.52 CLASSIFICATION OF SAFETY GLASS = CLASS A LAYERS OF GLASS = 2 INTERLAYER = POLYVINYL BUTYRAL (PVB) Tempered Safety Glass in Building NOMINAL THICKNESS (mm) = 5, 6, 8, 10, 12 CLASSIFICATION OF SAFETY GLASS - CLASS A		SUBANG SAFETY GLASS	MS 1498:2011

TOPLINE SAFETY GLASS (M) SDN BHD

No. PPS : 1160105SL0079
No. CERT : A002162

1A, JALAN PERUSAHAAN UTAMA, TAMAN INDUSTRI SELESA JAYA,
OFF JALAN BALAKONG, 43300 SELANGOR 43300 HULU LANGAT SELANGOR

TEL : +60389614648
FAX : +60389614475

TARIKH MULA

01-03-2019

TARIKH TAMAT

29-02-2020

JENIS / SAIZ	JENAMA	STANDARD
Tempered Safety Glass in Building Class A / Tempered 4 mm, 5 mm, 6 mm, 8 mm, 10 mm, 12 mm, 15 mm, 19 mm	TOPLINE SAFETY GLASS	MS 1498:2011
Laminated Safety Glass In Building Float Laminated Safety Glass / Polyvinyl Butyral (PVB) / Class B / 6.38 mm, 6.76 mm, 7.38 mm, 7.76 mm, 8.38 mm, 8.76 mm, 9.38 mm, 9.76 mm, 10.38 mm, 10.76 mm, 11.38 mm		
Float Laminated Safety Glass / Polyvinyl Butyral (PVB) / Class A / 7.52 mm, 7.90 mm, 9.14 mm, 9.52 mm, 10.52 mm, 11.14 mm, 11.52 mm - 39.52 mm		
Tempered Laminated Safety Glass / Polyvinyl Butyral (PVB) / Class A / 10.14 mm - 25.52 mm		
Float Laminated Safety Glass / Ionoplast Polymer / Class A / 17.78 mm, 25.78 mm		
Float Laminated Safety Glass / Polyvinyl Butyral (PVB) / Class A / 17.28 mm - 39.04 mm, 21.04 mm - 23.04 mm		

WING WA GLASS SUPPLIER SDN BHD

No. PPS : 1180718PP0292
No. CERT : A001349

NO 783, MUKIM 5, JALAN PERMATANG NIBONG PERMATANG NIBONG,
BUKIT MERTAJAM SEBERANG PERAI TENGAH 13500 PULAU PINANG

TEL : 0164188386
FAX : 6043904694

TARIKH MULA

18-07-2018

TARIKH TAMAT

17-07-2019

JENIS / SAIZ	JENAMA	STANDARD
Tempered Safety Glass in Building CLASS 1 / TEMPERED / 6mm, 8mm, 10mm, 12mm	WWG Tempered	MS 1498:2017

PGF INSULATION SDN BHD

No. PPS : 1141209PP0017
 No. CERT : A002811

2449, LORONG PERUSAHAAN 10, KAWASAN PERUSAHAAN PERAI, PERAI,
 13600 SEBERANG PERAI TENGAH PULAU PINANG

TEL : 604-3908460
 FAX : 604-3996197

TARIKH MULA	06-01-2019	TARIKH TAMAT	05-01-2020
JENIS / SAIZ	JENAMA	STANDARD	
Mineral Wool - Glass BROWNIE; 1. BATTs ; 0.6M (W) X 1.2M (L) THICKNESS = 50MM DENSITY RANGE : 8 - 48KG/M3 FIRE PROPAGATION INDEX : 6.1, 1.1, 2.0, 6.1, 1.7, 0.5 SURFACE SPREAD OF FLAME : CLASS ONE BROWNIE; 2. ROLL; 1.2M (W) X (7.5 -30)M (L) THICKNESS = 25 - 100MM DENSITY RANGE : 8 - 48KG/M3 FIRE PROPAGATION INDEX : 6.1, 1.1, 2.0, 6.1, 1.7, 0.5 SURFACE SPREAD OF FLAME : CLASS ONE	ECOWOOL	MS 1020:2010, BS 476 : PART 6 : 1989 + A1 :2009, BS 476 : PART 7 : 1997	
Mineral Wool - Glass ECOWOOL CLASSIC. ROLL DENSITY RANGE : (10 - 14)KG/M3, WIDTH : 1.2M LENGTH RANGE : (7.5 - 30)M, THICKNESS : 50MM FIRE PROPAGATION INDEX : 1.5, 2.7, 4.3, 3.4, 3.8, 7.3 SURFACE SPREAD OF FLAME : CLASS ONE FIRE CLASSIFICATION : CLASS O ECOWOOL CLASSIC. ROLL DENSITY RANGE : (14 - 48)KG/M3, WIDTH : 1.2M LENGTH RANGE : (7.5 - 30)M, THICKNESS RANGE : (25 - 50)MM FIRE PROPAGATION INDEX : 1.5, 2.7, 4.3, 3.4, 3.8, 7.3 SURFACE SPREAD OF FLAME : CLASS ONE FIRE CLASSIFICATION : CLASS O ECOWOOL CLASSIC. BOARD DENSITY RANGE : (24 - 96)KG/M3, WIDTH RANGE : (0.595 - 1.2)M LENGTH RANGE : (0.595 - 2.3)M THICKNESS RANGE : (13 - 50)MM FIRE PROPAGATION INDEX : 3.9, 6.8, 6.8, 7.1 SURFACE SPREAD OF FLAME : CLASS ONE FIRE CLASSIFICATION : CLASS O	ECOWOOL	MS 1020:2010, BS 476 : PART 7 : 1997, BS 476 : PART 6 : 1989 + A1 :2009	
Mineral Wool - Glass BROWNIE; 1. BATTs ; 0.6M (W) X 1.2M (L), THICKNESS = 50MM DENSITY RANGE : 8 - 48KG/M3 FIRE PROPAGATION INDEX : 6.1, 1.1, 2.0, 6.1, 1.7, 0.5 SURFACE SPREAD OF FLAME : CLASS ONE BROWNIE; 2. ROLL; 1.2M (W) X (7.5 -30)M (L) THICKNESS = 25 - 100MM DENSITY RANGE : 8 - 48KG/M3 FIRE PROPAGATION INDEX : 6.1, 1.1, 2.0, 6.1, 1.7, 0.5 SURFACE SPREAD OF FLAME : CLASS ONE	SoundBlock	MS 1020:2010, BS 476 : PART 6 : 1989 + A1 :2009, BS 476 : PART 7 : 1997	
Mineral Wool - Glass BROWNIE VENTLINER. ROLL DENSITY : 32KG/M3 Size : 25mm x 1.2m x 15m x 32kg/m3 FIRE PROPAGATION INDEX : 6.8 SURFACE SPREAD OF FLAME : CLASS ONE FIRE CLASSIFICATION : CLASS O	ECOWOOL	MS 1020:2010	

BROWNIE VENTLINER. ROLL DENSITY : 32KG/M3 Size : 50mm x 1.2m x 7.5m x 32kg/m3 FIRE PROPAGATION INDEX : 7.7 SURFACE SPREAD OF FLAME : CLASS ONE FIRE CLASSIFICATION : CLASS O		
ROLL; BROWNIE ROOFWHITE DENSITY : (16, 24, 32 & 48) KG/M3 FIRE PROPAGATION INDEX : 8.1, 7.5, 6.9, 5.9 SURFACE SPREAD OF FLAME : CLASS 1 FIRE CLASSIFICATION : CLASS O GLASSWOOL WITH FACING MATERIAL LENGTH : (5 - 15) M; WIDTH : 1.2 M THICKNESS : 50 MM DENSITY : (16, 24, 32 & 48) KG/M3 THICKNESS : (75 & 100) MM DENSITY : (16 & 24) KG/M3		

ROCKWOOL MALAYSIA SDN BHD (BRJ)

No. PPS : 1160614SL0133
No. CERT : A002103

LOT 4 SOLOK WAJA 1, BUKIT RAJA INDUSTRIAL ESTATE,
41050 KLANG SELANGOR

TEL : 03-33413444
FAX : 03-33427290

TARIKH MULA	11-08-2018	TARIKH TAMAT	10-08-2019
JENIS / SAIZ		JENAMA	STANDARD
Mineral Wool MODEL : COOLBATT TYPE: ROCKWOOL (BLANKET TYPE) DENSITY: 30KG/M3 - 100KG/M3 THICKNESS: 25MM - 100MM LENGTH: 2M - 10M; WIDTH: 0.6M - 1.2M		ROCKWOOL	MS 1020:2010
MODEL : THERMALROCK B TYPE: ROCKWOOL (BLANKET TYPE) DENSITY: 30KG/M3 - 100KG/M3 THICKNESS: 25MM - 100MM LENGTH: 2M - 10M; WIDTH: 0.6M - 1.2M			
MODEL : PROROX BL TYPE: ROCKWOOL (BLANKET TYPE) DENSITY: 30KG/M3 - 100KG/M3 THICKNESS: 25MM - 100MM LENGTH: 2M - 10M; WIDTH: 0.6M - 1.2M			
MODEL : COOL 'N' COMFORT RL TYPE: ROCKWOOL (BLANKET TYPE) DENSITY: 30KG/M3 - 100KG/M3 THICKNESS: 25MM - 100MM LENGTH: 2M - 10M; WIDTH: 0.6M - 1.2			
MODEL : COOL 'N' COMFORT ECO TYPE: ROCKWOOL (BLANKET TYPE) DENSITY: 30KG/M3 - 100KG/M3 THICKNESS: 25MM - 100MM LENGTH: 2M - 10M; WIDTH: 0.6M - 1.2M			
MODEL : SAFE 'N' SILENT PRO TYPE: ROCKWOOL (SLAB TYPE) DENSITY: 40KG/M3 - 128KG/M3			

THICKNESS: 25MM - 100MM LENGTH: 1.2M; WIDTH: 0.6M		
MODEL : THERMALROCK S TYPE: ROCKWOOL (SLAB TYPE) DENSITY: 40KG/M3 - 128KG/M3 THICKNESS: 25MM - 100MM LENGTH: 1.2M; WIDTH: 0.6M		
MODEL : COOL 'N' COMFORT SL TYPE: ROCKWOOL (SLAB TYPE) DENSITY: 40KG/M3 - 128KG/M3 THICKNESS: 25MM - 100MM LENGTH: 1.2M; WIDTH: 0.6M		

ROCKWOOL MALAYSIA SDN BHD (MLK)

No. PPS : 1161017ML0146
No. CERT : A001174

175A&B KAWASAN PERINDUSTRIAN AYER KEROH, JALAN LINGKUNGAN USAHA,
75450 AYER KEROH MELAKA

TEL : 06-2332010
FAX : 06-2332012

TARIKH MULA	30-11-2018	TARIKH TAMAT	29-11-2019
JENIS / SAIZ		JENAMA	STANDARD
Mineral Wool - Stone SLAB, CONLIT, CONROCK, CURTAINROCK, ROOFROCK, HARDROCK, SAFE'N'SILENT PRO, THERMALROCK S, COOL'N'COMFORT SL - Nominal density: 40-175kg/cu.m Reaction to Fire: Classification A1 Thickness: 25-100mm Length: 1.2m; Width: 0.6m		ROCKWOOL	MS 1020:2010
BLANKET, COOLBATT, THERMALROCK B, COOL'N'COMFORT RL - Nominal density: 40-100kg/cu.m Reaction to Fire: Classification A1 Thickness: 25-100mm Length: 4-6m; Width: 0.6-1.2m			

A.S.STEEL INDUSTRIES SDN BHD

No. PPS : 1161117KD0153
 No. CERT : A 001374

NO.216, PT 35, JALAN GANGSA, MERGONG,
 05150 ALOR SETAR KEDAH

TEL : 04-7723260
 FAX : 04-7718726

TARIKH MULA

30-11-2018

TARIKH TAMAT

29-11-2019

JENIS / SAIZ	JENAMA	STANDARD
Hot Rolled Steel Wire ForThe Reinforcement of Concrete Grade 250/ 6mm (remark -plain, decoiled) Grade 250/ 8mm (remark -plain, decoiled)	COMPANY ID=A.S.STEEL INDUSTRIES SDN BHD	MS 144:2014
Hot Rolled Steel Wire ForThe Reinforcement of Concrete Grade 250/10mm (Plain & Decoiled)	A.S.STEEL INDUSTRIES SDN BHD	MS 144:2014

ABLE STEEL PIPES SDN BHD

No. PPS : 1161017SL0147
 No. CERT : A002170

LOT 771, KAWASAN PERUSAHAAN TELOK MEGKUANG,
 TELOK PANGLIMA GARANG 42500 KUALA LANGAT SELANGOR

TEL : 03-38507019
 FAX : 1700-81-4164

TARIKH MULA

17-04-2019

TARIKH TAMAT

16-04-2020

JENIS / SAIZ	JENAMA	STANDARD
<p>Steel Pipes For Water And Sewerage OUTSIDE DIAMETER (MM) : 219.1, 273, 323.9, 355.6, 406.4, 457, 508, 610, 660, 711, 762, 813, 864, 914, 1016, 1219, 1422, 1626, 1829, 2032, 2235, 2337, 2438, 2540, 2642, 2743 STEEL NAME : L275 EXTERNAL COATING : BITUMEN INTERNAL LINING : CONCRETE LINING</p> <p>OUTSIDE DIAMETER (MM) : 60.3, 76.1, 88.9, 114.3, 139.7, 168.3, 219.1, 273, 323.9, 355.6, 406.4, 457 STEEL NAME : L275 EXTERNAL COATING : BITUMEN INTERNAL LINING : CONCRETE LINING</p> <p>TYPE : GUSSETED BENDS OUTSIDE DIAMETER (MM) : 219.1, 273, 323.9, 355.6, 406.4, 457, 508, 610, 660, 711, 762, 813, 864, 914, 1016, 1219, 1422, 1626, 1829, 2032, 2235, 2337, 2438, 2540, 2642, 2743 STEEL NAME : L275 EXTERNAL COATING : BITUMEN INTERNAL LINING : CONCRETE LINING</p> <p>TYPE : TEES OUTSIDE DIAMETER (MM) : 219.1, 273, 323.9, 355.6, 406.4, 457, 508, 610, 660, 711, 762, 813, 864, 914, 1016, 1219, 1422, 1626, 1829, 2032, 2235, 2337, 2438, 2540, 2642, 2743 STEEL NAME : L275 EXTERNAL COATING : BITUMEN INTERNAL LINING : CONCRETE LINING</p> <p>TYPE : GUSSETED BENDS OUTSIDE DIAMETER (MM) : 60.3, 76.1, 88.9, 114.3, 139.7, 168.3, 219.1, 273, 323.9, 355.6, 406.4, 457 STEEL NAME : L275 EXTERNAL COATING : BITUMEN INTERNAL LINING : CONCRETE LINING</p>	ABLE	SPAN TS 21827: PART 1:2013

TYPE : TEES OUTSIDE DIAMETER (MM) : 60.3, 76.1, 88.9, 114.3, 139.7, 168.3, 219.1, 273, 323.9, 355.6, 406.4, 457 STEEL NAME : L275 EXTERNAL COATING : BITUMEN INTERNAL LINING : CONCRETE LINING		
--	--	--

ALLIANCE STEEL (M) SDN BHD

No. PPS : 1180222PH0253
 No. CERT : A004021

KAWASAN INDUSTRI MALAYSIA-CHINA KUANTAN (MCKIP), JALAN GEBENG BY PASS, 26080 KUANTAN, PAHANG		TEL : 09-585 5999 FAX :
TARIKH MULA	14-03-2019	TARIKH TAMAT
JENIS / SAIZ	JENAMA	STANDARD
General Purpose Wire Rod Grade C9D/5.5 mm, C9D/6.5 mm, C9D/8 mm, C9D/10 mm, C12D/5.5 mm, C12D/6.5 mm, C12D/ 7 mm, C12D/ 8 mm, C12D/9 mm, C12D/10 mm C12D/6.5 mm, C12D/7.0 mm, C12D/11.0 mm	Alliance Steel (M) Sdn Bhd	MS ISO 16120-2:2008
Hot Rolled Ribbed Weldable Reinforcing Steel Grade B500B/ 12 mm, B500B/ 10 mm, B500B/ 16 mm, B500B/ 20 mm, B500B/ 25 mm, B500B/ 32 mm, B500B/ 40 mm	Alliance Steel (M) Sdn Bhd	MS 146:2014

ALLPIPES TECHNOLOGY SDN BHD

No. PPS : 1151029SL0053
 No. CERT : A002153

LOT 3757, BATU 29, JALAN IPOH- KL, SERENDAH 48200 HULU SELANGOR SELANGOR		TEL : 03- 60813836 FAX : 03- 60813844
TARIKH MULA	26-01-2019	TARIKH TAMAT
JENIS / SAIZ	JENAMA	STANDARD
Steel Pipe Fittings For Water and Sewerage GUSSETED BENDS, OUTSIDE DIAMETER (MM): 273, 323.9, 355.6, 406.4, 457, 508, 610, 711, 914, 1422, 1626, 2540 STEEL NAME: L275 EXTERNAL COATING: BITUMEN INTERNAL LINING: CONCRETE OUTSIDE DIAMETER (MM) : 273, 323.9, 355.6, 406.4, 457, 508, 610, 660, 711, 762, 813, 864, 914, 1016, 1219, 1422, 1626, 1829, 2032, 2540 STEEL NAME: L275 EXTERNAL COATING: BITUMEN INTERNAL LINING: CONCRETE MANUFACTURE PROCESS: SUBMERGED ARC WELDED (SAW) TEES, OUTSIDE DIAMETER (MM): 273, 323.9, 355.6, 406.4, 457, 508, 610, 914, 1016, 1422, 1626, 2540 STEEL NAME: L275 EXTERNAL COATING: BITUMEN INTERNAL LINING: CONCRETE	ALLPIPES	SPAN TS 21827: PART 1:2013

ALPINE PIPE MANUFACTURING SDN BHD

No. PPS : 1180423SL0264
No. CERT : A002195

LOT 6085, JALAN HAJI ABDUL MANAN, BATU 5 1/2 ,
OFF JALAN MERU, 41050 KLANG SELANGOR

TEL : 03-33778669
FAX : 03-33778788

TARIKH MULA

24-04-2019

TARIKH TAMAT

23-04-2020

JENIS / SAIZ	JENAMA	STANDARD
<p>Hot Finished Structural Hollow Sections Of Non-Alloy Steels CIRCULAR STRUCTURAL STEEL = S275 DIAMETER (MM) X THICKNESS (MM) = 60.3X3.5 - 457.0X15.0</p> <p>SQUARE STRUCTURAL STEEL = S275, S355 SIZE (MM) X THICKNESS (MM) = 50.0X4.0 - 350.0X16.0</p> <p>RECTANGULAR STRUCTURAL STEEL = S275, S355 HEIGHT (MM) X WIDTH (MM) X THICKNESS (MM) = 50.0X75.0X3.5 - 300.0X400.0X16.0</p>	ALPINE PIPE	BS EN 10210
<p>Steel Tubes OUTSIDE DIAMETER: 60.3MM - 457MM NOMINAL PIPE THICKNESS: 2.9MM - 5.0MM TYPE OF ENDS: BEVELLED ENDS STEEL GRADE - STEEL NAME : L275 STEEL NUMBER: 0260</p> <p>Outside Diameter x Pipe Thickness: 323.9mm x 4.0mm</p>	ALPINE PIPE	SPAN TS 21827: PART 2:2013
<p>Line pipe plain end at PSL1 & PSL2 MANUFACTURER OF LINE PIPE PLAIN END AT PSL 1 TYPE OF PIPE: HFW DELIVERY CONDITION: M HIGHEST GRADE: X70 MANUFACTURER OF LINE PIPE PLAIN END AT PSL 2 TYPE OF PIPE: HFW DELIVERY CONDITION: M HIGHEST GRADE: X70 SERVICE ANNEX: H, J</p>	ALPINE PIPE	API SPEC 5L
<p>Electric-Welded Casing or Tubing Plain End MANUFACTURER OF ELECTRIC- WELDED CASING OR TUBING PLAIN END AT GROUP 1, H40/PSL 1, J55/PSL 1, K55/PSL 1</p>	ALPINE PIPE	API 5CT
<p>Carbon Steel Tubes For General Structural Purposes STK 400, OUTSIDE DIAMETER (OD), OD <= 65MM, 100MM, 200MM</p> <p>STK 500, OUTSIDE DIAMETER (OD), OD <= 65MM, 200MM</p>	ALPINE PIPE	JIS G 3444:2015
<p>Carbon Steel Pipes For Ordinary Piping Classification of zinc-coating: Black pipes: Not zinc-coated pipes Nominal Diameter: 150, 250, 300, 400, 450 Designation of grade: SGP</p>	ALPINE PIPE	JIS G 3452 : 2014
<p>Non-Alloy Steel Tubes Suitable For Welding and Threading Welded Tube: Plain End Specified Outside Diameter (mm) 21.3, 26.9, 33.7, 42.4, 48.3, 60.3, 76.1, 88.9 & 114.3 Type: L2 Series Welded Tube: Plain End Specified Outside Diameter (mm) 21.3, 26.9, 33.7, 42.4, 48.3, 60.3, 76.1, 88.9, 114.3, 139.7 & 165.1 Type: Medium Series (M), Heavy Series (H)</p>	ALPINE PIPE	BS EN 10255:2004

Steel Tubes Outside Diameter x Pipe Thickness: 323.9mm x 4.0mm	ALPINE PIPE	SPAN TS 21827: PART 2:2013
Non-Alloy Steel Tubes Suitable For Welding and Threading Welded Tube : Plain Ends Specified Outside Diameter =21.3mm, 26.9mm, 33.7mm, 42.4mm, 48.3mm, 60.3m, 76.1mm, 88.9mm, 114.3mm Wall Thickness = 2.0mm, 2.3mm, 2.6mm, 2.9mm, 3.2mm, 3.6mm Type: L2, Steel Name: S 195T Welded Tube: Plain Ends Specified Outside Diameter =21.3mm, 26.9mm, 33.7mm, 42.4mm, 48.3mm, 60.3m, 76.1mm, 88.9mm, 114.3mm, 5.0mm Wall Thickness = 2.6mm, 3.2mm, 3.6mm, 4.0mm, 4.5m, 5.0m Type: M, Steel Name: S 195T Welded Tube: Plain Ends Specified Outside Diameter =21.3mm, 26.9mm, 33.7mm, 42.4mm, 48.3mm, 60.3m, 76.1mm, 88.9mm, 114.3mm, 139.7mm, 165.1mm Wall Thickness =3.2mm, 4.0mm, 4.5mm, 5.0mm, 5.4mm Type: H, Steel Name: S 195T	ALPINE PIPE	MS 863: 2010
Steel Pipes For Water And Sewerage Submerged Arc Welded (SAW) Steel Name: L275 Outside Diameter: 323.9mm, 406.4mm, 457mm, External Coating: Bitumen Internal Lining: Concrete Lining	ALPINE PIPE	SPAN TS 21827: PART 1:2013
Cold Formed Welded Structural Hollow Sections CIRCULAR HOLLOW SECTION Outside Diameter (mm): 42.4 - 457.0 Thickness (mm): 2.5 - 16.0 Steel Name: S275 J0H, S275 J2H, S355 J0H, S355 J2H RECTANGULAR HOLLOW SECTION Side Dimension (mm): 20 x 40 - 300 x 400 Thickness (mm): 2.0 - 16.0 Steel Name: S275 J0H, S275 J2H, S355 J0H, S355 J2H SQUARE HOLLOW SECTION Side Dimension (mm): 40 x 40 - 350 x 350 Thickness (mm): 2.0 - 16.0 Steel Name: S275 J0H, S275 J2H, S355 J0H, S355 J2H	ALPINE PIPE	MS EN 10219-1:2015, MS EN 10219-2:2015

AMCAN COLOR COATING INDUSTRIES SDN BHD

No. PPS : 1170216SR0167
No. CERT : A001693

LOT 779, BLOCK 7, JALAN DEMAK LAUT 3 SEJINGKAT INDUSTRIAL PARK
93050 KUCHING SARAWAK

TEL : 082-432323
FAX : 082-432828

TARIKH MULA	16-02-2019	TARIKH TAMAT	15-02-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Prefinished Sheet Metal Products for Interior/Exterior Building Application BASE COATED METAL : HOT-DIP ALUMINIUM/ ZINC-COATED STEEL TO MS 1196: 2004 GRADE = G250, G300, G550 G01, SERIES = HPE. COATING DESIGNATION = AZ070, AZ090, AZ100 PRODUCT CATEGORY = C1, C2 GLOSS CATEGORY = TYPE 1, TYPE 2	AmcanColors	MS 2383:2011

<p>SIZE: BACKCOAT THICKNESS = 3-6UM, PRIMER THICKNESS = 2 - 6 UM TOPCOAT THICKNESS = 10 - 15 UM BASE METAL THICKNESS (MM) = 0.17 - 0.38 WIDTH (MM) = MAXIMUM 1000</p> <p>BASE COATED METAL : HOT-DIP ALUMINIUM// ZINC-COATED STEEL TO MS 1196: 2004 GRADE = G250, G300,G550, G01 RATING; SERIES = HPE PREMIUM COATING DESIGNATION = AZ100, AZ150, AZ200 PRODUCT CATEGORY = C1, C2, C3 GLOSS CATEGORY = TYPE 1, TYPE 2 BACKCOAT THICKNESS = 4 - 6(U)M PRIMER THICKNESS = 4 - 6 (U)M TOPCOAT THICKNESS = 17 - 19(U)M BASE METAL THICKNESS (MM) = 0.4 0.63 WIDTH = MAXIMUM 1000</p> <p>BASE COATED METAL : HOT-DIP ALUMINIUM/ ZINC-COATED STEEL TO MS 1196: 2004 GRADE = G250, G300, G550, G01 RATING; SERIES = DURATEX COATING DESIGNATION = AZ100, AZ150, AZ200 PRODUCT CATEGORY = C1, C2, C3 GLOSS CATEGORY = TYPE 1 BACKCOAT THICKNESS = 4 - 6 (U)M PRIMER THICKNESS = 4 - 6 (U)M TOPCOAT THICKNESS = 19 - 21 (U)M BASE METAL THICKNESS (MM) = 0.40 - 0.63 WIDTH (MM) = MAXIMUM 1000</p> <p>BASE COATED METAL : HOT-DIP ALUMINIUM/ ZINC-COATED STEEL TO MS 1196: 2004 GRADE = G250, G300, G550, G01 RATING: SERIES = DURATHERM COATING DESIGNATION = AZ150, AZ200 PRODUCT CATEGORY = C1, C2, C3, C4 GLOSS CATEGORY = TYPE 1, TYPE 2 BACKCOAT THICKNESS = 4 - 6 (U)M PRIMER THICKNESS = 4 - 6 (U)M TOPCOAT THICKNESS = 19 - 21 (U)M FINISH COAT = 0.50 - 1 (U)M BASE METAL THICKNESS(MM) = 0.42 - 0.63 WIDTH (MM) = MAXIMUM 1000</p> <p>BASE COATED METAL : HOT-DIP ALUMINIUM/ ZINC-COATED STEEL TO MS 1196: 2004 GRADE = G250, G300, G550, G01 RATING; SERIES = DURAFLUOR COATING DESIGNATION = AZ150, AZ200 PRODUCT CATEGORY = C1, C2, C3, C4 GLOSS CATEGORY = TYPE 1, TYPE 2 BACKCOAT THICKNESS = 4 - 6 (U)M PRIMER THICKNESS = 4 - 6 (U)M</p> <p>WITH OR WITHOUT BARRIERCOAT = 19 - 21 (U)M TOPCOAT THICKNESS = 19 - 21 (U)M WITH OR WITHOUT FINISH COAT = 0.5 - 1 (U)M BASE METAL THICKNESS (MM) = 0.42 - 0.63 WIDTH (MM) = MAXIMUM 1000</p>		
---	--	--

AMCAN SDN BHD

No. PPS : 1190117SR0344
 No. CERT : A001694

LOT 779 BLOCK 7 JALAN DEMAK LAUT 3 MTLD SEJINGKAT INDUSTRIAL PARK 93050 SARAWAK

TEL : 082-432323
 FAX : 082-432828

TARIKH MULA	17-01-2019	TARIKH TAMAT	16-01-2020
JENIS / SAIZ	JENAMA	STANDARD	
Self-supporting Steel Roofing CLIP DECK W710, FLEXICLAD, POLYDECK, POLYORB, CLIPDECK 66, CLIPDECK 41, DECO ORB	AMCAN ROOFS	MS 2500:2012	

AMSTEEL MILLS SDN BHD

No. PPS : 1140626SL0005
 No. CERT : A002084

LOT 6, SOLOK WAJA DUA, KAWASAN PERINDUSTRIAN BUKIT RAJA 41050 KLANG SELANGOR

TEL : 0333412323
 FAX : 0333421923

TARIKH MULA	07-06-2018	TARIKH TAMAT	06-06-2019
JENIS / SAIZ	JENAMA	STANDARD	
Hot Rolled Plain Steel Bar For The Reinforcement of Concrete HOT ROLLED PLAIN STEEL BAR FOR THE REINFORCEMENT OF CONCRETE, PLAIN BAR IN STRAIGHT LENGTH, NOMINAL SIZE (MM) : 16, 20	A.S.M	MS 146:2006	
General Purpose Wire Rod PLAIN ROUND WIRE ROD IN COIL GRADE C9D, C12D, C10D, C15D NOMINAL DIAMETER (MM) : 5.5-16.0	AMSTEEL MILLS	MS ISO 16120-2:2008	
Hot Rolled Ribbed Weldable Reinforcing Steel PRODUCED IN STRAIGHT LENGTH BY HOT ROLLING, GRADE B500B NOMINAL SIZE (MM) : 10, 12, 16, 20, 25, 32, 40 PRODUCED IN COIL BY HOT ROLLING GRADE B500B NOMINAL SIZE (MM) : 10, 12, 16	A.S.M	MS 146:2014	
Hot Rolled Steel Wire ForThe Reinforcement of Concrete PLAIN; PRODUCED IN STRAIGHT LENGTH GRADE 250 NOMINAL SIZE (MM) : 5.5, 6, 8, 10, 12	AMSTEEL MILLS SDN. BHD.	MS 144:2014	
Hot Rolled Steel Wire ForThe Reinforcement of Concrete PLAIN; PRODUCED IN STRAIGHT LENGTH GRADE 250 NOMINAL SIZE (MM) : 7, 9 PLAIN; PRODUCED IN COIL FORM GRADE 250 NOMINAL SIZE (MM) : 5.5, 6, 8, 9, 10, 12 FLAT BARS, QUALITY DESIGNATION = JR DELIVERY CONDITION = +AR (AS-ROLLED) STEEL NAME : STRUCTURAL STEEL = S275, S355 SIZE (MM) : 32x4.5x1.130, 32x6.0x1.507, 32x9.0x2.260, 32x12.0x3.014, 38x4.5x1.342, 38x6.0x1.789, 38x9.0x2.684, 38x12.0x3.579, 50x4.5x1.766, 50x6.0x2.355, 50x9.0x3.532, 50x12.0x4.710, 65x6.0x3.061, 65x9.0x4.592, 65x12x6.123, 75x6.0x3.532, 75x9.0x5.298, 75x12.0x7.065, 100x6.0x4.710, 100x9.0x7.065, 100x12.0x9.420	AMSTEEL MILLS	MS EN 10025-2:2011	

Hot Rolled Steel Wire For The Reinforcement of Concrete PRODUCED IN STRAIGHT LENGTH BY HOT ROLLING, GRADE B500C NOMINAL SIZE (MM) : 10, 20, 32, 40	A.S.M	MS 144:2014
---	-------	-------------

ANN JOO STEEL BERHAD

No. PPS : 1150211SL0022
No. CERT : A002129

LOT 9, PERSIARAN PERUSAHAAN SECTION 23 SHAH ALAM
40300 PETALING SELANGOR

TEL : 603-55482088
FAX : 609-55485088

TARIKH MULA

07-11-2018

TARIKH TAMAT

06-11-2019

JENIS / SAIZ

JENAMA

STANDARD

Hot Rolled Ribbed Weldable Reinforcing Steel
GRADE B500B
NOMINAL DIAMETER (MM): 20, 25, 32, 40

MYS

MS 146:2014

ANN JOO STEEL BERHAD

No. PPS : 1150211PP0024
No. CERT : A 001368

LOT 1236 PRAI INDUSTRIAL ESTATE PRAI
13600 SEBERANG PERAI TENGAH PULAU PINANG

TEL : 604-3907144
FAX : 604-3984459

TARIKH MULA

18-11-2018

TARIKH TAMAT

17-11-2019

JENIS / SAIZ

JENAMA

STANDARD

Hot Rolled Ribbed Weldable Reinforcing Steel
Grade B500B
Nominal Diameter (MM): 10, 12, 16, 20, 25

MYS

MS 146:2014

Decoiled Plain- Grade 250
Nominal Size (MM): 6, 8, 10, 12

Hot Rolled Plain Steel Bar For The Reinforcement of Concrete
Grade 250
Nominal Size (MM): 16

MYS

MS 146:2006

ANN JOO STEEL BERHAD

No. PPS : 1180626KD0282
No. CERT : A 001380

LOT 8068, JALAN BEDONG KAWASAN PERINDUSTRIAN
GURUN BEDONG 08100 KEDAH

TEL : 604-3907144
FAX : 604-3984459

TARIKH MULA

26-06-2018

TARIKH TAMAT

25-06-2019

JENIS / SAIZ

JENAMA

STANDARD

General Purpose Wire Rod
GRADE = C9D, C10D, C12D
NOMINAL DIAMETER (mm) = 5.5

MYS

MS ISO 16120-2:2008

GRADE = C10D, C12D
NOMINAL DIAMETER (mm) = 6.5

GRADE = C12D
NOMINAL DIAMETER (mm) = 6.0, 6.5, 7.0, 10.0, 9.0, 10.0, 11.0

GRADE = C15D NOMINAL DIAMETER (mm) = 9.0, 10.0, 11.0		
---	--	--

ANTARA STEEL MILLS SDN BHD

No. PPS : 1150218JH0027
No. CERT : A 004101

PLO 277, JALAN GANGSA SATU, KAWASAN PERINDUSTRIAN PASIR GUDANG, 81700 PASIR GUDANG JOHOR	TEL : 07-258888 FAX : 07-2598994
---	-------------------------------------

TARIKH MULA	19-03-2019	TARIKH TAMAT	18-03-2020
JENIS / SAIZ		JENAMA	STANDARD
Hot Rolled Ribbed Weldable Reinforcing Steel 10MM, 12MM, 13MM, 16MM, 20MM, 25MM, 28MM, 32M, 40MM		ANTARA STEEL MILLS	MS 146:2014

ASAS ANGSANA SDN BHD

No. PPS : 1180531JH0281
No. CERT : A 004109

PLO 4, JALAN PERINDUSTRIAN 2, KAWASAN PERINDUSTRIAN PONTIAN, 82000 PONTIAN, JOHOR.	TEL : 07-6862396/97 FAX : 07-6862398
---	---

TARIKH MULA	31-05-2019	TARIKH TAMAT	30-05-2020
JENIS / SAIZ		JENAMA	STANDARD
Prefabricated Steel Frame Scaffolding (i) MODEL: ST101, ST101A (ii) RATING: COATING TYPE PAINTING HOT DIP GALVANIZING (iii) TYPE: COMPONENTS VERTICAL FRAME (iv) SIZE: 1219MM X 1700MM, 1219MM X 1930MM THICKNESS: 2.5MM (i) RATING: COATING TYPE PAINTING HOT DIP GALVANIZING (ii) TYPE: COMPONENTS CROSS BRACE (iii) SIZE: 1829MM X 1219MM, 1829MM X 610MM THICKNESS: 2.0M (i) RATING: COATING TYPE PAINTING HOT DIP GALVANIZING (ii) TYPE: COMPONENTS CATWALK (iii) SIZE: 1829MM X 500MM THICKNESS: 1.2MM (i) RATING: COATING TYPE PAINTING (ii) TYPE: COMPONENTS ADJUSTABLE U HEAD (iii) SIZE: 32MM X 600MM, 32MM X 900MM THICKNESS: 5.4MM (i) RATING: COATING TYPE PAINTING (ii) TYPE: COMPONENTS ADJUSTABLE BASE PLATE (iii) SIZE: 32MM X 600MM, 32MM X 900MM THICKNESS: 5.4MM (i) RATING: COATING TYPE PAINTING HOT DIP GALVANIZING (ii) TYPE: COMPONENTS JOINT PIN (iii) SIZE: 36MM X 220MM THICKNESS: 2.2MM		STPN	MS 1462-1:2012

ASIA ROOFING INDUSTRIES SDN BHD

No. PPS : 1180301SL0255
No. CERT : A002161

NO.4, JALAN SUNGAI PELUBUNG 32/149 SEKSYEN 32 40460, SHAH ALAM,
SELANGOR DARUL EHSAN, MALAYSIA 40460 SELANGOR

TEL : 03-51210011
FAX : 03-51210111

TARIKH MULA

01-03-2019

TARIKH TAMAT

29-02-2020

JENIS / SAIZ	JENAMA	STANDARD
<p>Self-supporting Steel Roofing Model = M CLAD, Type = Trapezoidal Profiled Sheet Cover Width = 800 mm Base Metal Thickness = 0.35 - 0.48 mm</p> <p>Model = MEGA RIB 30 Type = Trapezoidal Profiled Sheet Cover Width = 750 mm Base Metal Thickness = 0.35 - 0.48 m</p> <p>Model = AP RIB, Type = Trapezoidal Profiled Sheet Cover Width = 762mm Base Metal Thickness = 0.35 - 0.48 mm</p>	Ajiya	MS 2500:2012

ASIA ROOFING INDUSTRIES SDN BHD

No. PPS : 1180522JH0278
No. CERT : A004115

LOT 142, KAWASAN PERINDUSTRIAN JALAN GENUANG 85000,
SEGAMAT, JOHOR DARUL TAKZIM

TEL : 07-943 4212
FAX : 07-943 5191

TARIKH MULA

22-05-2019

TARIKH TAMAT

21-05-2020

JENIS / SAIZ	JENAMA	STANDARD
<p>Self-supporting Steel Roofing AP RIB/ RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = GRADE 550 + MIN AZ090 & Z180 WITHOUT ORGANIC COATING = GRADE 550 + MIN AZ100 TYPE: TRAPEZOIDAL PROFILED SHEET SIZE: BASE METAL THICKNESS (mm) = 0.35 - 0.48 COVER WIDTH = 762 mm</p> <p>JET RIB/ RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = GRADE 550 + MIN AZ090 & Z180 WITHOUT ORGANIC COATING = GRADE 550 + MIN AZ100 TYPE: TRAPEZOIDAL PROFILED SHEET SIZE: BASE METAL THICKNESS (mm) = 0.35 - 0.48 COVER WIDTH = 720 mm</p> <p>MEGA RIB 30/ RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = GRADE 550 + MIN AZ090 & Z180 WITHOUT ORGANIC COATING = GRADE 550 + MIN AZ100 TYPE: TRAPEZOIDAL PROFILED SHEET SIZE: BASE METAL THICKNESS (mm) = 0.35 - 0.48 COVER WIDTH = 750 mm</p>	AJIYA	MS 2500:2012

<p>MEGA RIB 35/ RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = GRADE 550 + MIN AZ090 & Z180 WITHOUT ORGANIC COATING = GRADE 550 + MIN AZ100 TYPE: TRAPEZOIDAL PROFILED SHEET SIZE: BASE METAL THICKNESS (mm) = 0.35 - 0.48 COVER WIDTH = 723 mm</p> <p>CLS 705/ RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING - GRADE 550 + MIN AZ090 & Z180 WITHOUT ORGANIC COATING = GRADE 550 + MIN AZ100 TYPE: CONCEALED FIX SHEET SIZE: BASE METAL THICKNESS (mm) = 0.40 - 0.48 COVER WIDTH = 705 mm</p> <p>CL 710/ RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = GRADE 550 + MIN AZ090 & Z180 WITHOUT ORGANIC COATING = GRADE 550 + MIN AZ100 TYPE: CONCEALED FIX SHEET SIZE: BASE METAL THICKNESS (mm) = 0.40 - 0.48 COVER WIDTH = 710 mm</p>		
--	--	--

ASIA WIRE STEEL MESH MANUFACTURERS SDN BHD

No. PPS : 1150922SL0043
No. CERT : A002157

LOT 975, BATU 3, JALAN KAPAR, P.O. BOX 75
41700 KLANG SELANGOR

TEL : 0333425433
FAX : 0333420797

TARIKH MULA	21-02-2019	TARIKH TAMAT	20-02-2020
JENIS / SAIZ	JENAMA	STANDARD	
Welded Steel Fabric for the Reinforcement Concrete MODEL : DESIGNATED FABRIC TYPE : SQUARE MESH SIZE : A98, A142, A193, A252, A318, A393, A475, A565	AS	MS 145:2014	
MODEL : DESIGNATED FABRIC TYPE : STRUCTURAL MESH SIZE : B196, B283, B385, B503, B785, B950, B1131			
MODEL : DESIGNATED FABRIC TYPE : LONG MESH SIZE : C196, C283, C503, C636, C785, C950, C1131			
MODEL : DESIGNATED FABRIC TYPE : WRAPPING MESH SIZE : D196, D283, D385, D503, D636, D785, D950, D1131			

ASTEEL SDN BHD

No. PPS : 1170621SR0202
 No. CERT : A001683

LOT 712, BLOCK 7, DEMAK LAUT INFUSTRIAL PARK
 93050 SARAWAK

TEL : 082 433 888
 FAX : 082 433 889

TARIKH MULA

13-07-2018

TARIKH TAMAT

12-07-2019

JENIS / SAIZ	JENAMA	STANDARD
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Product Category = C1, C2, C3 Gloss Category = Type 1, Type 2, Type 3 Base Metal Thickness (mm) : 0.35-0.48	EnvioPrime	MS 2383:2011
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Product Category = C1, C2, C3 Gloss Category = Type 1, Type 2, Type 3 Base Metal Thickness (mm) : 0.35-0.48	EnvioClean	MS 2383:2011
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Product Category = C1, C2, C3 Gloss Category = Type 1, Type 2, Type 3 Base Metal Thickness (mm) : 0.35-0.48	EnvioMatt	MS 2383:2011
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Product Category = C1, C2, C3 Gloss Category = Type 1, Type 2, Type 3 Base Metal Thickness (mm) : 0.28-0.30	EnvioKool	MS 2383:2011
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Product Category = C1, C2, C3 Gloss Category = Type 1, Type 2, Type 3 Base Metal Thickness (mm) : 0.18-0.25	Domina	MS 2383:2011

**ASTINO (MALAYSIA) COLOUR STEEL SHEET
SDN BHD**

No. PPS : 1180718SL0293
 No. CERT : A002100

LOT 3, JALAN JASMINE 6 BUKIT BERUNTUNG INDUSTRIAL PARK MUKIM
 SERENDAH, 48300 RAWANG, SELANGOR 48300 SERENDAH SELANGOR

TEL : 012-6643011
 FAX : 03-60283882

TARIKH MULA

18-07-2018

TARIKH TAMAT

17-07-2019

JENIS / SAIZ	JENAMA	STANDARD
Self-supporting Steel Roofing MODEL : NEW SUNROOF TYPE : TRAPEZOIDAL PROFILED SHEET SIZE : BASE METAL THICKNESS : 0.18-0.48 MM COVER WIDTH : 760 MM MODEL: HIGH RIB 30 TYPE : TRAPEZOIDAL PROFILED SHEET SIZE BASE METAL THICKNESS : 0.23-0.48 MM COVER WIDTH : 750 MM MODEL: SPANDEC 680 TYPE : TRAPEZOIDAL PROFILED SHEET SIZE : BASE METAL THICKNESS : 0.26-0.48 MM	ASTINO	MS 2500:2012

COVER WIDTH : 680 MM MODEL: CLIP LOCK 672 TYPE : TRAPEZOIDAL PROFILED SHEET SIZE : BASE METAL THICKNESS : 0.40-0.48 MM COVER WIDTH : 672 MM MODEL: CLIP LOCK 710 TYPE : TRAPEZOIDAL PROFILED SHEET SIZE : BASE METAL THICKNESS : 0.40-0.48 MM COVER WIDTH : 710MM		
---	--	--

ASTINO (MALAYSIA) COLOUR STEEL SHEET SDN BHD

No. PPS : 1180712PP0286
No. CERT : A001347

1538, MK12, JALAN SERULING KAWASAN PERUSAHAAN VALDOR SUNGAI BAKAP,
PENANG 14200 SEBERANG PERAI SELATAN PULAU PINANG

TEL : 012-6643011
FAX : 03-60283882

TARIKH MULA	12-07-2018	TARIKH TAMAT	11-07-2019
JENIS / SAIZ		JENAMA	STANDARD
Self-supporting Steel Roofing MODEL : NEW SUNROOF RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 280 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 280 + MIN AZ100 TYPE: TRAPEZOIDAL PROFILED SHEET SIZE : BASE METAL THICKNESS (mm) = 0.18-0.48 COVER WIDTH = 760 mm MODEL : HIGH RIB 30 RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 280 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 280 + MIN AZ100 TYPE: TRAPEZOIDAL PROFILED SHEET SIZE: BASE METAL THICKNESS (mm) = 0.23-0.48 COVER WIDTH = 750 mm MODEL : COOLDEC 260 RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 280 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 280 + MIN AZ100. TYPE: TRAPEZOIDAL PROFILED SHEET SIZE: BASE METAL THICKNESS (mm) = 0.18-0.48 COVER WIDTH = 762 mm MODEL : BENDEC RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 280 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 280 + MIN AZ100 TYPE: TRAPEZOIDAL PROFILED SHEET SIZE : BASE METAL THICKNESS (mm) = 0.18-0.42 COVER WIDTH = 770 mm MODEL : CLIP LOCK 710 RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 550 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 550 + MIN		ASTINO	MS 2500:2012

AZ100
 TYPE: TRAPEZOIDAL PROFILED SHEET
 SIZE : BASE METAL THICKNESS (mm) = 0.40-0.48
 COVER WIDTH = 710 mm

ASTINO SCAFFOLDING SDN BHD

No. PPS : 1170726PP0205
 No. CERT : A002802

LOT 1218 JALAN SERUNAI KAWASAN PERINDUSTRIAN VALDOR SUNGAI BAKAP
 14200 SEBERANG PERAI SELATAN PULAU PINANG

TEL : 04-582 0362
 FAX : 04-582 9836

TARIKH MULA

28-09-2018

TARIKH TAMAT

27-09-2019

JENIS / SAIZ	JENAMA	STANDARD
Prefabricated Steel Frame Scaffolding Main Frame (2.5mm x 1219mm x 1700mm)	ASTINO	MS 1462-1:2012
Cross Brace (1.8mm x 1219mm x 2198mm)		
Joint Pin (2.3mm x 221mm)		
Adjustable Jack Base (32mm x 600mm x 5.4mm)		
Adjustable U Head (32mm x 600mm x 5.4mm)		
Horizontal Frame (2.3mm x 500mm x 1829mm)		
Armlock (3.0mm x 507.5mm)		
Catwalk (1.1mm x 1829mm)		
Global Bracing System 2.3mm x 48.6mm x 6000mm ; 3.0mm		

ASTINO SOUTHERN SDN BHD

No. PPS : 1180704PH0283
 No. CERT : A001490

LOT 53, JALAN INDUSTRI 4, TMN. PERINDUSTRIAN TEMERLOH,
 MUKIM MENTAKAB, DAERAH TEMERLOH, 28400 MENTAKAB, PAHANG

TEL : 09-2773688
 FAX : 09-2776288

TARIKH MULA

04-07-2018

TARIKH TAMAT

03-07-2019

JENIS / SAIZ	JENAMA	STANDARD
Self-supporting Steel Roofing MODEL : NEW SUNROOF LONGRUN RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 280 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 280 + MIN AZ100 TYPE : TRAPEZOIDAL PROFILED SHEET SIZE: BASE METAL THICKNESS (mm) = 0.18-0.42 COVER WIDTH = 762 mm MODEL : SUPERIOR RIB RATING : MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 280 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 280 + MIN AZ100 TYPE : TRAPEZOIDAL PROFILED SHEET	ASTINO	MS 2500:2012

SIZE : BASE METAL THICKNESS (mm) = 0.18-0.42
COVER WIDTH = 762 mm

ASTINO SOUTHERN SDN BHD

No. PPS : 1180808ML0297
No. CERT : A001170

LOT 719, JALAN SERI EMAS 28, TAMAN SERI EMAS 74560 MELAKA TENGAH MELAKA	TEL : 06-2617923 FAX : 06-2617926
--	--------------------------------------

TARIKH MULA	08-08-2018	TARIKH TAMAT	07-08-2019
JENIS / SAIZ		JENAMA	STANDARD
Self-supporting Steel Roofing MODEL : NEW SUNROOF LONGRUN RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 280 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 280 + MIN AZ100 TYPE : TRAPEZOIDAL PROFILED SHEET SIZE: BASE METAL THICKNESS (mm) = 0.18-0.42 COVER WIDTH = 762 mm		ASTINO	MS 2500:2012
MODEL : SUPERIOR RIB RATING : MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 280 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 280 + MIN AZ100 TYPE : TRAPEZOIDAL PROFILED SHEET SIZE : BASE METAL THICKNESS (mm) = 0.23-0.48 COVER WIDTH = 762 mm			
MODEL : HIGH RIB 30 RATING : MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 280 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 280 + MIN AZ100 TYPE : TRAPEZOIDAL PROFILED SHEET SIZE : BASE METAL THICKNESS (mm) = 0.23-0.48 COVER WIDTH = 750 mm			
MODEL : SPANDEC 680 RATING : MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 280 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 280 + MIN AZ100 TYPE : TRAPEZOIDAL PROFILED SHEET SIZE : BASE METAL THICKNESS (mm) = 0.23-0.48 COVER WIDTH = 680 mm			
MODEL : CLIP LOCK 710 RATING : MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 550 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 550 + MIN AZ100 TYPE : TRAPEZOIDAL PROFILED SHEET SIZE : BASE METAL THICKNESS (mm) = 0.36-0.48 COVER WIDTH = 710 mm			

BEKALAN PIE SDN BHD

No. PPS : 1171124SL0227
 No. CERT : A002150

NO 1, LORONG SULAM 3 OFF JALAN KAMPUNG JAWA
 41000 SELANGOR

TEL : 03-337221818
 FAX : 03-33718818

TARIKH MULA

08-01-2019

TARIKH TAMAT

07-01-2020

JENIS / SAIZ	JENAMA	STANDARD
Prefabricated Steel Frame Scaffolding Components: Vertical Frame Coating Type: Painting Hot Dip Galvanising Coating Thickness(μm): 25	PIE	MS 1462-1:2012
Components: Adjustable U-Head Coating Type: Painting Hot Dip Galvanising Coating Thickness(μm): 25		
Components: Adjustable Base Plate Coating Type: Painting Hot Dip Galvanising Coating Thickness(μm): 25		
Components: Joint Pin Coating Type: Painting Hot Dip Galvanising; Coating Thickness(μm): 25		
Components: Catwalk Coating Type: Painting Hot Dip Galvanising Coating Thickness(μm): 25		

BESI ASIA ENGINEERING WORKS SDN BHD

No. PPS : 1170929SB0216
 No. CERT : A001622

LOT 11, SEDCO LIGHT INDUSTRIAL ESTATE, JALAN KOLOMBONG,
 BATU 5 1/2, JALAN TUARAN, INANAM KOTA KINABALU 88450 SABAH

TEL : 088-423903
 FAX : 088-424557

TARIKH MULA

29-09-2018

TARIKH TAMAT

28-09-2019

JENIS / SAIZ	JENAMA	STANDARD
Steel Pipes For Water And Sewerage 813MM, 914MM, 114.3MM, 168.3MM, 323.9MM, 355.6MM, 406.4MM, 457MM	BAE	SPAN TS 21827: PART 1:2013

BOON & CHEAH STEEL PIPES SDN BHD

No. PPS : 1170824JH0213
 No. CERT : A 004071

LOT PLO 322, JALAN TEMBAGA SATU, PASIR GUDANG
 INDUSTRIAL ESTATE PASIR GUDANG 81700 JOHOR

TEL : 07-2514050
 FAX : 07-2514391

TARIKH MULA

02-10-2018

TARIKH TAMAT

01-10-2019

JENIS / SAIZ	JENAMA	STANDARD
Steel Pipes For Water And Sewerage OUTSIDE DIAMETER (MM) : 60.3, 76.1, 88.9, 114.3, 139.7, 168.3, 219.1, 273, 323.9, 355.6, 406.4, 457, 508, 610, 660, 711, 762, 813, 864, 914, 1016, 1219, 1422, 1626, 1829, 2032, 2235, 2337, 2438, 2540, 2642, 2743	B&C	SPAN TS 21827: PART 1:2013

GUSSETED BENDS OUTSIDE DIAMETER (MM) : 60.3, 76.1, 88.9, 114.3, 139.7, 168.3, 219.1, 273, 323.9, 355.6, 406.4, 457, 508, 610, 660, 711, 762, 813, 864, 914, 1016, 1219, 1422, 1626, 1829, 2032, 2235, 2337, 2438, 2540, 2642, 2743		
TEES OUTSIDE DIAMETER (MM) : 60.3, 76.1, 88.9, 114.3, 139.7, 168.3, 219.1, 273, 323.9, 355.6, 406.4, 457, 508, 610, 660, 711, 762, 813, 864, 914, 1016, 1219, 1422, 1626, 1829, 2032, 2235, 2337, 2438, 2540, 2642, 2743		

BRC INDUSTRIES SDN BHD

No. PPS : 1180704PP0284
No. CERT : A001345

740, LORONG 9, BUKIT MINYAK INDUSTRIAL PARK, SIMPANG AMPAT 14100 SEBERANG PERAI TENGAH PULAU PINANG	TEL : 04-508 3000
	FAX : 04-508 3900

TARIKH MULA	04-07-2018	TARIKH TAMAT	03-07-2019
JENIS / SAIZ		JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete SQUARE MESH/ A98, A142, A193, A252, A318, A393 BAR QUALITY=COLD WORKED RIBBED BAR GRADE B500A OF MS 146:2014		BRC INDUSTRIES SDN BHD	MS 145:2014
STRUCTURAL MESH/ B196, B283, B385, B503, B636, B785, D196, D283, D385, D503, D636, D785 BAR QUALITY=COLD WORKED RIBBED BAR GRADE B500A OF MS 146:2014			

BRC PREFAB HOLDINGS SDN BHD

No. PPS : 1170613JH0197
No. CERT : A004116

PTD 103251 JALAN IDAMAN 3/9 TAMAN PERINDUSTRIAN DESA IDAMAN SENAI 81400 JOHOR	TEL : 07-5976888
	FAX : 07-5980071

TARIKH MULA	13-06-2018	TARIKH TAMAT	12-06-2019
JENIS / SAIZ		JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete DESIGNATED FABRIC - SQUARE MESH / A142, A193, A252, A318, A393, A475, A565, A664		BRC	MS 145:2014
DESIGNATED FABRIC - STRUCTURAL MESH / B283, B385, B503, B636, B785, B950, B1131, B1328			
DESIGNATED FABRIC - WRAPPING MESH / D283, D385, D503, D636, D785, D950, D1131, D1328;			
Cold Worked Ribbed Weldable Reinforcing Steel GRADE B500A - PRODUCED AS COILED AND DELIVERED DECOILED		BRC	MS 146:2014

BRILLIANT TRADING & SUPPLIES SDN BHD

No. PPS : 1190418SB0309
No. CERT : A001631

LOT 133 , LOKKAWI INDUSTRIAL ESTATE 88100
KOTA KINABALU SABAH 88100 SABAH

TEL : 088-755718
FAX : 088-754515

TARIKH MULA

18-04-2019

TARIKH TAMAT

17-04-2020

JENIS / SAIZ

JENAMA

STANDARD

Self Supporting Steel Metal Roofing Sheet
Base metal thickness (mm): 0.30-0.42; Cover width (mm): 760

BriLine

MS 2500:2012

Self Supporting Steel Metal Roofing Sheet
Base metal thickness (mm): 0.30-0.42; Cover width (mm): 760

Clip Lock

MS 2500:2012

BW YEE SENG STEEL INDUSTRIES SDN BHD

No. PPS : 1161221PP0159
No. CERT : A002807

MUKIM 12, KAWASAN PERINDUSTRIAN VALDOR KAWASAN PERINDUSTRIAN VALDOR,
MUKIM 12 SUNGAI BAKAP 14200 SEBERANG PERAI SELATAN PULAU PINANG

TEL : 045859999
FAX : 045859988

TARIKH MULA

15-01-2019

TARIKH TAMAT

14-01-2020

JENIS / SAIZ

JENAMA

STANDARD

Prefabricated Steel Frame Scaffolding
VERTICAL FRAME, CROSS BRACE, CATWALK,
JACK BASE, U-HEAD, JOINT PIN

BW Yee Seng

MS 1462-1:2012

CHOO BEE METAL INDUSTRIES BERHAD

No. PPS : 1150921PK0042
No. CERT : A001297

LOT 65580 KAWASAN PERUSAHAAN PENGKALAN 1 LAHAT
31500 KINTA PERAK

TEL : 053226228
FAX : 053227228

TARIKH MULA

02-09-2018

TARIKH TAMAT

01-09-2019

JENIS / SAIZ

JENAMA

STANDARD

Carbon Steel Pipes For Ordinary Piping
175X5.30, 200X5.80, 250X6.60, 300X6.90, 350X7.90, 400X7.90,
450X7.90.

ChooBee

JIS G 3452 : 2014

Non-Alloy Steel Tubes Suitable For Welding and Threading
TYPE L2- GRADE S195T/ 21.3~114.3MM/ 2.0~3.6MM
TYPE M SERIES- GRADE S195T/21.3~165.1MM/ 2.6~5.0MM
TYPE H SERIES- GRADE S195T/ 21.3~165.1MM/ 3.2~5.4MM

ChooBee

BS EN 10255:2004

Cold Formed Welded Structural Hollow Sections
CIRCULAR- GRADE
S235JRH/ 21.3~406.4MM/ 2.0~12.5MM
S355J0H/ 21.3~406.4MM/ 2.0~12.5MM
S355J2H/ 21.3~406.4MM/ 2.0~12.5MM

ChooBee

MS EN 10219-1:2015,
MS EN 10219-2:2015

RECTANGULAR- GRADE
S355J0H/ 25X50~200X300MM/ 2.3~12.00MM
S355J0H/ 25X25~300X300MM/ 2.3~12.00MM

SQUARE- GRADE
S275J0H/ 25X25~300X300MM/ 2.3~12.00MM
S275J2H/ 25X25~300X300MM/ 2.3~12.00MM

S355J2H/ 25X25~300X300MM/ 2.3~12.00 MM CIRCULAR-GRADE S275J0H/ 21.3~406.4MM/ 2.0~12.5MM S275J2H/ 21.3~406.4MM/ 2.0~12.5MM		
Electric Welded (EW) Steel Tubes For Cement Lined Pipes PLAIN ENDS- GRADE L275/ 60.3~406.4MM/ 2.9~4.5MM	ChooBee	SPAN TS 21827: PART 2:2013
Cold Formed Carbon Steel Structural Tubing ROUND- GRADE B S275JR/ 21.3~406.4MM/ 1.5~12.7MM RECTANGULAR- GRADE A S235JR/ 25X50 ~ 200X300MM/ 1.5~12.7MM RECTANGULAR- GRADE B S275JR/ 25X50 ~ 200X300MM/ 1.5~12.7MM SQUARE- GRADE A S235JR/ 25X25 ~ 300X300MM/ 1.5~12.7MM SQUARE- GRADE B S275JR/ 25X25 ~ 300X300MM/ 1.5~12.7MM SQUARE- GRADE C S355JR/ 25X25~300X300/ 1.5~12.7MM RECTANGULAR-GRADE C S355JR/ 25X50~200X300MM/ 1.5~12.7MM ROUND- GRADE A S235JR/ 21.3~406.4MM/ 1.5~12.7MM ROUND- GRADE C S355JR/ 21.3~406.4MM/ 1.5~12.7MM ROUND- GRADE D S275JR/ 21.3~406.4MM/ 1.5~12.7MM	ChooBee	ASTM A500/ A500M
Welded Steel Pipes TYPE L2- GRADE S195T/ 21.3~114.3MM/ 2.0~3.6MM TYPE SERIES M- GRADE S195T/ 21.3~165.1MM/ 2.6~5.0MM TYPE SERIES M- GRADE S195T/ 21.3~165.1MM/ 2.6~5.0MM TYPE SERIES H- GRADE S195T/ 21.3~165.1MM/ 3.2~5.4MM	ChooBee	MS 863: 2010
Carbon Steel Tubes For General ChooBee Structural Purposes STK 400 / Dia. 21.7~355.6 mm/ Thk. 2.0~12.7 mm STK 500/ Dia. 21.7~355.6 mm/ Thk. 2.0~12.7 mm	ChooBee	JIS G 3444:2015

CHRS SAMAWIRA MESH SB

No. PPS : 1151230NS0076
No. CERT : A001137

LOT7401, PT1888, JALAN ZAMRUD 1, KAW PERIND NILAI 2 NILAI
71800 SEREMBAN NEGERI SEMBILAN

TEL : 067995555
FAX : 67995488

TARIKH MULA	13-03-2019	TARIKH TAMAT	12-03-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete SQUARE MESH / A98, A142, A193, A252, A318, A393, A475, A565	CH	MS 145:2014
STRUCTURAL MESH B196, B283, B385, B503, B636, B785, B950, B1131		

WRAPPING MESH D196, D283, D385, D503, D636, D785, D950, D1131		
Cold Worked Ribbed Weldable Reinforcing Steel PRODUCED AS COIL AND DELIVERED DECOILED / 7MM, 8MM, 9MM, 10MM, 12MM	CHRS SAMAWIRA MESH SDN. BHD.	MS 146:2014

CMS WIRES SDN BHD

LOT 87, LORONG TENAGA 2 BINTAWA INDUSTRIAL ESTATE
93450 KUCHING SARAWAK

No. PPS : 1160922SR0144
No. CERT : A001695

TEL : 082-334772
FAX : 082-486085

TARIKH MULA

13-02-2019

TARIKH TAMAT

12-02-2020

JENIS / SAIZ

JENAMA

STANDARD

Welded Steel Fabric for the Reinforcement Concrete
A193, A252, A318, A393

SETRI

MS 145:2014

CSC STEEL SDN BHD

180, KAWASAN INDUSTRI AYER KEROH
75450 AYER KEROH MELAKA

No. PPS : 1160908ML0143
No. CERT : A001173

TEL : 06-2310169
FAX : 06-2310167

TARIKH MULA

28-12-2018

TARIKH TAMAT

27-12-2019

JENIS / SAIZ

JENAMA

STANDARD

Hot Dip Zinc Coated Carbon Steel Sheet of Commercial and
Drawing Qualities
GRADE 01, 02/ BMT(MM) =0.176 - 2.0
MAX WIDTH(MM) = 1250

realzinc™

MS 2385:2011

Hot Dip Zinc Coated Carbon Steel Sheet of Structural
Qualities GRADE 250,280,320,350,550/ BMT(MM)=0.176 - 2.00
MAX WIDTH(MM)=1250

Prefinished Sheet Metal Products for Interior/
Exterior Building Application
PRIMERO, THERMOSHIELD, THERMOSHIELD BRIO,
SUPREME

realcolor®

MS 2383:2011

CUT & BEND SDN BHD

88811 KOTA KINABALU SABAH

No. PPS : 1180713SB0287
No. CERT : A001620

TEL : 088 426141/426142
FAX : 088 423301

TARIKH MULA

13-07-2018

TARIKH TAMAT

12-07-2019

JENIS / SAIZ

JENAMA

STANDARD

Cold Worked Ribbed Weldable Reinforcing Steel
GRADE = B500A
NOMINAL DIAMETER (mm) = 6, 7, 8, 9, 10, 12

CUT & BEND SDN BHD

MS 146:2014

DAHTEC MARKETING SDN BHD

No. PPS : 1180830SL0302
No. CERT : A002110

NO. 2, JALAN TPP 10, TAMAN PERINDUSTRIAN PUTRA, LEBUHRAYA ELITE,
47130 PUCHONG, SELANGOR 47130 SEPANG SELANGOR

TEL : 0380691988
FAX : 0380665988

TARIKH MULA	30-08-2018	TARIKH TAMAT	29-08-2019
JENIS / SAIZ	JENAMA	STANDARD	
<p>Modular System Scaffolding</p> <p>DMS JACK BASE 600MM, LENGTH (600MM)</p> <p>DMS JACK BASE 750MM, LENGTH (750MM)</p> <p>DMS JACK BASE 900MM, LENGTH (900MM)</p> <p> DMS HORIZONTAL MEMBER TUBE 0.7M, LENGTH (554MM)</p> <p>DMS HORIZONTAL MEMBER TUBE 1.0M, LENGTH (854MM)</p> <p>DMS HORIZONTAL MEMBER TUBE 1.5M (LENGTH 1354MM)</p> <p>DMS HORIZONTAL MEMBER TUBE 2.0M, LENGTH (1854MM)</p> <p>DMS HORIZONTAL MEMBER TUBE 2.5M, LENGTH (2354MM)</p> <p>DMS HORIZONTAL MEMBER TUBE 3.0M, LENGTH (2854MM)</p> <p> DMS VERTICAL STANDARD 0.5M, LENGTH (500MM)</p> <p>DMS VERTICAL STANDARD 2.0M, LENGTH (2000MM)</p> <p>DMS DIAGONAL BRACE H2.00M X L0.70M, LENGTH (2150MM)</p> <p>DMS DIAGONAL BRACE H2.00M X L1.00M, LENGTH (2256MM)</p> <p>DMS DIAGONAL BRACE H2.00M X L1.50M, LENGTH (2505MM)</p> <p>DMS DIAGONAL BRACE H2.00M X L2.00M, LENGTH (2824MM)</p> <p>DMS DIAGONAL BRACE H2.00M X L2.50M, LENGTH (3190MM)</p> <p>DMS DIAGONAL BRACE H2.00M X L3.00M, LENGTH (3589MM)</p> <p> DMS PANACIER 0.30M X 0.70M, WIDTH (300MM) X LENGTH (700MM)</p> <p>DMS PANACIER 0.30M X 1.00M, WIDTH (300MM) X LENGTH (1000MM)</p> <p>DMS PANACIER 0.30M X 1.50M, WIDTH (300MM) X LENGTH (1500MM)</p> <p>DMS PANACIER 0.30M X 2.00M, WIDTH (300MM) X LENGTH (2000MM)</p> <p>DMS PANACIER 0.30M X 2.50M, WIDTH (300MM) X LENGTH (2500MM)</p> <p> DMS PANACIER 0.30M X 3.00M, WIDTH (300MM) X LENGTH (3000MM)</p> <p>DMS PANACIER 0.20M X 0.70M, WIDTH (200MM) X LENGTH (700MM)</p> <p>DMS PANACIER 0.20M X 1.00M, WIDTH (200MM) X LENGTH (1000MM)</p> <p>DMS PANACIER 0.20M X 1.50M, WIDTH (200MM) X LENGTH (1500MM)</p> <p>DMS PANACIER 0.20M X 2.00M, WIDTH (200MM) X LENGTH (2000MM)</p> <p>DMS PANACIER 0.20M X 2.50M, WIDTH (200MM) X LENGTH (2500MM)</p> <p>DMS PANACIER 0.20M X 3.00M. WIDTH (200MM) X LENGTH (3000MM)</p> <p> DMS TOE BOARD 0.50M, LENGTH (437MM)</p> <p>DMS TOE BOARD 0.70M, LENGTH (637MM)</p>	DAHTEC	MS 1462-3-1:2011	

DMS TOE BOARD 1.00M, LENGTH (937MM) DMS TOE BOARD 1.50M, LENGTH (1437MM) DMS TOE BOARD 2.00M, LENGTH (1937MM) DMS TOE BOARD 2.50M, LENGTH (2437MM) DMS TOE BOARD 3.00M, LENGTH (2937MM) DMS TOE BOARD 4.00M, LENGTH (3937MM)		
DMS STAIR H2.0 X L2.0 X W0.7 DMS STAIR H2.0 X L1.5 X W0.7		

DURABON SDN BHD (JOHOR)

No. PPS : 1190430JH0359
No. CERT : A 004113

LOT 27, JALAN PERINDUSTRIAN 4, KAWASAN PERINDUSTRIAN SENAI,
FASA II SENAI 81400 JOHOR

TEL : 07-5992680
FAX : 07-5991700

TARIKH MULA	30-04-2019	TARIKH TAMAT	29-04-2020
JENIS / SAIZ		JENAMA	STANDARD
Prestressing Steel - Steel Bar 7.10mm, 9.00mm, 10.70mm, 12.60mm		UBON	MS 1138 : PART 3 : 2007

DVC MANUFACTURING SDN BHD

No. PPS : 1190310KD0353
No. CERT : A 001377

NO 513, KILANG SUSUR LENCONGAN TIMUR KANAN,
KAWASAN PERINDUSTRIAN CENDANA 2 SUNGAI PETANI 08000 KEDAH

TEL : 03-80231128
FAX :

TARIKH MULA	10-03-2019	TARIKH TAMAT	09-03-2020
JENIS / SAIZ		JENAMA	STANDARD
Manhole Tops & Gully Class D400		DVC	BS EN 124:1994

EAST COAST MANUFACTURING SDN BHD

No. PPS : 1151230PH0077
No. CERT : A001499

LOT 10769, JALAN GEBENG 1/2 KAWASAN PERINDUSTRIAN GEBENG
26080 KUANTAN PAHANG

TEL : 09-5839898
FAX : 09-5839897

TARIKH MULA	10-01-2019	TARIKH TAMAT	09-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete A98, A142, A193, A252, A318, A393, A475, A565, B196, B283, B385, B503, B636, B785, B950, B1131		ECM	MS 145:2014
Self-supporting Steel Roofing TRAPEZOIDAL PROFILED SHEET		EAST COAST MANUFACTURING SDN BHD	MS 2500:2012

EASTEEL SERVICES (MALAYSIA) SDN BHD

No. PPS : 1180506JH0276
No. CERT : A 004102

PTD 41363, JALAN IDAMAN 3/2 TAMAN DESA IDAMAN,
SEELONG, SENAI 81400 KULAIJAYA JOHOR

TEL : 07-5981481
FAX : 07-5986143

TARIKH MULA	06-05-2019	TARIKH TAMAT	05-05-2020
JENIS / SAIZ		JENAMA	STANDARD
Cold Worked Ribbed Weldable Reinforcing Steel NOMINAL DIAMETER (mm) = 6,7,8,9,10,11,12,13		NatSteel	MS 146:2014
Welded Steel Fabric for the Reinforcement Concrete A142,A193,A252,A318,A393,A4 75,A565,A664 B283,B385,B503,B636,B785,B95 0,B1131,B1328 D283,D385,D503,D636,D785,D9 50,D1131,D1328		NATSTEEL	MS 145:2014

EC EXCEL WIRE SDN BHD

No. PPS : 1151228PH0075
No. CERT : A004020

LOT 77A & 77B, LORONG GEBENG 1/7 GEBENG INDUSTRIAL ESTATE
26080 KUANTAN PAHANG

TEL : 09-5837881
FAX : 09-5837882

TARIKH MULA	08-03-2019	TARIKH TAMAT	07-03-2020
JENIS / SAIZ		JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete BRC A5, BRC A6, BRC A7, BRC A8, BRC A9, BRC A10 - DESIGNATED FABRIC (SQUARE MESH)		EC EXCEL WIRE	MS 145:2014

ECCO STEEL INDUSTRIES SDN BHD

No. PPS : 1190221JH0349
No. CERT : A 004097

LOT 38, JALAN TAMBAN 1/2, SALENG, SENAI
81400 JOHOR

TEL : 07-5992800
FAX : 07-5997803

TARIKH MULA	21-02-2019	TARIKH TAMAT	20-02-2020
JENIS / SAIZ		JENAMA	STANDARD
Cold Worked Steel Wire for the Reinforcement of Concrete STEEL WIRE/NOMINAL SIZE : 6MM, 7MM, 8MM, 9MM, 10MM, 11MM, 12MM		ecco STEEL	MS 144:2014
Welded Steel Fabric for the Reinforcement Concrete DESIGNATED FABRIC/SQUARE MESH/ A63, A98, A142, A193, A252, A318, A393, A565, A664, B196, B283, B385, B503, B636, B785, B1131, B1328, D126, D196, D283, D385, D503, D636, D785, D1131, D1328 DESIGNATED FABRIC/ WRAPPING MESH D196, D283, D385, D503, D785, D1131, D1328 GRADE B500A / NOMINAL SIZE : 5MM, 6MM, 7MM, 8MM, 9MM, 10MM, 12MM, 13MM		ecco STEEL	MS 145:2014

ENG LIAN HUP MANUFACTURING SDN BHD

No. PPS : 1151216PP0067
No. CERT : A002801

1171, LORONG PERINDUSTRIAN BUKIT MINYAK 11, TAMAN PERINDUSTRIAN BUKIT MINYAK,
SIMPANG AMPAT 14100 SEBERANG PERAI TENGAH PULAU PINANG

TEL : 04- 505 7802
FAX : 04- 506 0522

TARIKH MULA

28-09-2018

TARIKH TAMAT

27-09-2019

JENIS / SAIZ

JENAMA

STANDARD

Welded Steel Fabric for the Reinforcement Concrete
Square Mesh/ A142, A193, A252, A318, A393
Rectangular Mesh/ B283, B385, B385, B636, B785
Small Square Mesh/D283, D385, D503, D636, D785

E-Mesh

MS 145:2014

ENGLEN MANUFACTURING SDN BHD

No. PPS : 1180209SB0248
No. CERT : A001629

LOT 5, INDUSTRIAL ZONE 7 PHASE 1 JALAN NOROWOT 2B,
KKIP KOTA KINABALU 88460 SABAH

TEL : 088497550 /
088498550
FAX : 088412550

TARIKH MULA

14-02-2019

TARIKH TAMAT

13-02-2020

JENIS / SAIZ

JENAMA

STANDARD

Welded Steel Fabric for the Reinforcement Concrete
Square Mesh / A98, A142, A193, A252, A318, A393, A475,
A565
Structural Mesh / B196, B283, B385, B503, B636, B785, B950,
B1131

ENGLEN MANUFACTURIN G SDN. BHD

MS 145:2014

ENGTEX DUCTILE IRON PIPE INDUSTRY SDN BHD

No. PPS : 1151027PH0051
No. CERT : A001494

LOT 68, JALAN GEBENG 1/6, GEBENG INDUSTRIAL ESTATE,
26080 KUANTAN PAHANG

TEL : 04- 505 7802
FAX : 04- 506 0522

TARIKH MULA

26-10-2018

TARIKH TAMAT

25-10-2019

JENIS / SAIZ

JENAMA

STANDARD

Ductile Iron Pipes
CLASS 25 : DN 700 - DN 800, CLASS 30 : DN 350 - DN 800,
CLASS 40 : DN 80 - DN 800, CLASS 50 : DN 80 - DN 800,
CLASS 64 : DN 80 - DN 800, CLASS 100 : DN 80 - DN 600

ENGTEX, EDIP, SUASA UNIK, LYE

MS 1919:2013

Ductile Iron Pipes
CLASS 25 : DN 700 - DN 800, CLASS 30 : DN 350 - DN 800,
CLASS 40 : DN 80 - DN 800, CLASS 50 : DN 80 - DN 800,
CLASS 64 : DN 80 - DN 800, CLASS 100 : DN 80 - DN 600

ENGTEX, EDIP, SUASA UNIK, LYE

BS EN 545:2010

Ductile Iron Pipes
C20 : DN 700 - DN 800; C25 : DN 350 - DN 800; C30 :
DN 300 - DN 800; C40, C50, C64 : DN 80 - DN 800; C100 :
DN 80 - DN 700

ENGTEX, EDIP, SUASA UNIK

ISO 2531:2009/
COR 1:2010

Ductile Iron Pipes
DN 80 - DN 800

ENGTEX, EDIP, SUASA UNIK, LYE

BS EN 598:
2007 + A1:2009

ENGTEX METALS SDN BHD

No. PPS : 1151124SL0061
No. CERT : A002149

LOT 443, OFF JALAN ABDUL AZIZ, BATU 30, JALAN KUALA SELANGOR,
IJOK 45600 KUALA SELANGOR SELANGOR

TEL : 03- 3279 1888
FAX : 03- 3279 316

TARIKH MULA	06-07-2018	TARIKH TAMAT	05-07-2019
JENIS / SAIZ	JENAMA	STANDARD	
Welded Steel Fabric for the Reinforcement Concrete DESIGNATED FABRIC TYPE: SQUARE MESH SIZE: A98, A142, A193, A252, A318, A393, A475, A565, BAR QUALITY: RIBBED BAR GRADE B500A OF MS 146 : 2014	ENGTEX	MS 145:2014	
DESIGNATED FABRIC TYPE: STRUCTURAL MESH SIZE: B196, B283, B385, B503, B636, B785, B950, B1131 BAR QUALITY: RIBBED BAR GRADE B500A OF MS 146 : 2014			
DESIGNATED FABRIC TYPE: WRAPPING MESH SIZE: D196, D283, D385, D503, D636, D785, D950, D1131 BAR QUALITY: RIBBED BAR GRADE B500A OF MS 146 : 2014			
Cold Worked Steel Wire for the Reinforcement of Concrete GRADE 500 5MM, 6MM, 7MM, 8MM, 9MM, 10MM, 11MM, 12MM GRADE B500A 5MM, 6MM, 7MM, 8MM, 9MM, 10MM, 12MM	COMPANY ID = ENGTEX METALS SDN BHD	BS EN 598: 2007 + A1:2009	

ENGTEX METALS SDN BHD

No. PPS : 1181107JH0320
No. CERT : A004078

PLOT 24, JALAN TEKNOLOGI 5 TAMAN TEKNOLOGI JOHOR, SENAI
81400 KULAIJAYA JOHOR

TEL : 07- 5995898
FAX : 07-5994899

TARIKH MULA	07-11-2018	TARIKH TAMAT	06-11-2019
JENIS / SAIZ	JENAMA	STANDARD	
Cold Reduced Mild Steel Wire for the Reinforcement Concrete GRADE 500 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm	COMPANY ID = ENGTEX METALS SDN BHD	MS 144:2014	
Cold Reduced Mild Steel Wire for the Reinforcement Concrete DESIGNATED FABRIC - A142, A193, A252, A318, A393, A475, A565, B196, B283, B385, B503, B636, B785, B950, B1131, D196, D283, D385, D503, D636, D785, D950, D1131	ENGTEX METALS SDN BHD	BS EN 598: 2007 + A1:2009	

ENGTEX PIPE INDUSTRY SDN BHD

No. PPS : 1180124PH0245
No. CERT : A004018

LOT 2B KAWASAN PERINDUSTRIAN HARBOUR PARK
TANJUNG GELANG 260800 KUANTAN PAHANG

TEL : 0199838011
FAX :

TARIKH MULA

24-01-2019

TARIKH TAMAT

23-01-2020

JENIS / SAIZ

JENAMA

STANDARD

Steel Pipes For Water And Sewerage
610, 660, 711, 762, 813, 864, 914, 10, 16, 1219, 1422,
1626, 1829, 2032, 2235, 233, 2438, 2540, 2642, 2743

EPI

SPAN TS 21827:
PART 1:2013

ENGTEX STEEL INDUSTRIES SDN BHD

No. PPS : 1180201ML0247
No. CERT : A001179

LOT 1A, KAWASAN PERINDUSTRIAN MERLIMAU
77300 MELAKA

TEL : 062633069
FAX : 062633164

TARIKH MULA

26-02-2019

TARIKH TAMAT

25-02-2020

JENIS / SAIZ

JENAMA

STANDARD

Hot Rolled Ribbed Weldable Reinforcing Steel
NOMINAL DIAMETER : 12MM, 10MM

ENGTEX

MS 146:2014

ENGTEX STEEL PIPE SDN BHD

No. PPS : 1181204PH0330
No. CERT : A001496

LOT 67A, JALAN GEBENG 1/6, GEBENG INDUSTRIAL ESTATE,
KUANTAN, 26080 PAHANG

TEL : 062633069
FAX : 062633164

TARIKH MULA

04-12-2018

TARIKH TAMAT

03-12-2019

JENIS / SAIZ

JENAMA

STANDARD

Electric Welded (EW) Steel Tubes For Cement Lined Pipes
OD 114.3mm x 3.6mm, OD 139.7mm x 3.6mm, OD 168.3mm
x 3.6mm, OD 219.1mm x 4.0mm, OD 273.0mm x 4.0mm

ESP

SPAN TS 21827:
PART 2:2013

Non-Alloy Steel Tubes Suitable For Welding and Threading
Type L2 - OD
21.3/26.9/33.7/42.4/48.3/60.3/76.1/ 88.9/114.3mm, Thickness
2.0/2.3/2.6/2.9/3.2/3.6mm

ESP

MS 863: 2010

M Series - OD
21.3/26.9/33.7/42.4/48.3/60.3/76.1/88.9/114.3/139.7/165.1mm,
Thickness 2.6/3.2/3.6/4.0/4.5/ 5.0mm

H Series - OD
21.3/26.9/33.7/42.4/48.3/60.3/76.1/88.9/114.3/139.7/165.1mm,
Thickness 3.2/4.0/4.5/5.0/5.4mm

ESTABLISHED METAL INDUSTRIES SDN BHD

No. PPS : 1160617SL0135
No. CERT : A002081

JALAN AZALEA 1/1 SECTION 20
48300 HULU SELANGOR SELANGOR

TEL : 03-60214163 /67/
68/69
FAX : 03-60217163

TARIKH MULA	03-07-2018	TARIKH TAMAT	02-07-2019
JENIS / SAIZ		JENAMA	STANDARD
Hot Rolled Ribbed Weldable Reinforcing Steel NOMINAL SIZE (MM): 10, 12, 16, 20, 25 GRADE: B500B, PRODUCED IN STRAIGHT LENGTH BY HOT ROLLING		ESTABLISHED METAL INDUSTRIES SDN BHD	MS 146:2014

EUROPEAN PROFILES (M) SDN BHD

No. PPS : 1180129SL0246
No. CERT : A002159

LOT 51, JALAN INDUSTRI 2/2 RAWANG INTEGRATED INDUSTRIAL PARK
48000 RAWANG SELANGOR

TEL : 03-60920355
FAX : 03-60920388

TARIKH MULA	29-01-2019	TARIKH TAMAT	28-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Self-supporting Steel Roofing ClipFix 672/41, PROFILE TYPE = CONCEALED FIX THICKNESS = 0.40 MM, COVER WIDTH = 672 MM MATERIAL DESIGNATION = WITH ORGANIC COATING = GRADE 550 + MIN Z180		EUROPEAN PROFILES (M) SDN. BHD.	MS 2500:2012
EP MS 900/20, Profile Type = Sinusoidal Thickness = 0.42 mm, Cover Width = 900 mm Material Designation = Without Organic Coating = Grade 550 + Min AZ150			
EP 900/40 Reversed, Profile Type = Trapezoidal Thickness = 1.0 mm, Cover Width = 900 mm Material Designation = With Organic Coating = Grade 250 + Min Z180			
EP 1000/35, Profile Type = Trapezoidal Thickness = 0.42 mm, Cover Width = 1000 mm Material Designation = With Organic Coating = Grade 550 + Min AZ275			
EP 762/25, Profile Type = Trapezoidal With Stiffened Valley Thickness = 0.35 mm, Cover Width = 762 mm Material Designation = With Organic Coating = Grade 250 + Min Z275			
EP 900/35, Profile Type = Trapezoidal With Stiffened Valley Thickness = 0.60 mm, Cover Width = 900 mm Material Designation = With Organic Coating = Grade 550 + Min ZA350			
EUROZIP 65, TYPE = CONCEALED FIX THICKNESS = 0.48MM, COVER WIDTH = 400MM MATERIAL DESIGNATION = WITH ORGANIC COATING = GRADE 300 + MIN Z275			

EVERLAST ACCESS TECHNOLOGIES SDN BHD

No. PPS : 1180716SL0291
No. CERT : A002099

LOT 1828, JALAN KPB 3 JALAN BALAKONG, BUKIT BELIMBING
SERI KEMBANGAN 43300 SELANGOR

TEL : 03-8961 5223
FAX :

TARIKH MULA

16-07-2018

TARIKH TAMAT

15-07-2019

JENIS / SAIZ	JENAMA	STANDARD
<p>METAL SCAFFOLDING-PRE SCAFF-SPEC FOR STEEL & ALUM MODULAR SYSTEM SCAFF</p> <p>QAMSS - VERTICAL</p> <p>STANDARD 0.5M-LENGTH (500MM)</p> <p>STANDARD 1.0M-LENGTH (1000MM)</p> <p>STANDARD 1.5M - LENGTH (1500MM)</p> <p>STANDARD 2.0M - LENGTH (2000MM)</p> <p>STANDARD 2.5M - LENGTH (2500MM)</p> <p>STANDARD 3.0M - LENGTH (3000MM)</p> <p>QAMSS - HORIZONTAL</p> <p>BRACE 0.75M - LENGTH (683MM)</p> <p>BRACE 1.35M - LENGTH (1283MM)</p> <p>BRACE 2.00M - LENGTH (1933MM)</p> <p>BRACE 2.50M - LENGTH (2433MM)</p> <p>BRACE 3.00M - LENGTH (2933MM)</p> <p>QAMSS - DIAGONAL BRACE</p> <p>0.75 X 2.00M - LENGTH (2038MM)</p> <p>1.35 X 2.00M - LENGTH (2282MM)</p> <p>2.00 X 2.00M - LENGTH (2674MM)</p> <p>2.50 X 2.00M - LENGTH (3036MM)</p> <p>3.00 X 2.00M - LENGTH (3431MM)</p> <p>QAMSS - LEVEL BRACE</p> <p>0.75 X 2.00M - LENGTH (1927MM)</p> <p>0.75 X 2.50M - LENGTH (2407MM)</p> <p>0.75 X 3.00M - LENGTH (2893MM)</p> <p>1.35 X 2.00M - LENGTH (2190MM)</p> <p>1.35 X 2.50M - LENGTH (2623MM)</p> <p>1.35 X 3.00M - LENGTH (3076MM)</p> <p>QAMSS - ADJUSTABLE BASE JACK - LENGTH (610MM)</p> <p>QAMSS - FIXED PLATFORM</p> <p>2.0M - WIDTH (610MM) X LENGTH (2000MM)</p> <p>2.5M - WIDTH (610MM) X LENGTH (2500MM)</p> <p>3.0M - WIDTH (610MM) X LENGTH (3000MM)</p> <p>QAMSS - HATCH PLATFORM</p> <p>2.0M - WIDTH (610MM) X LENGTH (2000MM)</p> <p>2.5M - WIDTH (610MM) X LENGTH (2500MM)</p> <p>3.0M - WIDTH (610MM) X LENGTH (3000MM)</p> <p>QAMSS - TOEBOARD</p> <p>0.75M - LENGTH (574MM), 1.35M - LENGTH (1174MM)</p> <p>2.00M - LENGTH (1993MM), 2.50M - LENGTH (2493MM)</p> <p>3.00M - LENGTH (2993MM)</p> <p>QAMSS - STAIRWAY 2.0M, 2.5M, 3.0M</p> <p>QAMSS - INCLINE LADDER</p> <p>1.0M - LENGTH (946MM), 1.5M - LENGTH (1478MM)</p> <p>2.0M - LENGTH (2010MM), 2.5M - LENGTH (2548MM)</p>	EVERLAST	MS 1462-4-1:2013, MS 1462-3-1:2011

FIRST STATUS SDN BHD

No. PPS : 1190213SL0346
No. CERT : A002163

12, JALAN KESUMA 2/1 BANDAR TASIK KESUMA BERANANG
43700 SELANGOR

TEL : 03-87242133
FAX : 03-87246133

TARIKH MULA	13-02-2019	TARIKH TAMAT	12-02-2020
JENIS / SAIZ		JENAMA	STANDARD
Cold Worked Steel Wire for the Reinforcement of Concrete 6mm, 8mm, 10mm GRADE 250 PLAIN STEEL WIRE: PRODUCED IN COIL AND DELIVERED DECOILED		FIRST STATUS SDN BHD	MS 144:2014

FIW STEEL SDN BHD

No. PPS : 1170301SL0171
No. CERT : A002091

NO.3,JALAN KELULI SATU, KAWASAN PERINDUSTRIAN BUKIT RAJA SELATAN
SHAH ALAM 40000 KLANG SELANGOR

TEL : +60333431177
FAX : +60333426721

TARIKH MULA	02-07-2018	TARIKH TAMAT	01-07-2019
JENIS / SAIZ		JENAMA	STANDARD
Hot Dip Zinc Coated Carbon Steel Sheet of Commercial and Drawing Qualities GRADE= G01 (COMMERCIAL QUALITY) COATING DESIGNATION=Z220 BASE METAL THICKNESS (mm) =0.50 MAXIMUM WIDTH (mm) =1219		GALMAXX,GALM AXX PREMIUM,GALMA XX ECO,GALMAXX ALPHA	MS 2385:2011
Hot Dip Zinc Alloyed With Aluminium And Magnesium Steel Sheet And Strip STRUCTURAL GRADE= 250,280,300,320,350,400,450,550 COATING CLASS= ZA80,ZA120,ZA150,ZA180,ZA200,ZA220, ZA275,ZA350 BASE METAL THICKNESS (mm)=0.23-1.47 MAXIMUM WIDTH (mm)=1219		GALMAXX ALPHA,T-MAZ	MS 2657 : 2016
Hot Dipped Zinc Coated Sheet And Strip G250/ BASE METAL THICKNESS (MM): 0.25 TO 1.55 MAX. WIDTH (MM): 1250 COATING CLASS (Z) = Z100, Z200, Z275, Z350, Z450 G300/, G350/, G450/, 500/, 550/ BASE METAL THICKNESS (MM): 0.25 TO 1.55 MAX. WIDTH (MM): 1250 COATING CLASS (Z) = Z100, Z200, Z275, Z350, Z450 COMMERCIAL GRADES = G1 BASE METAL THICKNESS (MM): 0.23 TO 1.55 MAX. WIDTH (MM): 1250 COATING CLASS (Z) = Z100, Z200, Z275, Z350, Z450		Galmaxx, Galmaxx Premium, Galmaxx Eco	AS 1397:2011
Hot Dipped Zinc Coated Sheet And Strip G250/, G300/, G350/, G400/, G450/, G500/, G550/ BASE METAL THICKNESS (MM): 0.25 TO 1.55 MAX. WIDTH (MM): 1250 COATING CLASS (ZA) = ZA90,ZA135,ZA180,ZA225,ZA275,ZA350,ZA450 COMMERCIAL GRADES = G1 BASE METAL THICKNESS (MM): 0.23 TO 1.55 MAX WIDTH (MM): 1250		GalMaxx Alpha	AS 1397:2011

COATING GLASS (ZA) = ZA90,ZA135,ZA180,ZA225,ZA275,ZA350,ZA450		
Prefinished Sheet Metal Products for Interior/Exterior Building Application COATED BASE METAL: HOT-DIP ZINC COATED CARBON STEEL OF STRUCTURAL QUALITIES CERTIFIED TO MS 2384 GRADE=220,250,280,320,350,380,550 NOMINAL PRIMER THICKNESS(μm)=5-10 NOMINAL TOPCOAT THICKNESS(μm)=10-20 NOMINAL BACKCOAT THICKNESS(μm)=5-15 NOMINAL BASE THICKNESS(mm)=0.196-0.45 MAXIMUM WIDTH(mm)=1219	COLOURMAXX	MS 2383:2011
Prefinished Sheet Metal Products for Interior/Exterior Building Application COATED BASE METAL: HOT-DIP ZINC ALLOYED WITH ALUMINIUM AND MAGNESIUM STEEL CERTIFIED TO MS 2657: GRADE=250,280,300,320,350,400,450,550 NOMINAL PRIMER THICKNESS(μm) =5-10 NOMINAL TOPCOAT THICKNESS(μm) =10-20 NOMINAL BACKCOAT THICKNESS(μm) =5-15 NOMINAL BASE METAL THICKNESS(mm) =0.196-0.45 MAXIMUM WIDTH(mm)=1219	COLOURMAXX ALPHA	MS 2383:2011

GALVACO INDUSTRIES SDN BHD

No. PPS : 1181123SL0326
No. CERT : A002137

LOT 16, PERSIARAN SABAK BERNAM, HICOM INDUSTRIAL ESTATE,
SECTION 26, SHAH ALAM 40000 SELANGOR

TEL : 0351914216
FAX : 0351914217

TARIKH MULA	23-11-2018	TARIKH TAMAT	22-11-2019
JENIS / SAIZ		JENAMA	STANDARD
Corrugated Sheet Steel Beam For Highway Guardrail MODEL : GALVACO G3, G4 SHAPE : W-BEAM CLASS A BASE METAL NOMINAL THICKNESS : 2.67 MM		GALVACO INDUSTRIES SDN BHD	AASHTO M 180:2012

HIAP HIN CHAN TRADING CO SDN BHD

No. PPS : 1160204SL0097
No. CERT : A002096

LOT 6494, 5 3/4 MILES, JALAN KAPAR, 42100 KLANG,
SELANGOR D.E. 42100 KLANG SELANGOR

TEL : 03-3291 9999
FAX : 03-3291 5026

TARIKH MULA	04-08-2018	TARIKH TAMAT	03-08-2019
JENIS / SAIZ		JENAMA	STANDARD
Hot Rolled Deformed Steel Bar for the Reinforcement of Concrete NOMINAL SIZE (MM) : 10, 12 GRADE B500B		HHC	MS 146:2014

HOTO STAINLESS STEEL INDUSTRIES SDN BHD

No. PPS : 1170327SL0177
No. CERT : A002174

LOT 3 SOLOK SULTAN HISHAMUDDIN 8 KAWASAN PERUSAHAAN SELAT KLANG UTARA
42000 KLANG SELANGOR

TEL : 03 - 3176 1768
FAX : 03 - 3176 4735

TARIKH MULA	17-04-2019	TARIKH TAMAT	16-04-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Welded Stainless Steel Tube For The Conveyance Of Aqueous Liquid Including Water For Human Consumption AUSTENITIC STAINLESS STEEL X5CRNI18-10.TUBE SERIES 1 SPECIFIED OUTSIDE DIAMETER: 15, 22, 28, 35, 42, 54	HOTO	BS EN 10312:2002
Light Gauge Stainless Steel Tube for Ordinary Piping SUS304TPD. DESIGNATION=13SU, 30SU, 40SU, 50SU, 60SU	HOTO	JIS G 3448:2004
Welded Stainless Steel Mechanical Tubing Welded Austenitic Stainless Steel Grade: MT-304, MT-304L Tube shape: Round Outside Dimension: 1/2 in to 4 in Thickness: 0.024 in to 0.158 in (0.6mm to 4.0mm) Grade: MT-304, MT304L Tube Shape: Square Outside Dimension; 1/2" x1/2" to 3"x3" Thickness 0.024" to 0.158"(0.6mm to 4.0mm) Grade: MT-304, MT304L Tube Shape: Rectangular Outside Dimension; 3/8"x3/4" to 2"x4" Thickness 0.024" to 0.158"(0.6mm to 4.0mm) Grade: MT-316, MT-316L Tube Shape: Round Outside Dimension: 1/2" to 4" Thickness 0.024" to 0.158"(0.6mm to 4.0mm) Grade: MT-316, MT-316L Tube Shape: Square Outside Dimension 1/2" x 1/2" to 3"x3" Thickness 0.024" to 0.158"(0.6mm to 4.0mm) Grade: MT-316, MT-316L Tube Shape:Rectangular Outside Dimension 3/8"x3/4" to 2"x4"; Thickness 0.024" to 0.158"(0.6mm to 4.0mm)	HOTO	ASTM A554-13

HUATRACO SCAFFOLD SDN BHD

No. PPS : 1161107SL0151
No. CERT : A002135

LOT 6088, JALAN HAJI ABDUL MANAN, BATU 5 1/2,
OFF JALAN MERU 41050 KLANG SELANGOR

TEL : 60333778999
FAX : 60333778988

TARIKH MULA	07-11-2018	TARIKH TAMAT	06-11-2019
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Prefabricated Steel Frame Scaffolding VERTICAL FRAME, CROSS BRACE, JOINT PIN, U-HEAD, JACK BASE, WALL TIE	Huatraco	MS 1462-1:2012

Modular System Scaffolding C25 STANDARD, C25 LEDGER, C25 BASE JACK, C25 U-HEAD, C25 PLATFORM UNIT, C25 DIAGONAL BRACE, C25 STAIRWAY	HUATRACO	MS 1462-3-1:2011
--	----------	------------------

INTERGATE STEEL MILL SDN BHD

No. PPS : 1160108PH0085
No. CERT : A004017

LOT 147 KAWASAN PERINDUSTRIAN SEMAMBU
25350 KUANTAN PAHANG

TEL : 095678219
FAX : 095686415

TARIKH MULA	07-01-2019	TARIKH TAMAT	06-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Hot Rolled Ribbed Weldable Reinforcing Steel Y10, Y12, Y16, Y20, Y25, Y32		INTERGATE STEEL MILL	MS 146:2014

JAPMAS STEEL SDN BHD

No. PPS : 1190103JH0338
No. CERT : A004089

PLO 55, JALAN RUMBIA 2 KAWASAN PERINDUSTRIAN TANJUNG LANGSAT
81700 JOHOR

TEL : 07-3537312
FAX : 07-3537310

TARIKH MULA	03-01-2019	TARIKH TAMAT	02-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Cold Formed Welded Structural Hollow Sections CFRHS=COLD FORMED SQUARE HOLLOW HEIGHT (MM) X WID TH(MM) =19X19-200X200 THICKNESS (MM)=1.2-9.0 MAXIMUM LENGTH (MM)=12000		COMPANY ID=JAPMAS STEEL	MS EN 10219-1:2015
CFRHS=COLD FORMED RECTANGULAR HOLLOW HEIGHT (MM) X WID TH (MM) =38X19-150X250 THICKNESS (MM)=1.2-9.0 MAXIMUM LENGTH(MM)=12000			
CFRHS=COLD FORMED CIRCULAR HOLLOW SECTION DIAMETER (MM) =21.40-273 THICKNESS (MM) =1.2-9.0 MAXIMUM LENGTH (MM)=12000			

JAPMAS STEEL SDN BHD

No. PPS : 1190314JH0354
No. CERT : A004099

PLO 55, JALAN RUMBIA 2 KAWASAN PERINDUSTRIAN TANJUNG LANGSAT
81700 JOHOR

TEL : 07-3537312
FAX : 07-3537310

TARIKH MULA	14-03-2019	TARIKH TAMAT	13-03-2020
JENIS / SAIZ		JENAMA	STANDARD
Cold Worked Ribbed Weldable Reinforcing Steel Bar 6mm x 2200 MS 146 Grade B500A Bar 6mm x 6000 MS 146 Grade B500A Bar 7mm x 2200 MS 146 Grade B500A		COMPANY ID=JAPMAS STEEL	MS 146:2014

Bar 8mm x 2200 MS 146 Grade B500A Bar 8mm x 6000 MS 146 Grade B500A		
Welded Steel Fabric for the Reinforcement Concrete A142, A193, A252	JAPmesh	MS 145:2014
Cold Worked Steel Wire for the Reinforcement of Concrete 8mm Grade 500, 10mm Grade 500, 12mm Grade 500	COMPANY ID= JAPMAS STEEL	MS 144:2014

JI KANG DIMENSI SDN BHD

No. PPS : 1171006PH0217
No. CERT : A001493

LOT 69-71, KAWASAN PERINDUSTRIAN GEBENG,
26100 KUANTAN PAHANG

TEL : 095839881
FAX : 095834451

TARIKH MULA	06-10-2018	TARIKH TAMAT	05-10-2019
JENIS / SAIZ		JENAMA	STANDARD
Structural Steel THICKNESS: 6-75MM; 6-65MM MAXIMUM WIDTH: 2438MM MAXIMUM LENGTH: 12192MM		S275JR/JO/J2	MS EN 10025-5:2011, MS 2247:2009, AS 2041:1977, AASHTO M 180:2012

KAMEN STEEL INDUSTRIES SDN BHD

No. PPS : 1151211PP0065
No. CERT : A002808

873, JALAN PERINDUSTRIAN BKT MINYAK, KAWASAN PERINDUSTRIAN BUKIT MINYAK,
14000 SEBERANG PERAI TENGAH PULAU PINANG

TEL : 045070911
FAX : 045079146

TARIKH MULA	15-01-2019	TARIKH TAMAT	14-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Cold Worked Ribbed Weldable Reinforcing Steel Wire Grade B500A Norminal Size: 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm		KM	MS 146:2014
Cold Reduced Mild Steel Wire for the Reinforcement Concrete Ribbed Wire Grade 500 Norminal Size: 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm Plain Wire Grade 500, 250/ Norminal Size: 6mm, 8mm, 10mm, 12mm		KM	MS 144:2014
Welded Steel Fabric for the Reinforcement Concrete Square Mesh A98, A142, A193, A252, A318, A393, A475, A565, B196, B283, B385, B503, B636, B785, B950, B1131, D196, D283, D385, D503, D636, D785, D950, D1131		KM	MS 145:2014
Wrapping Mesh D196, D283, D385, D503, D636, D785, D950, D1131			

KANZEN TETSU SDN BHD

No. PPS : 1170202SL0166
No. CERT : A002179

LOT 6109, JALAN HAJI SALLEH, OFF JALAN MERU 5-1/2 MILES,
41050 KLANG SELANGOR

TEL : 03-3392 7273
FAX : 03-3392 6261

TARIKH MULA

16-04-2019

TARIKH TAMAT

15-04-2020

JENIS / SAIZ	JENAMA	STANDARD
<p>Welded Stainless Steel Mechanical Tubing GRADE : MT-304, MT-304L TUBE SHAPE (ROUND) OUTSIDE DIMENSION : 3/8 IN. (9.5MM) TO 4 IN. (101.6MM) THICKNESS (MM) : 0.039 IN. (1.0MM) TO 0.118 IN. (3MM)</p> <p>GRADE : MT-304, MT-304L TUBE SHAPE (SQUARE): 1/2 IN. X 1/2 IN. (12.7MM X 12.7MM) TO 2 IN. X 2 IN. (50.8MM X 50.8MM) THICKNESS (MM): 0.039 IN. (1.0MM) TO 0.118 IN. (3MM)</p> <p>GRADE : MT-304, MT-304L TUBE SHAPE (RECTANGULAR): 1/2 IN. X 1 IN. (12.7MM - 25.4MM) TO 1IN. X 2 IN. (25.4MM X 50.8MM) THICKNESS (MM): 0.039 IN. (1.0MM) TO 0.118IN. (3MM)</p> <p>GRADE : MT-316, MT-316L TUBE SHAPE (ROUND) OUTSIDE DIMENSION : 3/8 IN.(9.5MM) TO 4 IN. (101.6MM) THICKNESS (MM) : 0.039 IN.(1.0MM) TO 0.118 IN. (3MM)</p> <p>GRADE : MT-316, MT-316L TUBE SHAPE (SQUARE): 1 IN. X 1 IN. (25.4MM X 25.4MM) TO 2 IN. X 2 IN. (50.8MM X 50.8MM) THICKNESS (MM): 0.039 IN. (1.0MM) TO 0.118 IN. (3MM)</p>	KANZEN TETSU	ASTM A554-13

KANZEN TETSU SDN BHD (NILAI PLANT)

No. PPS : 1170310NS0174
No. CERT : A001140

LOT 5823, MUKIM SENTUL, KAWASAN INDUSTRI NILAI
71800 NILAI NEGERI SEMBILAN

TEL : 0333927273
FAX : 0333926261

TARIKH MULA

15-04-2019

TARIKH TAMAT

14-04-2020

JENIS / SAIZ	JENAMA	STANDARD
<p>Welded Stainless Steel Pipes Grade TP304 / 21.34mm - 323.85 mm Grade TP304L / 21.34 mm - 323.85 mm Grade TP316 / 21.34 mm - 323.85 mm Grade TP316L / 21.34 mm - 323.85 mm mm</p>	KANZEN TETSU	ASTM A312 A312M-17

KCSS WIREMESH SDN BHD

No. PPS : 1160721PK0138
No. CERT : A003930

PT 132711, OFF PERSIARAN KLEDANG UTARA 1/5
KAWASAN PERINDUSTRIAN NEGARA JAYA MENGLEMBU 31450 KINTA PERAK

TEL : 05-2817312
FAX : 05-2817311

TARIKH MULA	04-04-2019	TARIKH TAMAT	03-04-2020
JENIS / SAIZ		JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete Designated Fabric Square Mesh Deformed Bar A98, A142, A193, A252, A318, A393, A475, A565		KCSS WIREMESH SDN. BHD	MS 145:2014
Cold Worked Ribbed Weldable Reinforcing Steel B500A Nominal Diameter (mm) = 5,6,7,8,9,10,11,12		KCSS WIREMESH SDN. BHD	MS 146:2014

KIN KEE STEEL PIPE MANUFACTURING SDN BHD

No. PPS : 1180814SL0298
No. CERT : A002105

LOT 743, JALAN KAPAR 4 1/2 MILES 41400, KLANG SELANGOR,
MALAYSIA 41400 SELANGOR

TEL : 03-32903223
FAX : 03-32906271

TARIKH MULA	14-08-2018	TARIKH TAMAT	13-08-2019
JENIS / SAIZ		JENAMA	STANDARD
Cold Formed Carbon Steel Structural Tubing SHAPE = SQUARE; GRADE A OUTSIDE FLAT DIMENSION (mm) = 19.0 - 100.0 WALL THICKNESS (mm) = 1.5 - 6.0		KIN KEE STEEL PIPE MANUFACTURING SDN BHD	ASTM A500/ A500M
RECTANGULAR; GRADE A WIDTH OUTSIDE FLAT DIMENSION (mm) = 50.0 - 100.0 HEIGHT OUTSIDE FLAT DIMENSION (mm) = 25.0 - 75.0 WALL THICKNESS (mm) = 1.5 - 6.0			

KING HONG STEEL SDN BHD

No. PPS : 1151005SR0122
No. CERT : A004172

LOT 2981 BLK 7 MTLD, DEMAK LAUT INDUSTRIAL PARK
93050 SARAWAK

TEL : 082-433388
FAX : 082-433389

TARIKH MULA	13-03-2019	TARIKH TAMAT	12-03-2020
JENIS / SAIZ		JENAMA	STANDARD
Hot Rolled Ribbed Weldable Reinforcing Steel 10MM, 12MM, 16MM, 20MM, 25MM, 32MM		KHS	MS 146:2014
Hot Rolled Steel Wire ForThe Reinforcement of Concrete 10MM, 12MM			

KISWIRE SDN BHD (PC FACTORY)

No. PPS : 1180522JH0279
 No. CERT : A 002877

PLO 475, JALAN TENGGAR, KAWASAN PERINDUSTRIAN TANJUNG LANGSAT,
 81700 JOHOR

TEL : 072549478
 FAX :

TARIKH MULA

22-05-2018

TARIKH TAMAT

21-05-2019

JENIS / SAIZ

JENAMA

STANDARD

Prestressing Steel - Cold-drawn Wire
 Grade 1860- Low Relaxation, 12.7mm, 15.24mm, 15.7mm

Kiswire

MS 1138 :
 PART 2 : 2007

KLANG VALLEY WIRE SDN BHD

No. PPS : 1181207PH0331
 No. CERT : A001497

LOT 77B, LORONG GEBENG 1/7 GEBENG INDUSTRIAL ESTATE KUANTAN
 26080 PAHANG

TEL : 09-5837881
 FAX : 09-5837882

TARIKH MULA

07-12-2018

TARIKH TAMAT

06-12-2019

JENIS / SAIZ

JENAMA

STANDARD

Welded Steel Fabric for the Reinforcement Concrete
 Square Mesh
 A98, A142, A193, A252, A318, A393, B283, B385, B503, B785

KLANG VALLEY WIRE

MS 145:2014

KUANTAN WIRE PRODUCTS SDN BHD

No. PPS : 1151223SL0073
 No. CERT : A002147

LOT 46, JALAN JASMINE 3 BUKIT BERUNTUNG
 48300 HULU SELANGOR SELANGOR

TEL : 0360284751
 FAX : 360284757

TARIKH MULA

26-01-2019

TARIKH TAMAT

25-01-2020

JENIS / SAIZ

JENAMA

STANDARD

Welded Steel Fabric for the Reinforcement Concrete
 DESIGNATED FABRIC
 TYPE: SQUARE MESH
 SIZE: A98 (A5), A142 (A6), A193 (A7), A252 (A8), A318 (A9),
 A393 (A10), A475 (A11), A565 (A12)
 BAR QUALITY: RIBBED BAR GRADE 500A OF MS 146:2014

KWP

MS 145:2014

DESIGNATED FABRIC
 TYPE: STRUCTURAL MESH
 SIZE: B196 (B5), B283 (B6), B385 (B7), B503 (B8), B636 (B9),
 B785 (B10)
 BAR QUALITY: RIBBED BAR GRADE 500A OF MS 146:2014

DESIGNATED FABRIC
 TYPE: WRAPPING MESH
 SIZE: D283 (D6), D385 (D7), D503 (D8), D636 (D9), D785 (D10)
 BAR QUALITY: RIBBED BAR GRADE 500A OF MS146:2014

LE NAM MEGASHEET (M) SDN BHD

No. PPS : 1190221PP0350
 No. CERT : A002817

768, LORONG PERUSAHAAN BUKIT MINYAK 9, KAWASAN PERINDUSTRIAN BUKIT MINYAK,
 MK13, SEBERANG PERAI TENGAH. 14100 PULAU PINANG

TEL : 04-5016133
 FAX : 04-5016122

TARIKH MULA	21-02-2019	TARIKH TAMAT	20-02-2020
JENIS / SAIZ	JENAMA	STANDARD	
Self-supporting Steel Roofing Trapezoidal Grade G300 (Without Organic Coating) Coating Grade =AZ150 Thickness = 0.25mm to0.48mm Length = Maximum 2500mm Maximum Load (SingleSpan) = 81kN/m Maximum Load (Double Span) = 54kN/m Maximum Load (Triple Span) = 59kN/m	LEDEX	MS 2500:2012	
Grade G550 (Without Organic Coating) Coating Grade = AZ100 Thickness = 0.25mm to 0.48mm Length = Maximum 2500mm Maximum Load (Single Span) = 81kN/m Maximum Load (Double Span) = 54kN/m Maximum Load (Triple Span) = 59kN/m			
Maximum Grade G550 (Without Organic Coating) Coating Grade = AZ150 Thickness = 0.25mm to 0.48mm Length = Maximum 2500mm Maximum Load (Single Span) = 81kN/m Maximum Load (Double Span) = 54kN/m Maximum Load (Triple Span) = 59kN/m			

LEADER STEEL SDN BHD

No. PPS : 1170202SR0165
 No. CERT : A004179

LOT 841, BLOCK 7, MTLD JALAN DEMAK 3 DEMAK LAUT INDUSTRIAL PARK
 93050 KUCHING SARAWAK

TEL : 082-439393
 FAX : 082-439025

TARIKH MULA	02-02-2019	TARIKH TAMAT	01-02-2020
JENIS / SAIZ	JENAMA	STANDARD	
Cold Formed Welded Structural Hollow Sections THICKNESS RANGE: 1.4MM - 4MM APPLICABLE TO CIRCULAR HOLLOW SECTIONS, SQUARE HOLLOW SECTIONS, RECTANGULAR HOLLOW SECTIONS	Leader Steel	BS EN 10219-1:2006	
Hot Rolled Deformed Steel Bar for the Reinforcement of Concrete NOMINAL DIAMETER (mm) =10, 16, 12, 20, 25	LEADER STEEL	MS 146:2014	

LEADER STEEL SERVICE CENTRE SDN BHD

No. PPS : 1181130PP0329
No. CERT : A002805

LOT 393, MUKIM 12, KAWASAN PERUSAHAAN VALDOR
SUNGAI BAKAP SEBERANG PRAI SELATAN 14200 PULAU PINANG

TEL : 045071515
FAX : 045079527

TARIKH MULA	30-11-2018	TARIKH TAMAT	29-11-2019
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Cold Formed Welded Structural Hollow Sections COLD FORMED SQUARE HOLLOW SECTION S235, JR, J0 HEIGHT & WIDTH (MM) = 75 - 150 THICKNESS (MM) = 2.1 - 6.0 MAXIMUM LENGTH (MM) = 6000	LEADER STEEL	MS EN 10219-1:2015
COLD FORMED SQUARE HOLLOW SECTION S275, JR, J0 HEIGHT & WIDTH (MM) = 75 - 150 THICKNESS (MM) = 2.1 - 6.0 MAXIMUM LENGTH (MM) = 6000		
COLD FORMED RECTANGULAR HOLLOW SECTION S235, JR, J0 HEIGHT & WIDTH (MM) = 50 - 200 THICKNESS (MM) = 2.1 - 6.0 MAXIMUM LENGTH (MM) = 6000		
COLD FORMED RECTANGULAR HOLLOW SECTION S275, JR, J0 HEIGHT & WIDTH (MM) = 50 - 200 THICKNESS (MM) = 2.1 - 6.0 MAXIMUM LENGTH (MM) = 6000		

LEE CHUAN GUAN STEEL SDN BHD (SCAFFOLD DIVISION)

No. PPS : 1180820JH0300
No. CERT : A 002895

NO. 48, BATU 34, JALAN JOHOR
82000 PONTIAN JOHOR

TEL : 07-6862522
FAX : 07-6862522

TARIKH MULA	20-08-2018	TARIKH TAMAT	19-08-2019
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Prefabricated Steel Frame Scaffolding 1930 x 1219 x 2.5 mm, 1700 x 1219 x 2.5 mm, 1524 x 1219 x 2.5 mm, 914 x 1210 x 2.5 mm, 2198 mm, 1724 mm, 2045 mm, 1928 mm, 1363 mm, 1850 mm, 1829 x 500 mm, 36 x 225 x 1.8, 32 x 600 mm, 32 x 600 mm	BestFIX	MS 1462-1:2012

LEFORM SDN BHD

No. PPS : 1180524SL0280
No. CERT : A002180

LOT 4306-4312, JALAN KG. MOHD TAIB, KAWASAN PERINDUSTRIAN SUNGAI CHOH,
RAWANG 48000 SELANGOR

TEL : 03-60990666
FAX : 03-60990600

TARIKH MULA	24-05-2019	TARIKH TAMAT	23-05-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Carbon Steel Tubes For General Structural Purposes	LEFORM SDN BHD	JIS G 3444:2015

STK 500 STEEL TUBE OD48.6MM X T2.5MM STK 500 STEEL TUBE OD42.7MM X T2.5MM STK 400 STEEL TUBE OD27.2MM X T2.0MM STK 500 STEEL TUBE OD48.6MM X T2.5MM COATED STEEL		
--	--	--

LF ENGINEERING SDN BHD

No. PPS : 1190319SL0271
No. CERT : A002172

LOT 4306-4312, JALAN KG. MOHD TAIB, KAWASAN PERINDUSTRIAN SUNGAI CHOH, RAWANG 48000 SELANGOR	TEL : 03-60990666
	FAX : 03-60990600

TARIKH MULA	24-05-2019	TARIKH TAMAT	23-05-2020
JENIS / SAIZ		JENAMA	STANDARD
Corrugated Sheet Steel Beam For Highway Guardrail MODEL : SHAPE= W-BEAM RATING : CLASS A SIZE : BASE METAL NOMINAL THICKNESS (MM) : 2.67		LF ENGINEERING SDN. BHD.	AASHTO M 180:2012

LYE MANUFACTURING SDN BHD

No. PPS : 1151223SL0072
No. CERT : A002104

LOT 1844,JALAN KPB 8, KAMPUNG BARU BALAKONG, KAJANG 43300 HULU LANGAT SELANGOR	TEL : 03- 89611623
	FAX : 03- 89611092

TARIKH MULA	25-08-2018	TARIKH TAMAT	24-08-2019
JENIS / SAIZ		JENAMA	STANDARD
Manhole Tops & Gully CLASS : D400 TYPE : MANHOLE COVERS & FRAMES CLEAR OPENING : 600 MM DIAMETER MATERIAL GRADE : 500/7		LYE	BS EN 124:1994
Ductile Iron Pipes, Fittings, Accessories TYPE: FLANGED SPIGOTS NOMINAL SIZE (DN): 80, 100, 125, 150, 200, 250, 300, 350, 400, 450, 500, 600, 700, 800 TYPE: DOUBLE FLANGED TAPERS NOMINAL SIZE (DN X dn): 100 X 80, 125 X 100, 150 X 125, 200 X 150, 250 X 200, 300 X 250, 350 X 300, 400 X 300, 400 X 350, 450 X 400, 500 X 400, 600 X 500, 700 X 600, 800 X 700 TYPE: ALL FLANGED TEES NOMINAL SIZE (DN X dn): 80 X 80, 100 X 80, 100 X 100, 125 X 80, 125 X 100, 125 X 125, 150 X 80, 150 X 100, 150 X 125, 150 X 150, 200 X 80, 200 X 100, 200 X 125, 200 X 150, 200 X 200, 250 X 80, 250 X 100, 250 X 125, 250 X 200, 250 X 250, 300 X 80, 300 X 100, 300 X 125, 300 X 200, 300 X 250, 300 X 300, 350 X 80, 350 X 100, 350 X 125, 350 X 200, 350 X 250, 350 X 300, 350 X 350, 400 X 80, 400 X 100, 400 X 125, 400 X 200, 400 X 250, 400 X 300, 400 X 400, 450 X 100, 450 X 125, 450 X 200, 450 X 250, 450 X 300, 450 X 400, 450 X 450, 500 X 100, 500 X 200, 500 X 400, 500 X 500, 600 X 200, 600 X 400, 600 X 600, 700 X 200, 700 X 400, 700 X 700, 800 X 200, 800 X 400, 800 X 600, 800 X 800		LYE	
Ductile Iron Pipes, Fittings, Accessories TYPE: DOUBLE FLANGED DUCKFOOT 90° (1/4) BENDS		LYE	MS 1919:2013

<p>NOMINAL SIZE (DN): 80, 100, 125, 150, 200, 250, 300, 350, 400, 450, 500, 600, 700, 800 NOMINAL PRESSURE: PN 16</p> <p>TYPE: DOUBLE FLANGED 90° (1/4), 45° (1/8) BENDS NOMINAL SIZE (DN): 80, 100, 125, 150, 200, 250, 300, 350, 400, 450, 500, 600, 700, 800, NOMINAL PRESSURE: PN 16</p> <p>TYPE: DOUBLE FLANGED 22°30' (1/16), 11°15' (1/32) BENDS NOMINAL SIZE (DN): 80, 100, 125, 150, 200, 250, 300, 350, 400 NOMINAL PRESSURE: PN 16</p> <p>TYPE: ALL FLANGED TEES NOMINAL SIZE (DN): 80 x 80, 100 x 80, 100 x 100, 125 x 80, 125 x 100, 125 x 125, 150 x 80, 150 x 100, 150 x 125, 150 x 150, 200 x 80, 200 x 100, 200 x 125, 200 x 150, 200 x 200, 250 x 80, 250 x 100, 250 x 150, 250 x 200, 250 x 250, 300 x 60, 300 x 80, 300 x 100, 300 x 150, 300 x 200, 300 x 250, 300 x 300, 350 x 80, 350 x 100, 350 x 150, 350 x 200, 350 x 250, 350 x 350, 400 x 80, 400 x 100, 400 x 150, 400 x 200, 400 x 250, 400 x 300, 400 x 400, 450 x 100, 450 x 150, 450 x 200, 450 x 250, 450 x 300, 450 x 400, 450 x 450, 500 x 100, 500 x 200, 500 x 400, 500 x 500, 600 x 200, 600 x 400, 600 x 600, 700 x 200, 700 x 400, 700 x 700, 800 x 200, 800 x 400, 800 x 600, 800 x 800 NOMINAL PRESSURE: PN 16</p> <p>TYPE: DOUBLE FLANGED TAPERS NOMINAL SIZE (DN): 100 x 80, 125 x 100, 150 x 125, 200 x 150, 250 x 200, 300 x 250, 350 x 300, 400 x 300, 400 x 350, 450 x 400, 500 x 400, 600 x 500, 700 x 600, 800 x 700 NOMINAL PRESSURE: PN 16</p> <p>TYPE: BLANK FLANGES NOMINAL SIZE (DN): 80, 100, 125, 150, 200, 250, 300, 350, 400, 450, 500, 600, 700, 800 NOMINAL PRESSURE: PN 16</p> <p>TYPE: REDUCING FLANGES NOMINAL SIZE (DN): 200 x 80, 200 x 100, 200 x 125, 350 x 250, 400 x 250, 400 x 300, 700 x 500 NOMINAL PRESSURE: PN 16</p>		
--	--	--

LYSAGHT CORRUGATED PIPE SDN BHD

No. PPS : 1150921PK0040
No. CERT : A003919

LOT226181, JALAN JOHAN 1/7 KAWASAN PERINDUSTRIAN PENGKALAN 2, FASA 2,
OFF JALAN PUSING, PUSING, PERAK 31550 PERAK TENGAH PERAK

TEL : 05-3663136
FAX : 05-3662136

TARIKH MULA	03-01-2019	TARIKH TAMAT	02-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Corrugated Steel Pipe CLASS 1 AND CLASS 2		LYCORPIPE	AS 2041:1977
Corrugated Sheet Steel Beam For Highway Guardrail CLASS A TYPE 2		LYCORPIPE	AASHTO M 180:2012

MALAYSIA STEEL WORKS (KL) BERHAD

No. PPS : 1190111SL0342
No. CERT : A002152

LOT 13039, JALAN WAJA BUKIT RAJA INDUSTRIAL ESTATE KLANG
41050 SELANGOR

TEL : 03-33445163
FAX : 03-33445157

TARIKH MULA	11-01-2019	TARIKH TAMAT	10-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Hot Rolled Deformed Steel Bar for the Reinforcement of Concrete NOMINAL SIZE (MM) : 10, 12, 16 GRADE B500B, PRODUCED IN STRAIGHT LENGTH BY HOT ROLLING		MALAYSIA STEEL WORKS (KL) BHD	MS 146:2014

MALAYSIA STEEL WORKS (KL) BHD

No. PPS : 1151218SL0069
No. CERT : A002168

29C, OFF JALAN TANDANG, SECTION 51,
46050 PETALING SELANGOR

TEL : 0377811611
FAX : 0377815811

TARIKH MULA	29-03-2019	TARIKH TAMAT	28-03-2020
JENIS / SAIZ		JENAMA	STANDARD
Hot Rolled Deformed Steel Bar for the Reinforcement of Concrete Grade B500B Nominal size 10mm, 12mm, 16mm, 20mm, 25mm, 32mm, 40mm		MSW	MS 146:2014

MAPEL HARMONY SDN BHD

No. PPS : 1170811SL0210
No. CERT : A002173

LOT 2794, JALAN SRI GAMBUT OFF JALAN KEBUN, SEKSYEN 32
40460 KLANG SELANGOR

TEL : 03-5162 8458
FAX : 03- 5162 8346

TARIKH MULA	11-08-2018	TARIKH TAMAT	10-08-2019
JENIS / SAIZ		JENAMA	STANDARD
Prefabricated Steel Frame Scaffolding Components: Vertical Frame Coating Type: Painting, Hot Dip Galvanising Coating Thickness(μm): 25 Components: Cross Brace Coating Type: Painting, Hot Dip Galvanising Coating Thickness(μm): 25 Components: Catwalk Coating Type: Painting, Hot Dip Galvanising Coating Thickness(μm): 25 Components: Joint Pin Coating Type: Painting, Hot Dip Galvanising Coating Thickness(μm): 25 Components: Adjustable U-Head Coating Type: Painting, Hot Dip Galvanising		MHSB	MS 1462-1:2012

Coating Thickness(μm): 25 Components: Adjustable Base Plate Coating Type: Painting, Hot Dip Galvanising Coating Thickness(μm): 25 Components: Arm Lock Coating Type: Painting, Hot Dip Galvanising Coating Thickness(μm): 25 Components: Toe Board Coating Type: Painting, Hot Dip Galvanising Coating Thickness(μm): 25		
Metal Deck for Turbular Scaffolds (without hook) Metal Deck 1.0mm x 210mm x 1500mm Metal Deck 1.0mm x 210mm x 2000mm Metal Deck 1.0mm x 210mm x 3000mm Metal Deck 1.2mm x 210mm x 1000mm Metal Deck 1.2mm x 210mm x 1500mm Metal Deck 1.2mm x 210mm x 2000mm Metal Deck 1.2mm x 210mm x 3000mm	MHSB	MS 1462-4-1:2013

MELEWAR STEEL TUBE SDN BHD

No. PPS : 1160609SL0129
No. CERT : A002089

LOT 49, JALAN UTAS 15/17 SEKSYEN 15
40200 SHAH ALAM SELANGOR

TEL : 03-55196499
FAX : 03-55104299

TARIKH MULA	27-06-2018	TARIKH TAMAT	26-06-2019
JENIS / SAIZ	JENAMA	STANDARD	
Steel Pipes For Water And Sewerage L275/100,125,150,200	MIG-MELEWAR	SPAN TS 21827: PART 2:2013	
Welded Steel Pipes LIGHT PIPES/15-100; BLACK AND GALVANISED MEDIUM PIPES/15-150; BLACK AND GALVANISED HEAVY PIPES/15-150; BLACKAND GALVANISED	MIG-MELEWAR	MS 863: 2010	
Steel Conduit for Electrical Wiring CLASS A PLAIN/3/4",1",1 1/4",1 1/2",2"; CLASS B SCREWED/3/4",1",1 1/4",1 1/2",2"	AURORA CONDUIT	BS 31:1940	
Rigid Steel Conduit For Cable Management NOMINAL DIAMETER = 20MM, 25MM	AURORA CONDUIT	MS 61386-21:2010	
Steel Tube For Metal Scaffolding ROUND STEEL TUBE TUBE CONDITION = HOT DIP GALVANISED TO EN 10240 QUALITY B2; TYPE 3 TUBE MANUFACTURE = WELDED OUTSIDE DIAMETER (MM) = 48.3 WALL THICKNESS (MM) = 3.2, LENGTH (M) = 6 ROUND STEEL TUBE TUBE CONDITION = BARE; TYPE 3 TUBE MANUFACTURE = WELDED OUTSIDE DIAMETER (MM) = 48.3 WALL THICKNESS (MM) = 3.2, LENGTH (M) = 6 ROUND STEEL TUBE TUBE CONDITION = HOT DIP GALVANISED TO EN 10240 QUALITY B2; TYPE 4; TUBE MANUFACTURE = WELDED; OUTSIDE DIAMETER (MM) = 48.3 WALL THICKNESS (MM) = 4.0, LENGTH (M) = 6	MIG-MELEWAR	MS 1462-2-1:2010	

ROUND STEEL TUBE TUBE CONDITION = BARE; TYPE 4; TUBE MANUFACTURE = WELDED OUTSIDE DIAMETER (MM) = 48.3 WALL THICKNESS (MM) = 4.0, LENGTH (M) = 6		
--	--	--

MELEWAR STEEL TUBE SDN BHD

No. PPS : 1160609SL0130
No. CERT : A002188

LOT 10, PERSIARAN SELANGOR 40200 SHAH ALAM SELANGOR	TEL : 03-55112371 FAX : 03-55193352
--	--

TARIKH MULA	27-06-2018	TARIKH TAMAT	26-06-2019
JENIS / SAIZ		JENAMA	STANDARD
Carbon Steel Pipes For Ordinary Piping NOMINAL SIZE (MM): 175,200, 250, 300, 350		MIG-MELEWAR	JIS G 3452
Cold Formed Structural Steel Hollow Section S275JOH & S275J2H, SQUARE (MM): 65 X 65 - 250 X 250, THICKNESS: 2-10MM; S275JOH & S275J2H, RECTANGULAR (MM): 50 X 75 - 200 X 300, THICKNESS: 2-9MM		MIG-MELEWAR	EN 10219-1:2006

MELEWAR STEEL TUBE SDN BHD

No. PPS : 1160609SL0132
No. CERT : A002087

LOT 53 PERSIARAN SELANGOR 40200 SHAH ALAM SELANGOR	TEL : 03-55193804 FAX : 03-55109733
---	--

TARIKH MULA	27-06-2018	TARIKH TAMAT	26-06-2019
JENIS / SAIZ		JENAMA	STANDARD
Light Gauge Steel For General Purpose SIZE(MM): 125 X 50 X 20 THICKNESS = 2.3MM LENGTH = 6.0METER, GRADE: SSC400 TYPE: LIP CHANNEL STEEL		MIG-MELEWAR	JIS G 3350:2009

METEX STEEL SDN BHD

No. PPS : 1150105NS0018
No. CERT : A001134

NO. 2, 2A & 6, JALAN INTAN, PHASE NU 3A1, NILAI UTAMA ENTERPRISE PARK, NILAI 71800 SEREMBAN NEGERI SEMBILAN	TEL : 06-7998525 FAX : 06-7998530
--	--------------------------------------

TARIKH MULA	05-01-2019	TARIKH TAMAT	04-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete DESIGNATED FABRIC / RIBBED BAR GRADE B500A OF MS 146 : 2014 / A142, 2014 / A193, 2014 / A252, 2014 / A318, 2014 / A393, 2014 / A475, 2014 / A565, 2014 / B385, 2014 / B503, 2014 / B636, 2014 / B785, 2014 / B950, 2014 / B1131, 2014 / D283, 2014 / D385, 2014 / D503, 2014 / D785, 2014 / D950, 2014 / D1131		METEX STEEL SDN BHD	MS 145:2014

Cold Reduced Mild Steel Wire for the Reinforcement Concrete GRADE=500 / PLAIN WIRE PRODUCED IN COIL AND STRAIGHT LENGTH / 6MM, 7MM, 8MM, 9MM, 10MM, 11MM, 12MM GRADE=500 / RIBBED WIRE PRODUCED IN COIL AND STRAIGHT LENGTH / 6MM, 7MM, 8MM, 9MM, 10MM, 11MM, 12MM	METEX STEEL SDN BHD	MS 144:2014
Cold Worked Ribbed Weldable Reinforcing Steel GRADE = B500A / PRODUCED AS COIL AND DELIVERED DECOILED / 6 MM, 7MM, 8MM, 9MM, 10MM, 11MM, 12MM	METEX STEEL SDN BHD	MS 146:2014

MODULAR CONSTRUCTION SERVICES (M) SDN BHD

No. PPS : 1181012SL0311
No. CERT : A004171

LOT T, NO 2168 13TH MILES, JALAN SUBANG SUNGAI BULOH
47000 SELANGOR

TEL : 0392851551
FAX :

TARIKH MULA	12-10-2018	TARIKH TAMAT	11-10-2019
JENIS / SAIZ		JENAMA	STANDARD
Modular Scaffolding 2.5M STANDARD, 2.3M STANDARD, 2.0M STANDARD, 1.8M STANDARD, 1.5M STANDARD, 1.3M STANDARD, 1.0M STANDARD, 1.8M LEDGER, 1.6M LEDGER, 1.3M LEDGER, 1.2M LEDGER, 1.0M LEDGER, BORAL U JACK, ADJUSTABLE FORKHEAD, ADJUSTABLE JACK BASE, SPIGOT, 1.8M STEEL BOARD, 1.2M STEEL BOARD		MC	MS 1462-3-2:2012

NS BLUESCOPE MALAYSIA SDN BHD

No. PPS : 1140902SL0010
No. CERT : A002115

LOT 1551, JALAN BUKIT KAPAR KAPAR, KLANG
42200 KLANG SELANGOR

TEL : 03-33616888
FAX : 03-33616889

TARIKH MULA	28-09-2018	TARIKH TAMAT	27-09-2019
JENIS / SAIZ		JENAMA	STANDARD
Aluminium-zinc Alloy-coated Steel Sheet In Coil Structural Quality Grade = G300 & G550 Coating Designation = AZ150, AZ200 Nominal Base Metal Thickness (mm) = 0.2-1.20 Maximum Width (mm) = 1219		ZINCALUME®	MS 1196:2004
Aluminium-zinc Alloy-coated Steel Sheet In Coil Structural Quality Grade = G550 Coating Designation = AZ150 Nominal Base Metal Thickness (mm) = 0.2-1.20 Maximum Width (mm) = 1219		TRUECORE®	MS 1196:2004
Aluminium-zinc Alloy-coated Steel Sheet In Coil Structural Quality Grade = G300 Coating Designation = AZ70, AZ90, AZ100 Nominal Base Metal Thickness (mm) = 0.2-1.20 Maximum Width(mm) = 1219		ZACS®	MS 1196:2004
Aluminium-zinc Alloy-coated Steel Sheet In Coil Structural Quality Grade = G300 & G550		BLUESCOPE ZACS	MS 1196:2004

Coating Designation = AZ90, AZ100 Nominal Base Metal Thickness (mm) = 0.2-1.20 Maximum Width (mm) = 1219		
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Base Coated Metal: Hot Dip Aluminium Zinc-Coated Steel Certified to MS 1196 (Licence No. = PC000316) Coating Designation = AZ150 Product Category = C3 Gloss Category = Type 2 Nominal Thickness (mm) = 0.20-0.90 Width (mm) = 610-1219	CLEAN COLORBOND®	MS 2383:2011
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Base Coated Metal: Hot Dip Aluminium Zinc-Coated Steel Certified to MS 1196 (Licence No. = PC000316) Coating Designation = AZ150 Product Category = C3 Gloss Category = Type 1 Nominal Thickness (mm) = 0.20-0.90 Width (mm) = 610-1219	CAPERØ®	MS 2383:2011
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Base Coated Metal: Hot Dip Aluminium Zinc-Coated Steel Certified to MS 1196 (Licence No. = PC000316) Coating Designation = AZ100 Product Category = C3 Gloss Category = Type 2 Nominal Thickness (mm) = 0.20-0.90 Width (mm) = 610-1219	PRIMAMAJU-R™	MS 2383:2011
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Base Coated Metal: Hot Dip Aluminium Zinc-Coated Steel Certified to MS 1196 (Licence No. = PC000316) Coating Designation = AZ90 Product Category = C2, Gloss Category = Type 2, Nominal Thickness (mm) = 0.20-0.90, Width (mm) = 610-1219	COOLZAL® PLUS	MS 2383:2011
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Base Coated Metal: Hot Dip Aluminium Zinc-Coated Steel Certified to MS 1196 (Licence No. = PC000316) Coating Designation = AZ90 Product Category = C2 Gloss Category = Type 2 Nominal Thickness (mm) = 0.20-0.90 Width (mm) = 610-1219	BLUESCOPE ZACS	MS 2383:2011
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Base Coated Metal: Hot Dip Aluminium Zinc-Coated Steel Certified to MS 1196 (Licence No. = PC000316) Coating Designation = AZ100 Product Category = C3 Gloss Category = Type 1 Nominal Thickness (mm) = 0.20-0.90 Width (mm) = 610-1219	ELEMENTS®	MS 2383:2011

Prefinished Sheet Metal Products for Interior/ Exterior Building Application Base Coated Metal: Hot Dip Aluminium Zinc-Coated Steel Certified to MS 1196 (Licence No. = PC000316) Coating Designation = AZ200 Product Category = C4 Gloss Category = Type 1 Nominal Thickness (mm) = 0.20-0.90 Width (mm) = 610-1219	CLEAN COLORBOND®	MS 2383:2011
---	------------------	--------------

OOI JOO KEE & BROTHERS SDN BHD

No. PPS : 1180716PP0289
No. CERT : A001348

LOT 1218, JALAN SERUNAI, KAWASAN PERUSAHAAN VALDOR,
SUNGAI BAKAP, 14200 SEBERANG PERAI SELATAN PULAU PINANG

TEL : 04-5829988
FAX : 04-5820366

TARIKH MULA

16-07-2018

TARIKH TAMAT

15-07-2019

JENIS / SAIZ	JENAMA	STANDARD
Self-supporting Steel Roofing New Sunroof Longrun Size Base Metal Thickness 0.18-0.48mm Cover Width 765mm Trapezoidal Profiled Sheet, Material Designation With Organic Coating= Min Grade 280 + Min Z180 Or Min AZ090 Without Organic Coating = Min Grade 280 + Min AZ100	Astino	MS 2500:2012
High Rib 30 Size Base Metal Thickness 0.23-0.48mm Cover Width 760mm, Trapezoidal Profiled Sheet, Material Designation With Organic Coating= Min Grade 280 + Min Z180 Or Min AZ090 Without Organic Coating= Min Grade 280 + MinAZ100		
Bendec Size Base Metal Thickness 0.18-0.42mm Cover Width 780mm Trapezoidal Profiled Sheet, Material Designation With Organic Coating= Min Grade 280 + Min Z180 Or Min AZ090 Without Organic Coating= Min Grade 280 + Min AZ100		
Thickness 0.18-0.30 Cover Width 772mm; Base Metal Thickness 0.35-0.48mm Cover Width 762mm Trapezoidal Profiled Sheet Material Designation With Organic Coating= Min Grade 280 + Min Z180 Or Min Z090 Without Organic Coating= Min Grade 280 + Min AZ100		
Superior Rib Size Base MetalThickness 0.23-0.48mm Cover Width 762mm Trapezoidal Profiled Sheet, Material Designation With Organic Coating= Min Grade 280 + Min Z180 Or Min AZ090 Without Organic Coating= Min Grade 280 + AZ100		
Clip Lock 672 Size Base Metal Thickness 0.40-0.48mm Cover Width 672mm Trapezoidal Profiled Sheet, Material Designation With Organic Coating= Min Grade 550 + Min Z180 Or Min AZ090 Without Organic Coating= Min Grade 550 + AZ100		

ORIENTAL STEEL PIPE SDN BHD

No. PPS : 1181004JH0285
No. CERT : A 004072

PTD 3393, BT. 2 JALAN GELANG PATAH-TANJUN KUPANG
TAMAN INDUSTRI PERINTIS 79200 ISKANDAR PUTERI 79200 JOHOR

TEL : 03-3101 3423
FAX : 03-3101 3426

TARIKH MULA	28-09-2018	TARIKH TAMAT	27-09-2019
JENIS / SAIZ		JENAMA	STANDARD
Steel Pipes For Water And Sewerage OD 660 mm, OD 813 mm, OD 914 mm, OD 1219 mm		Oriental Steel Pipe	SPAN TS 21827: PART 1:2013

ORIENTAL STEEL PIPE SDN BHD

No. PPS : 1181121SL0325
No. CERT : A002136

LOT 3 , LORONG SG CHANDONG TAMAN PERINDUSTRIAN PULAU INDAH PELABUHAN
KLANG SELANGOR 42009 SELANGOR

TEL : 03 - 3101 3423
FAX : 03 - 3101 3426

TARIKH MULA	21-11-2018	TARIKH TAMAT	20-11-2019
JENIS / SAIZ		JENAMA	STANDARD
Cold Formed Welded Structural Hollow Sections MODEL : CFCHS = COLD FORMED CIRCULAR HOLLOW SECTION, S355J0+H OUTER DIAMETER (MM) : 620 - 1200 THICKNESS (MM) : 10 - 20 LENGTH (MM) : MAX. 35500		ORIENTAL STEEL PIPE SDN. BHD.	BS EN 10219-1:2006

PANTECH STAINLESS & ALLOY INDUSTRIES SDN BHD

No. PPS : 1181112JH0321
No. CERT : A 004079

PTD 204334,JLN PLATINUM UTAMA, KAWASAN PERINDUSTRIAN PASIR GUDANG,
ZON 12B, PASIR GUDANG,JOHOR,MALAYSIA 81700 JOHOR

TEL : 07-2518888
FAX : 07-2519999

TARIKH MULA	12-11-2018	TARIKH TAMAT	11-11-2019
JENIS / SAIZ		JENAMA	STANDARD
Welded Stainless Steel Pipes 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 3 1/2", 4", 5", 6", 8", 10", 12", 14", 16"		PANTECH STAINLESS STEEL & ALLOY	ASTM A312-13A

PAU TATT WATER PIPE SDN BHD

No. PPS : 1181016SL0313
No. CERT : A002126

LOT PT35343, BATU 1 1/2, JALAN BANGI LAMA, SEMENYIH
SELANGOR DARUL EHSAN. 43500 SELANGOR

TEL : 03-8724 6228 /
6229 / 6233 / 6223
FAX : 07-2519999

TARIKH MULA	16-10-2018	TARIKH TAMAT	15-10-2019
JENIS / SAIZ		JENAMA	STANDARD
Steel Pipes For Water And Sewerage 355.6MM, 406.4MM, 457.0MM, 508.0MM, 610.0MM,		PAU TATT	SPAN TS 21827: PART 1:2013

660.0MM, 711.0MM, 762.0MM, 813.0MM, 914.0MM, 1016.0MM, 1219.0MM, SUBMERGED ARC WELDED		
88.9MM, 114.3MM, 168.3MM, 219.1MM, 273.0MM, 323.9MM, 88.9MM, 114.3MM, 168.3MM, 219.1MM, 273.0MM, 323.9MM, GUSSETED BENDS, FABRICATED FROM ELECTRIC WELDED TUBES		
114.3MM, 168.3MM, 219.1MM, 273MM, 323.9MM ELECTRIC WELDED		
355.6MM, 406.4MM, 457.0MM, 508.0MM, 610.0MM, 711.0MM, 762.0MM, 813.0MM, 914.0MM, 1016.0MM, 1219.0MM GUSSETED BENDS, FABRICATED FROM SUBMERGED ARC WELDED TUBES		
355.6MM, 406.4MM, 457.0MM, 508.0MM, 610.0MM, 711.0MM, 762.0MM, 813.0MM, 914.0MM, 1016.0MM, 1219.0MM TEES, FABRICATED FROM SUBMERGED ARC WELDED TUBES		

PERFECT CHANNEL SDN BHD

No. PPS : 1160608KD0128
No. CERT : A 001376

KAWASAN PERINDUSTRIAN GURUN PO BOX 25,
BEDONG, KEDAH 08100 KUALA MUDA KEDAH

TEL : 604-4688466
FAX : 604-4688541

TARIKH MULA	30-11-2018	TARIKH TAMAT	29-11-2019
JENIS / SAIZ		JENAMA	STANDARD
Hot Rolled Ribbed Weldable Reinforcing Steel GRADE B500B - SIZE 10MM, 12MM, 16MM, 20MM, 25MM, 32MM, 40MM		Perfect Channel Sdn Bhd	MS 146:2014
Hot Rolled Steel Wire For The Reinforcement of Concrete GRADE 250 - SIZE 5.5MM, 6MM, 7MM, 8MM, 9MM, 10MM		PERFECT CHANNEL SDN BHD	MS 144:2014
General Purpose Wire Rod Grade C9D - Size 5.5mm, Grade C10D - Size 5.5mm, Grade C10D - Size 6.0mm, Grade C10D - Size 6.5mm, Grade C12D - Size 5.5mm, Grade C12D - Size 6.0mm, Grade C12D - Size 6.5mm, Grade C12D - Size 7.0mm, Grade C12D - Size 8.0mm, Grade C12D - Size 9.0mm, Grade C12D - Size 10.0mm, Grade C12D - Size 11.0mm, Grade C15D - Size 9.0mm, Grade C15D - Size 10.0mm, Grade C15D - Size 11.0mm		PERFECT CHANNEL	MS ISO 16120-2:2008

PERNIAGAAN LOGAM XING FA SDN BHD

No. PPS : 1170412NS0181
No. CERT : A001138

PT3340 & 3341 JLN PERMATA 1/2 ARAB MALAYSIAN INDUSTRIAL PARK NEGERI SEMBILAN
71800 NILAI NEGERI SEMBILAN

TEL : 06-7997161
FAX : 06-7997025

TARIKH MULA	12-04-2019	TARIKH TAMAT	11-04-2020
JENIS / SAIZ		JENAMA	STANDARD
Manhole Tops & Gully ROUND DESIGN / 840MM X 840MM X 100MM(H) CLASS D 400 CLEAR OPENING: 600MM		PLXF	BS EN 124:1994

PIPEFAB INDUSTRIES SDN BHD

No. PPS : 1180927SL0306
No. CERT : A002116

LOT 822 & 842 JALAN SUBANG 7 SG PENAGA INDUSTRIAL PARK SUBANG JAYA
47500 PETALING SELANGOR

TEL : 0380231033
FAX : 0380231022

TARIKH MULA	27-09-2018	TARIKH TAMAT	26-09-2019
JENIS / SAIZ		JENAMA	STANDARD
Steel Pipes For Water And Sewerage 323.9 mm, 406.4 mm, 457 mm, 508 mm, 610 mm, 711 mm, 762 mm, 813 mm, 914 mm, 1016 mm		PLXF	BS EN 124:1994

PROGRESS WELDED MESH SDN BHD

No. PPS : 1151216JH0068
No. CERT : A 004083

106, JALAN CYBER 5, SENAI INDUSTRIAL ESTATE III,
81400 KULAIJAYA JOHOR

TEL : +6075991800
FAX : +6075993366

TARIKH MULA	20-12-2018	TARIKH TAMAT	19-12-2019
JENIS / SAIZ		JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete SQUARE MESH - A63,A80,A98, A119, A142, A166, A193, A221, A252, A284, A318, A354, A393, A433, A475, A519, A565, A614, A664; STRUCTURAL MESH - B196, B238, B283, B332, B385, B442, B503, B568, B636, B708, B785, B866, B950, B1038, B1131, B1228, B1328; WRAPPING MESH - D126, D160,D196, D238, D283, D332, D385, D442, D503, D568, D636, D708, D785, D866, D950, D1038, D1131, D1228, D1328; MEDIUM SQUARE MESH - RE84, RE106, RE131, RE158, RE188, RE221, RE253, RE295, RE335, RE378, RE424, RE473, RE523, RE577, RE634, RE692, RE754, RE818, RE885, RE257, R6/25		PROGRESS WELDED	MS 145:2014
Cold Worked Ribbed Weldable Reinforcing Steel NOMINAL SIZE (MM) - 4,4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13		PROGRESS WELDED MESH	MS 146:2014
Welded Steel Fabric for the Reinforcement Concrete 5. PURPOSE MADE FABRIC - PWM10.5/10-100/300, PWM10/10-125/200		PROGRESS WELDED	MS 145:2014

RM WIRE INDUSTRIES SDN BHD

No. PPS : 1151223JH0074
No. CERT : A 002888

9, JALAN BELATI 2, KAWASAN PERINDUSTRIAN MAJU JAYA,
81300 JOHOR BAHRU JOHOR

TEL : 07-5576078 / 9
FAX : 07-5576082

TARIKH MULA	24-08-2018	TARIKH TAMAT	23-08-2019
JENIS / SAIZ		JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete Square Mesh/ A98, A142, A193, A252, A318, A393; Structural Mesh/ B196, B283, B385, B503, B636, B785; Designated Fabric/ D196, D283, D385, D503, D636, D785		RM WIRE INDUSTRIES SDN. BHD.	MS 145:2014

SABAH WIREMESH & FENCING SDN BHD

No. PPS : 1161107SB0152
 No. CERT : A001627

MILE 5, JALAN TUARAN
 88811 KOTA KINABALU SABAH

TEL : 088426140
 FAX : 088423301

TARIKH MULA

08-11-2018

TARIKH TAMAT

07-11-2019

JENIS / SAIZ

JENAMA

STANDARD

Welded Steel Fabric for the Reinforcement Concrete
 A142 / 6MM, A193 / 7MM, A252 / 8MM, A318 / 9MM,
 A393 / 10MM, A475 / 11MM, A565 / 12MM, B283 / 6MM,
 B385 / 7MM, B503 / 8MM, B636 / 9MM, B785 / 10MM,
 B950 / 11MM, B1131 / 12MM

SWM

MS 145:2014

SCAFFOLDS BUILDER SDN BHD

No. PPS : 1190507NS0360
 No. CERT : A001142

PT 3268 JALAN PERMATA 2/1 ARAB MALAYSIA
 INDUSTRIAL PARK NILAI 71800 NEGERI SEMBILAN

TEL : 03-79845529
 FAX : 03-79845534

TARIKH MULA

07-05-2019

TARIKH TAMAT

06-05-2020

JENIS / SAIZ

JENAMA

STANDARD

Prefabricated Steel Frame Scaffolding
 VERTICAL FRAME 1219 x 1700mm, CROSS BRACE,
 JOINT PIN, ADJUSTABLE U HEAD,
 ADJUSTABLE BASE PLATE

SCAFFOLDS BUILDER SDN BHD

MS 1462-1:2012

SOUTHERN CONCRETE SDN BHD

No. PPS : 1180716PK0290
 No. CERT : A001142

PT 1097 2 1/2 KM, OFF JALAN PENGKALAN, MUKIM SG RAYA KG.
 KEPAYANG 31300 PERAK

TEL : 05-3574948
 FAX : 05-3573035

TARIKH MULA

16-07-2018

TARIKH TAMAT

15-07-2019

JENIS / SAIZ

JENAMA

STANDARD

Manhole Tops & Gully
 A15

SOUTHERN CONCRETE SDN BHD

BS EN 124:1994

SOUTHERN PC STEEL SDN BHD (55573-U)

No. PPS : 1190109SL0340
 No. CERT : A002151

NO.5, JALAN UTAS 15/7, SEKSYEN 15, 40200 SHAH ALAM,
 SELANGOR, MALAYSIA 40200 SHAH ALAM SELANGOR

TEL : 03-55105166
 FAX : 03-55199702

TARIKH MULA

09-01-2019

TARIKH TAMAT

08-01-2020

JENIS / SAIZ

JENAMA

STANDARD

Steel Strand, Uncoated Seven-Wire For Prestressed Concrete
 NOMINAL TENSILE STRENGTH (N/MM²)=1860

SOUTHERN PC STEEL

MS 1138 :
 PART 4 : 2007

NOMINAL STRAND DIAMETER (MM)=9.5, 12.7, 15.2, 12.7 RELAXATION CLASS=RELAX 2 (LOW)		
Prestressing Steel - Steel Bar GRADE 1420 / 9.0 MM RELAXATION CLASS = RELAX 2 (LOW) SURFACE CONFIGURATION = G (GROOVED)	SOUTHERN PC STEEL SDN BHD	MS 1138 : PART 3 : 2007
Prestressing Steel - Cold-drawn Wire NOMINAL TENSILE STRENGTH=1670 N/MM2 / 4 MM WIRE SURFACE : P(PLAIN) RELAXATION CLASS = RELAX 2 (LOW)		
Prestressing Steel - Cold-drawn Wire NOMINAL TENSILE STRENGTH=1770 N/MM2 / 4 MM, MM2 / 5 MM WIRE SURFACE : I (CHEVRON) RELAXATION CLASS = RELAX 2 (LOW)		
Prestressing Steel - Cold-drawn Wire NOMINAL TENSILE STRENGTH=1670 N/MM2 / 5MM WIRE SURFACE : I (OVAL) RELAXATION CLASS = RELAX 2 (LOW) 1570 N/MM2 / 7 MM WIRE SURFACE : P (PLAIN) RELAXATION CLASS = RELAX 2 (LOW)		

SOUTHERN PIPE INDUSTRY (M) SDN BHD

No. PPS : 1150909PP0038
No. CERT : A002815

4577, MK15, OFF JALAN CHAIN FERRY, SEBERANG PERAI TENGAH
12100 BUTTERWORTH PULAU PINANG

TEL : 04-3317393
FAX : 04-3232640

TARIKH MULA	22-03-2019	TARIKH TAMAT	21-03-2020
JENIS / SAIZ	JENAMA	STANDARD	
Steel Conduit for Electrical Wiring Class B (Finishing: Class 3); rating 3/4	SMARTUBE	BS 31:1940	
Steel Conduit For Electrical Installation Screwed Type Steel Conduit Type Of Protection = Class 3 Medium Heavy Protection, Inside As Class 2 Outside As Class 4 Nominal Size (mm) = 25	SMARTUBE	BS 4568 : PART 1:1970	
Rigid Steel Conduit For Cable Management Classification Code 441611403410 Nominal Diameter 20mm	SMARTUBE	MS 61386-21:2010	
Welded Steel Pipes L2; BARE; WELDED(W); PLAIN; OD=33.7MM; LENGTH=6M L2; Bare; Welded(W); Plain; OD=42.4mm; Length=6m L2; Bare; Welded(W); Plain; OD=48.3mm; Length=6m L2; Bare; Welded(W); Plain; OD=60.3mm; Length=6m L2; Bare; Welded(W); Plain; OD=76.1mm; Length=6m L2; Bare; Welded(W); Plain; OD=88.9mm; Length=6m L2; Bare; Welded(W); Plain; OD=114.3mm; Length=6m M; Bare; Welded(W); Plain OD=33.7mm; Length=6m; OD=42.4mm; Length=6m OD=48.3mm; Length=6m; OD=60.3mm; Length=6m OD=76.1mm; Length=6m; OD=88.9mm; Length=6m OD=114.3mm; Length=6m; OD=165.1mm; Length=6m H; Bare; Welded(W); Plain OD=33.7mm; Length=6m; OD=42.4mm; Length=6m	Southern Pipe Industry (Malaysia) Sdn. Bhd.	MS 863: 2010	

<p>OD=48.3mm; Length=6m; OD=60.3mm; Length=6m OD=76.1mm; Length=6m; OD=88.9mm; Length=6m OD=114.3mm; Length=6m; OD=165.1mm; Length=6m</p> <p>L2; Galvanised; Welded(W); Plain OD=33.7mm; Length=6m; OD=42.4mm; Length=6m OD=48.3mm; Length=6m; OD=60.3mm; Length=6m OD=76.1mm; Length=6m; OD=88.9mm; Length=6m OD=114.3mm; Length=6m</p> <p>M; Galvanised; Welded(W); Plain OD=33.7mm; Length=6m; OD=42.4mm; Length=6m OD=48.3mm; Length=6m; OD=60.3mm; Length=6m OD=76.1mm; Length=6m; OD=88.9mm; Length=6m OD=114.3mm; Length=6m; OD=165.1mm; Length=6m</p> <p>H; Galvanised; Welded(W); Plain OD=33.7mm; Length=6m; OD=42.4mm; Length=6m OD=48.3mm; Length=6m; OD=60.3mm; Length=6m OD=76.1mm; Length=6m; OD=88.9mm; Length=6m OD=114.3mm; Length=6m; OD=165.1mm; Length=6m</p>		
<p>Cold Formed Welded Structural Hollow Sections Cold Formed Square Hollow Section Quality Designation=J0 Delivery Condition=H(Hollow Section) Steel Name:Structural Steel=S275 Width(mm) x Height(mm) 38X38 - 150X150 Thickness(mm) 2.3 - 6 Maximum Length (mm) 6000 Steel=S275 Width(mm) x Height(mm) 50X25 - 200X100 Thickness(mm) 2.3 - 6 Maximum Length(mm) 6000</p>	Southern Pipe Industry (Malaysia) Sdn Bhd	MS EN 10219-1:2015

SOUTHERN STEEL BERHAD

No. PPS : 1140522PP0003
No. CERT : A002806

2723, LORONG PERUSAHAAN 12, PRAI INDUSTRIAL ESTATE
13600 SEBERANG PERAI TENGAH PULAU PINANG

TEL : 04-3852830
FAX : 04-3852874

TARIKH MULA	22-01-2019	TARIKH TAMAT	21-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Hot Rolled Plain Steel Bar For The Reinforcement of Concrete GRADE 250 NOMINAL SIZE(MM) : 16,20		Southern Steel	MS 146:2006
GRADE B500B NOMINAL SIZE(MM) : 10MM, 12MM, 16MM, 20MM, 25MM, 32MM, 40MM			
GRADE B500C NOMINAL SIZE(MM) : 10MM, 12MM, 16MM, 20MM, 25MM, 32MM, 40MM			
GRADE 250 / NOMINAL SIZE(MM) : 10MM, 12MM, 6MM, 8MM, 10MM			

SOUTHERN STEEL MESH SDN BHD

No. PPS : 1140912SL0012
No. CERT : A002086

5 1/2 MILES, JALAN KAPAR, 42100 KLANG
SELANGOR

TEL : 0332912116/
2117/2118
FAX : 0332913050

TARIKH MULA	25-06-2018	TARIKH TAMAT	24-06-2019
JENIS / SAIZ		JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete MODEL : DESIGNATED FABRIC TYPE : SQUARE MESH SIZE : A98, A142, A193, A252, A318, A393, A475, A565		SSM	MS 145:2014
MODEL : DESIGNATED FABRIC TYPE : STRUCTURAL MESH SIZE : B196, B283, B385, B503, B636, B785, B950, B1131			
MODEL : DESIGNATED FABRIC TYPE : LONG MESH SIZE : C196, C283, C385, C503, C636, C1131			
MODEL : DESIGNATED FABRIC TYPE : WRAPPING MESH SIZE : D196, D283, D385, D503, D636, D785, D950, D1131			

SOUTHERN STEEL MESH SDN BHD

No. PPS : 1180313PP0259
No. CERT : A002818

2489, LORONG PERUSAHAAN 12, PRAI INDUSTRIAL ESTATE 13600 PRAI,
PENANG 13600 PULAU PINANG

TEL : 04-3998266
FAX : 04-3901827

TARIKH MULA	13-03-2019	TARIKH TAMAT	12-03-2020
JENIS / SAIZ		JENAMA	STANDARD
Cold Worked Ribbed Weldable SSM Reinforcing Steel Grade: B500A Nominal Diameter: 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm		SSM	MS 146:2014
Welded Steel Fabric for the Reinforcement Concrete Square Mesh / A98, A142, A193, A252, A318, A393, A475, A565, B196, B283, B385, B503, B636, B785, B950, B1131; Long Mesh / C196, C283, C385, C503, C636, C785, C950, C1131			
Wrapping Mesh / D196, D283, D385, D503, D636, D785, D950, D1131			

SOUTHERN STEEL ROD SDN BHD

No. PPS : 1160127PP0093
No. CERT : A001344

2723 LORONG PERUSAHAAN 12 PRAI INDUSTRIAL ESTATE PRAI,
13600 SEBERANG PERAI TENGAH PULAU PINANG

TEL : +604 390 6540
FAX : 04 385 2874

TARIKH MULA

03-07-2018

TARIKH TAMAT

02-07-2019

JENIS / SAIZ	JENAMA	STANDARD
General Purpose Wire Rod C7D / 5.5mm-14mm, C9D / 5.5mm-14mm, C10D / 5.5mm-14mm, C12D / 5.5mm-14mm, C15D / 5.5mm-14mm, C18D / 5.5mm-14mm, C50D / 5.5mm-14mm, C52D / 5.5mm-14mm, C60D / 5.5mm-14mm, C62D / 5.5mm-14mm, C70D / 5.5mm-14mm, C72D / 5.5mm-14mm, C76D / 5.5mm-14mm, C78D / 5.5mm-14mm, C80D / 5.5mm-14mm, C82D / 5.5mm-14mm	SOUTHERN STEEL	MS ISO 16120-2:2008
Steel Wire Rod C4D1 / NOMINAL SIZE : 5.5mm - 14.0mm, C8D2 / 5.5mm-14mm, C10D2 / 5.5mm-14mm, C12D2 / 5.5mm-14mm, C15D2 / 5.5mm-14mm, C20D2 / 5.5mm-14mm, C42D2 / 5.5mm-14mm, C46D2 / 5.5mm-14mm, C48D2 / 5.5mm-14mm, C50D2 / 5.5mm-14mm, C52D2 / 5.5mm-14mm, C58D2 / 5.5mm-14mm, C60D2 / 5.5mm-14mm, C62D2 / 5.5mm-14mm, C66D2 / 5.5mm-14mm, C68D2 / 5.5mm-14mm, C70D2 / 5.5mm-14mm, C72D2 / 5.5mm-14mm, C76D2 / 5.5mm-14mm, C78D2 / 5.5mm-14mm, C80D2 / 5.5mm-14mm, C82D2 / 5.5mm-14mm	SOUTHERN STEEL	MS ISO 16120: PART 1, MS ISO 16120: PART3, MS ISO 16120: PART 4
Hot Rolled Steel Wire ForThe Reinforcement of Concrete GRADE 250 NOMINAL SIZE(MM) : 6MM - 12MM Hot Rolled Deformed Steel Bar for the Reinforcement of Concrete B500B / 10mm, B500B / 12mm	Southern Steel	MS 144:2014

ST STEEL INDUSTRIES SDN BHD

No. PPS : 1180122PP0244
No. CERT : A002814

LOT 710, MUKIM 13 JALAN TOK KANGAR SIMPANG AMPAT
14100 PULAU PINANG

TEL : 017-533 7223
FAX : 04-5077 898

TARIKH MULA

31-01-2019

TARIKH TAMAT

30-01-2020

JENIS / SAIZ	JENAMA	STANDARD
Cold Worked Steel Wire for the Reinforcement of Concrete Decoiled Plain Steel Wire - 10mm, 8mm, 6mm GRADE 250	ST STEEL INDUSTRIES	MS 144:2014

STEEL INDUSTRIES (SABAH) SDN BHD

No. PPS : 1151029SB0052
No. CERT : A001628

MILE 7 1/2, JALAN TUARAN, INANAM INDUSTRIAL ESTATE,
LOCKED BAG 87 88992 KOTA KINABALU SABAH

TEL : 088-427111
FAX : 088-420111

TARIKH MULA	19-01-2019	TARIKH TAMAT	18-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Hot Rolled Steel Wire For The Reinforcement of Concrete 10 mm, 12mm		Grade 250 SISB	MS 144:2014
Hot Rolled Ribbed Weldable Reinforcing Steel 10mm, 12mm, 16mm, 20mm, 25mm, 32mm		Grade B500B SISB	MS 146:2014

SYARIKAT LANRIC INDUSTRIES SDN BHD

No. PPS : 1171220PK0233
No. CERT : A003926

PLOT 171, HALA PERUSAHAAN MENGLEMBU 1,
30200 FALIM, IPOH 30200 PERAK

TEL : 052822361
FAX : 052822363

TARIKH MULA	08-03-2019	TARIKH TAMAT	07-03-2020
JENIS / SAIZ		JENAMA	STANDARD
Steel Conduit For Electrical Installation 20mm & 25mm		LanRic	BS 4568 : PART 1:1970

T.E.M. CASTING PRODUCTS SDN BHD

No. PPS : 1180727PK0294
No. CERT : A001296

LOT 7274 LORONG PERUSAHAAN 2 KAWASAN PERINDUSTRIAN KRIAN
PARIT BUNTAR 34200 PERAK

TEL : 057169945
FAX : 057169948

TARIKH MULA	27-07-2018	TARIKH TAMAT	26-07-2019
JENIS / SAIZ		JENAMA	STANDARD
Manhole Tops & Gully 600, 620mm Diameter		tem	BS EN 124:1994

TAMPIN SIN YONG WAI INDUSTRY SDN BHD

No. PPS : 1151211NS0063
No. CERT : A001136

LOT 367, KAWASAN INDUSTRI KECIL, TAMAN GUNUNG MAS,
73000 TAMPIN NEGERI SEMBILAN

TEL : 06-4417450
FAX : 06-4412335

TARIKH MULA	22-02-2019	TARIKH TAMAT	21-02-2020
JENIS / SAIZ		JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete SQUARE MESH A142, A193, A252, A318, A393, A475, A565, A664		SY	MS 145:2014

STRUCTURAL MESH B283, B385, B503, B636, B785, B950, B1131, B1328		
WRAPPING MESH D283, D385, D503, D636, D785		

TAN TIMUR STAINLESS STEEL DAN COOPER SDN BHD

PLOT 397, LORONG PERUSAHAAN 8, PRAI INDUSTRIAL ESTATE.
13600 PULAU PINANG

No. PPS : 1190219PP0348
No. CERT : A002816

TEL : 04-3800883
FAX : 04-3800882

TARIKH MULA	19-02-2019	TARIKH TAMAT	18-02-2020
JENIS / SAIZ		JENAMA	STANDARD
Welded Austenitic Stainless Steel Pipes TP304 1/2" SCH10, TP304 3/4" SCH10, TP304 3/8" SCH10, TP304 1" SCH10, TP304 1-1/4" SCH10, TP304 1-1/2" SCH10, TP304 2" SCH10, TP304 2-1/2" SCH10, TP304 3" SCH10, TP304 4" SCH10, TP304 5" SCH10, TP304 6" SCH10, TP304 8" SCH10, TP304/304L 1/2" SCH10, TP304/304L 3/4" SCH10, TP304/304L 3/8" SCH10, TP304/304L 1" SCH10, TP304/304L 1-1/4" SCH10, TP304/304L 1-1/2" SCH10, TP304/304L 2" SCH10, TP304/304L 2-1/2" SCH10, TP304/304L 3" SCH10, TP304/304L 4" SCH10, TP304/304L 5" SCH10, TP304/304L 5" SCH10, TP304/304L 8" SCH10, TP304 1/2" SCH40, TP304 3/4" SCH40, TP304 3/8" SCH40, TP304 1" SCH40, TP304 1-1/4" SCH40, TP304 1-1/2" SCH40, TP304 2" SCH40, TP304 2-1/2" SCH40, TP304 3" SCH40, TP304 4" SCH40, TP304 6" SCH40, TP304/304L 1/2" SCH40, TP304/304L 3/4" SCH40, TP304/304L 3/8" SCH40, TP304/304L 1" SCH40, TP304/304L 1-1/4" SCH40, TP304/304L 1-1/2" SCH40, TP304/304L 2" SCH40, TP304/304L 2-1/2" SCH40, TP304/304L 3" SCH40, TP304/304L 4" SCH40, TP304/304L 6" SCH40, TP316/316L 1/2" SCH10, TP316/316L 3/4" SCH10, TP316/316L 1" SCH10, TP316/316L 1-1/4" SCH10, TP316/316L 1-1/2" SCH10, TP316/316L 2" SCH10, TP316/316L 2-1/2" SCH10, TP316/316L 3" SCH10, TP316/316L 4" SCH10, TP316/316L 1/2" SCH40, TP316/316L 3/4" SCH40, TP316/316L 1" SCH40, TP316/316L 1-1/4" SCH40, TP316/316L 1-1/2" SCH40, TP316/316L 2" SCH40	TT	ASTM A312/A 312M-2014B	

TEIKSHUN FOUNDRY SDN BHD

2,LORONG IKS SIMPANG EMPAT I, TAMAN IKS SIMPANG EMPAT SEBERANG PERAI
SELATAN 14100 PULAU PINANG

No. PPS : 1190424PP0357
No. CERT : A002821

TEL : 04-5885545
FAX : 04-5881545

TARIKH MULA	24-04-2019	TARIKH TAMAT	23-04-2020
JENIS / SAIZ		JENAMA	STANDARD
Manhole Covers MODEL: ROUND DESIGN COVER		TS	BS EN 124:1994

RATING: GROUP 4 CLASS D400 , CLEAR OPENING = MINIMUM 600MM TYPE : MATERIAL = DUCTILE IRON SIZE : 840MM X 840MM X 100MM (H) DESCRIPTION : 840 MANHOLE TOP FOR VEHICULAR AND PEDESTRIAN AREA		
MODEL: ROUND DESIGN COVER RATING: GROUP 3; CLASS C250 CLEAR OPENING = MINIMUM 600MM TYPE : MATERIAL = DUCTILE IRON SIZE : 710MM X 710MM X 50MM (H), DESCRIPTION : 710 MANHOLE TOP FOR VEHICULAR AND PEDESTRIAN AREA		
MODEL: SQUARE DESIGN COVER RATING: GROUP 4; CLASS D400 CLEAR OPENING = MINIMUM 600MM TYPE : MATERIAL = DUCTILE IRON SIZE : 755MM X 755MM X 95MM (H) DESCRIPTION : MC3 MANHOLE TOP FOR VEHICULAR AND PEDESTRIAN AREA		
MODEL: SQUARE DESIGN COVER RATING: GROUP 4; CLASS D400 CLEAR OPENING = MINIMUM 600MM TYPE : MATERIAL = DUCTILE IRON SIZE : 847MM X 847MM X 150MM (H) DESCRIPTION : 3E MANHOLE TOP FOR VEHICULAR AND PEDESTRIAN AREA		
MODEL:RECTANGULAR DESIGN COVER RATING: GROUP 4; CLASS D400 CLEAR OPENING = MINIMUM 600MM TYPE : MATERIAL = DUCTILE IRON SIZE : 955MM X 653MM X 85MM (H) DESCRIPTION : 18X30(JB30) MANHOLE TOP FOR VEHICULAR AND PEDESTRIAN AREA		
MODEL:RECTANGULAR DESIGN COVER RATING: GROUP 4; CLASS D400 CLEAR OPENING = MINIMUM 600MM TYPE : MATERIAL = DUCTILE IRON SIZE : 1150MM X 875MM X 150MM(H) DESCRIPTION : 7E MANHOLE TOP FOR VEHICULAR AND PEDESTRIAN AREA		

TSK INDUSTRIES SDN BHD

No. PPS : 1181220JH0332
No. CERT : A004085

NO. 1, JALAN NIP 2/2, TAMAN PERINDUSTRIAN NUSAJAYA 1,
BANDAR NUSAJAYA 79200 JOHOR

TEL : 075321632
FAX : 075321363

TARIKH MULA	20-12-2018	TARIKH TAMAT	19-12-2019
JENIS / SAIZ		JENAMA	STANDARD
Prefabricated Steel Frame Scaffolding ST 101 / VERTICAL FRAME ST 101 / CROSS BRACE ST 101 / JOINT PIN ST 101 / ADJUSTABLE BASE PLATE ST 101 / ADJUSTABLE U HEAD		TSK INDUSTRIES SDN BHD	MS 1462-1:2012

UNIQUE STEEL & HARDWARE SDN BHD

No. PPS : 1170606SL0189
No. CERT : A002184

LOT 59210, JALAN KARBURETOR 34/21, SEKSYEN 34
SHAH ALAM 40470 SELANGOR

TEL : 03 - 5525 2333
FAX : 03 - 5525 2888

TARIKH MULA

06-06-2019

TARIKH TAMAT

05-06-2020

JENIS / SAIZ

JENAMA

STANDARD

Prefabricated Steel Frame Scaffolding
US 101 VERTICAL FRAME, CROSS BRACE,
JOINT PIN, U-HEAD, JACK BASE, CATWALK

UNIQUE STEEL &
HARDWARE SDN. BHD

MS 1462-1:2012

UNITED G.I. PRODUCTS SDN BHD

No. PPS : 1180903SR0303
No. CERT : A001688

LOT 835, BLOCK 7, JALAN DEMAK LAUT 3, DEMAK LAUT
INDUSTRIAL PARK, KUCHING 93050 SARAWAK

TEL : 082-439257
FAX : 082-439259

TARIKH MULA

03-09-2018

TARIKH TAMAT

02-09-2019

JENIS / SAIZ

JENAMA

STANDARD

Self-supporting Steel Roofing
UNILOK 672, UNIDEK 762

UNILOK

MS 2500:2012

UNITED JAYA SDN BHD

No. PPS : 1170703SL0203
No. CERT : A002186

LOT 11946,JALAN PERAJURIT 1 TELOK GONG,
42000 KLANG SELANGOR

TEL : 0331342900
FAX : 0331341800

TARIKH MULA

03-07-2019

TARIKH TAMAT

02-07-2020

JENIS / SAIZ

JENAMA

STANDARD

Prefabricated Steel Frame Scaffolding
UJ (MF) 101 - VERTICAL FRAME
UJ (MF) 101 - CROSS BRACE
UJ (MF) 101 - CATWALK
UJ (MF) 101 - JOINT PIN
UJ (MF) 101 - ADJUSTABLE U-HEAD
UJ (MF) 101 - ADJUSTABLE BASE PLATE
UJ (MF) 101 - TOE BOARD

UJSB

MS 1462-1:2012

UNITED JAYA SDN BHD

No. PPS : 1180924NS0304
No. CERT : A001132

LOT 36, JALAN BUNGA TANJUNG 3, SENAWANG IND. PARK,
70400 SEREMBAN NEGERI SEMBILAN

TEL : 06-6796995
FAX : 06-6796994

TARIKH MULA

24-09-2018

TARIKH TAMAT

23-09-2019

JENIS / SAIZ

JENAMA

STANDARD

Self-supporting Steel Roofing

KAWA

MS 2500:2012

KAWA KZ400, BASE METAL THICKNESS (mm) = 0.48-0.60 COVER WIDTH(mm) = 400		
KAWA R650 TYPE I, BASE METAL THICKNESS (mm) = 0.48-0.75 COVER WIDTH(mm) = 650		
KAWA R650 TYPE II, BASE METAL THICKNESS (mm) = 0.48-0.75 COVER WIDTH(mm) = 650		
KAWA R600, BASE METAL THICKNESS (mm) = 0.42-0.75 COVER WIDTH(mm) = 600		
KAWA R670, BASE METAL THICKNESS (mm) = 0.42-0.60 COVER WIDTH(mm) = 670		
KAWA R715, BASE METAL THICKNESS (mm) = 0.35-0.75 COVER WIDTH(mm) = 715		
KAWA R760, BASE METAL THICKNESS (mm) = 0.35-0.60 COVER WIDTH(mm) = 760		
KAWA R700, BASE METAL THICKNESS (mm) = 0.42-0.60 COVER WIDTH(mm) = 700		

VPN (M) SDN BHD

No. PPS : 1181118SL0324
No. CERT : A002183

NO. 6 JALAN TIAJ 2/7 TAMAN INDUSTRI ALAM JAYA BANDAR PUNCAK ALAM 42300 SELANGOR	TEL : 03-60386622
	FAX : 03-60383399

TARIKH MULA	18-11-2018	TARIKH TAMAT	17-11-2019
JENIS / SAIZ		JENAMA	STANDARD
Metal Deck for Turbular Scaffolds (without hook) THK (1.0MM) X WT (210MM) X LT (3000MM)		VPN (M) Sdn Bhd	MS 1462-4-1:2013
Corrugated Sheet Steel Beam For Highway Guardrail MODEL : SHAPE = 2 W-BEAM, 3 W-BEAM RATING : CLASS A SIZE : BASE METAL NOMINAL THICKNESS (mm) = 2.67		VPN MARKETING (M) SDN BHD	AASHTO M 180:2012

WEBFORGE (KL) SDN BHD

No. PPS : 1180402SL0261
No. CERT : A002176

LOT 3, JALAN GUDANG 16/9 SEKSYEN 16 SHAH ALAM 40200 SELANGOR	TEL : 0355190652
	FAX : 0355190749

TARIKH MULA	11-04-2019	TARIKH TAMAT	10-04-2020
JENIS / SAIZ		JENAMA	STANDARD
Corrugated Sheet Steel Beam For Highway Guardrail SHAPE : W-BEAM CLASS A; TYPE II-ZINC COATED BASE METAL NOMINAL THICKNESS (MM) : 2.67		INGAL GUARDRAIL & EZY-GUARD	AASHTO M 180:2012

WEI DAT STEEL WIRE SDN BHD

No. PPS : 1150105PK0019
No. CERT : A003936

PLOT 21, LORONG BEMBAN 2, KAWASAN PERINDUSTRIAN BEMBAN,
31000 BATU GAJAH, PERAK 31000 KINTA PERAK

TEL : +605-3666220
FAX : +605-3665220

TARIKH MULA	19-04-2019	TARIKH TAMAT	18-04-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete Square Mesh/ A98, A252	WDW	MS 145:2014
Prestressing Steel - Cold-drawn Wire 5.00mm	WEIDATPC	MS 1138 : PART 2 : 2007
Steel Strand, Uncoated Seven-Wire For Prestressed Concrete 12.90mm, 15.20mm	WEIDATPC	MS 1138 : PART 4 : 2007

YANG AKTIF ENGINEERING WORKS SDN BHD

No. PPS : 1180803SB0295
No. CERT : A001621

MILE 6.5, TUARAN ROAD, P.O. BOX 21764
LUYANG KOTA KINABALU 88775 SABAH

TEL : 088-420529,
420537, 427681
FAX : 088-423188

TARIKH MULA	03-08-2018	TARIKH TAMAT	02-08-2019
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete A142, A193, A252, A318, A393, B283, B385, B503, B636, B785	Yang Aktif Engineering Works Sdn Bhd	MS 145:2014

YETTA STEEL INDUSTRIES SDN BHD

No. PPS : 1160113KD0089
No. CERT : A001379

LOT 113 JALAN PKNK 2/1 KAWASAN PERUSAHAAN SUNGAI PETANI KEDAH 08000 KUALA MUDA KEDAH

TEL : 04-4424242
FAX : 04-4414141

TARIKH MULA	25-04-2019	TARIKH TAMAT	24-04-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete Square Mesh A5, A6, A7, A8, A9, A10, A12	YET TA	MS 145:2014
Rectangular Mesh B5, B6, B7, B8, B9, B10, B12		
Small Square Mesh D5, D6, D7, D8, 9D, 10D, 12D, DA5, DA6, DA7, DA8, DA9, DA10, DA12		

YEW LEAN FOUNDRY & CO. SDN BHD

2432, TINGKAT PERUSAHAAN 6, PRAI INDUSTRIAL ESTATE,
13600 PERAI PULAU PINANG

No. PPS : 1161104PP0148
No. CERT : A002809

TEL : 04-3907480
FAX : 04-3994819

TARIKH MULA	14-12-2018	TARIKH TAMAT	13-12-2019
JENIS / SAIZ		JENAMA	STANDARD
Ductile Iron Pipes For Water Supply DN100, DN150, DN200, DN250, DN300, DN350, DN400, DN450, DN500, DN600, DN700		YL	MS 1919:2013
Ductile Iron Pipes For Sewerage Applications DN100, DN150, DN200, DN250, DN300, DN350, DN400, DN450, DN500, DN600, DN700		YL	BS EN 598: 2007 + A1:2009

YUNG KONG METAL WORKS CO BHD

LOT 1144, JALAN KEMAJUAN PENDING INDUSTRIAL ESTATE
93450 KUCHING SARAWAK

No. PPS : 1141119SR0015
No. CERT : A004178

TEL : 082-484327
FAX : 082-337177

TARIKH MULA	02-04-2019	TARIKH TAMAT	01-04-2020
JENIS / SAIZ		JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete SQUARE MESH/A142, A193, A252, A318, A393 STRUCTURAL MESH/B283, B385, B503, B636, B785 WRAPPING MESH/D503, D636, D785		YMC	MS 145:2014
Cold Worked Steel Wire for the Reinforcement of Concrete NOMINAL SIZE (MM)=5, 6, 7, 8, 9, 10			

ALLIANCE PRECAST INDUSTRIES SDN BHD

No. PPS : 1160608SL0127
No. CERT : A002122

LOT 9022, JALAN SUNGAI BUAYA, KG KOSKAN
48200 HULU SELANGOR SELANGOR

TEL : 036028 4088
FAX : 036028 4018

TARIKH MULA

09-10-2018

TARIKH TAMAT

08-10-2019

JENIS / SAIZ	JENAMA	STANDARD
Precast Reinforced Concrete Square Piles 250MM X 250MM, 200MM X 200MM, 300MM X 300MM, 350MM X 350MM, 400MM X 400MM, 450MM X 450MM Class: PCS-1, Size: 125 mm x 125 mm x 3 m Class: PCS-1, Size: 125 mm x 125 mm x 6 m Size: 150 mm x 150 mm x 3 m Size: 150 mm x 150 mm x 6 m Size: 175 mm x 175 mm x 3 m Size: 175 mm x 175 mm x 6 m Class: PCS-2, Size: 200 mm x 200 mm x 6 m Class: PCS-2, Size: 200 mm x 200 mm x 3 m RCS-1/ 150mm X 150mm X 3m RCS-1/ 150mm X 150mm X 6m RCS-1/ 175mm X 175mm X 3m RCS-1/ 175mm X 175mm X 6m	API	MS 1314:PART 3:2004

APOLITE CONCRETE PRODUCT SDN BHD

No. PPS : 1190305JH0352
No. CERT : A 004098

LOT JW 15/14,JALAN WAWASAN 12, KAWASAN PERINDUSTRIAN SRI GADING,
83300 JOHOR

TEL : 017-7217100
FAX : 07-4557100

TARIKH MULA

05-03-2019

TARIKH TAMAT

04-03-2020

JENIS / SAIZ	JENAMA	STANDARD
Small Precast Reinforced Concrete Square Piles CLASS RCS-1 / 150MM X 150MM X 3M CLASS RCS-1 / 150MM X 150MM X 6M	APOLITE	MS 1314:PART 6:2004
Precast Reinforced Concrete Square Piles CLASS S / 200MM X 200MM X 3M CLASS S / 200MM X 200MM X 6M	APOLITE	MS 1314:PART 3:2004

C L PILE SDN BHD

No. PPS : 1160421JH0113
No. CERT : A004104

LOT 5632 JALAN SEELONG
SENAI 81400 JOHOR

TEL : +607-5993808
FAX : +607-5997228

TARIKH MULA

20-04-2019

TARIKH TAMAT

19-04-2020

JENIS / SAIZ	JENAMA	STANDARD
Precast Prestressed Concrete Square Piles CLASS PCS 1 (125mm X 125mm X 6m) CLASS PCS 1 (150mm X 150mm X 6m)	C L Pile	MS 1314:PART 5:2004

Precast Reinforced Concrete Square Piles CLASS S (200mm X 200mm X 3M) CLASS S (200mm X 200mm X 6M) CLASS S (200mm X 200mm X 9M) CLASS S (250mm X 250mm X 3M) CLASS S (250mm X 250mm X 6M) CLASS S (250mm X 250mm X 9M) CLASS S (300mm X 300mm X 3M) CLASS S (300mm X 300mm X 6M) CLASS S (300mm X 300mm X 9M) CLASS S (300mm X 300mm X 12M) CLASS S (350mm X 350mm X 3M) CLASS S (350mm X 350mm X 6M) CLASS S (350mm X 350mm X 9M) CLASS S (350mm X 350mm X 12M) CLASS S (400mm X 400mm X 3M) CLASS S (400mm X 400mm X 6M) CLASS S (400mm X 400mm X 9M) CLASS S (400mm X 400mm X 12M) CLASS M (200mm X 200mm X 3M) CLASS M (200mm X 200mm X 6M) CLASS M (250mm X 250mm X 3M) CLASS M (250mm X 250mm X 6M) CLASS M (300mm X 300mm X 6M) CLASS M (300mm X 300mm X 3M)	C L Pile	MS 1314:PART 3:2004
CLASS RCS-1 (125mm X 125mm X 3M) CLASS RCS-1 (125mm X 125mm X 6M) CLASS RCS-1 (150mm X 150mm X 3M) CLASS RCS-1 (150mm X 150mm X 6M) CLASS RCS-1 (175mm X 175mm X 3M) CLASS RCS-1 (175mm X 175mm X 6M) CLASS RCS-2 (125mm X 125mm X 3M) CLASS RCS-2 (125mm X 125mm X 6M) CLASS RCS-2 (150mm X 150mm X 3M) CLASS RCS-2 (150mm X 150mm X 6M) CLASS RCS-2 (175mm X 175mm X 3M) CLASS RCS-2 (175mm X 175mm X 6M)	C L Pile	MS 1314:PART 6:2004

CABARAN PERKASA SDN BHD

No. PPS : 1160105SB0078
No. CERT : A001707

KG. RANGGU, MILE 8 OFF JALAN APAS
91000 SABAH (CAWANGAN TAWAU)

TEL : 6089863166
FAX : 6089863266

TARIKH MULA	04-01-2019	TARIKH TAMAT	03-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Small Precast Reinforced Concrete Square Piles CLASS RCS-1 TYPE : NORMAL DRIVING SIZE : 150 MM X 150 MM X 3 M, 150 MM X 150 MM X 6 M CLASS S TYPE : HAMMER DRIVEN SIZE : 200 MM X 200 MM X 3 M 200 MM X 200 MM X 6 M 200 MM X 200 MM X 9 M CLASS S TYPE : HAMMER DRIVEN 250 MM X 250 MM X 3 M 250 MM X 250 MM X 6 M 250 MM X 250 MM X 9 M CLASS S TYPE : HAMMER DRIVEN		URG	MS 1314:PART 6:2004

300 MM X 300 MM X 6 M 300 MM X 300 MM X 9 M 300 MM X 300 MM X 12 M CLASS S TYPE : HAMMER DRIVEN 350 MM X 350 MM X 6 M 350 MM X 350 MM X 12 M 350 MM X 350 MM X 12 M		
---	--	--

CMS CONCRETE PRODUCTS SDN BHD

No. PPS : 1180222SR0254
No. CERT : A004173

LOT 212, BLOCK 17, KCLD, OLD AIRPORT ROAD
93250 KUCHING SARAWAK

TEL : 082-614436
FAX : 082-614406

TARIKH MULA	04-03-2019	TARIKH TAMAT	04-03-2019
JENIS / SAIZ		JENAMA	STANDARD
Precast Reinforced Concrete Square Piles Class M/ 200mm x 200mm x 3M Class M/ 200mm x 200mm x 6M Class M/ 250mm x 250mm x 3M Class M/250mm x 250mm x 6M Class M/250mm x 250mm x 9M Class M/250mm x 250mm x 12M Class M/ 300mm x 300mm x 3M Class M/ 300mm x 300mm x 6M Class S/ 200mm x 200mm x 6M Class S/ 200mm x 200mm x 3M Class S/ 250mm x 250mm x 3M Class S/ 250mm x 250mm x 6M		CMS CONCRETE PRODUCTS	MS 1314:PART 3:2004
Small Precast Reinforced Concrete Square Piles Class RCS-1/ 175mm x 175mm x 3M Class RCS-1/ 175mm x 175mm x 6M Class RCS-1/ 150mm x 150mm x 3M Class RCS-1/ 150mm x 150mm x 6M		CMS CONCRETE PRODUCTS	MS 1314:PART 6:2004

**CONCRETE ENGINEERING PRODUCTS BHD
(BATANG KALI)**

No. PPS : 1170303SL0172
No. CERT : A002169

LOT A3 KAW PERINDUSTRIAN MIEL BATANG KALI
44300 HULU SELANGOR SELANGOR

TEL : 03-60571811
FAX : 03-60571817

TARIKH MULA	30-03-2019	TARIKH TAMAT	29-03-2020
JENIS / SAIZ		JENAMA	STANDARD
Precast Pretensioned Spun Concrete Piles Class B / 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, 600 mm Class C / 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, 600 mm		CEPCO	MS 1314:PART 4:2004

CONCRETE ENGINEERING PRODUCTS BHD (NILAI)

No. PPS : 1170511NS0183
No. CERT : A001128

LOT 7106 KAW PERINDUSTRIAN NILAI
71800 NILAI NEGERI SEMBILAN

TEL : 06-7992841
FAX : 06-7992839

TARIKH MULA	31-05-2018	TARIKH TAMAT	30-05-2019
JENIS / SAIZ		JENAMA	STANDARD
Precast Pretensioned Spun Concrete Piles Class B / 250 mm, 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, 600 mm		CEPCO	MS 1314:PART 4:2004
Class C / 250mm, 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, 600 mm			

CONCRETE ENGINEERING PRODUCTS BHD (PASIR GUDANG)

No. PPS : 1170226JH0170
No. CERT : A 004100

PLO 337 JALAN SUASA PASIR GUDANG INDUSTRIAL ESTATE
81700 PASIR GUDANG JOHOR

TEL : 07-2511048
FAX : 07-2514066

TARIKH MULA	28-03-2019	TARIKH TAMAT	27-03-2020
JENIS / SAIZ		JENAMA	STANDARD
Precast Pretensioned Spun Concrete Piles Class B / 250 mm, 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, 600 mm, 700 mm, 800 mm, 900 mm, 1000 mm		CEPCO	MS 1314:PART 4:2004
Class C / 250 mm, 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, 600 mm, 700 mm, 800 mm, 900 mm, 1000 mm			

CONCRETE ENGINEERING PRODUCTS BHD (RAWANG)

No. PPS : 1170217SL0168
No. CERT : A002165

PT 643 BATU 20 JALAN IPOH
48000 RAWANG SELANGOR

TEL : 07-2511048
FAX : 07-2514066

TARIKH MULA	26-02-2019	TARIKH TAMAT	25-02-2020
JENIS / SAIZ		JENAMA	STANDARD
Precast Pretensioned Spun Concrete Piles Class B / 250 mm, 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, 600 mm		CEPCO	MS 1314:PART 4:2004
Class C / 250 mm, 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, 600 mm			

CONCRETE ENGINEERING PRODUCTS BHD (SG PETANI)

No. PPS : 1170314KD0175
No. CERT : A 001378

LOT 63 BAKAR ARANG INDUSTRIAL ESTATE
08000 SUNGAI PETANI KEDAH

TEL : 07-2511048
FAX : 07-2514066

TARIKH MULA	28-03-2019	TARIKH TAMAT	27-03-2020
JENIS / SAIZ		JENAMA	STANDARD
Precast Pretensioned Spun Concrete Piles Class B / 250 mm, 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, 600 mm		CEPCO	MS 1314:PART 4:2004
Class C / 250 mm, 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, 600 mm, 700 mm			

ENG BENG MANUFACTURING (M) SDN BHD

No. PPS : 1160822SL0140
No. CERT : A002111

LOT 5131 & 5132, JALAN KENANGAN, 6TH MILES, OFF JALAN MERU
41050 KLANG SELANGOR

TEL : 03-3392 3286
FAX : 03-3392 3530

TARIKH MULA	15-09-2018	TARIKH TAMAT	14-09-2019
JENIS / SAIZ		JENAMA	STANDARD
Precast Pretensioned Spun Concrete Piles CLASS A/ 300MM X 6M CLASS A/ 300MM X 9M CLASS A/ 300MM X 12M CLASS A/ 350MM X 6M CLASS A/ 350MM X 9M CLASS A/ 350MM X 12M CLASS A/ 400MM X 6M CLASS A/ 400MM X 9M CLASS A/ 400MM X 12M CLASS A/ 450MM X 6M CLASS A/ 450MM X 9M CLASS A/ 450MM X 12M CLASS A/ 500MM X 6M CLASS A/ 500MM X 9M CLASS A/ 500MM X 12M CLASS A/ 600MM X 6M CLASS A/ 600MM X 9M CLASS A/ 600MM X 12M CLASS B/ 250MM X 6M CLASS B/ 250MM X 9M CLASS B/ 250MM X 12M CLASS B/ 300MM X 6M CLASS B/ 300MM X 9M CLASS B/ 300MM X 12M CLASS B/ 350MM X 6M CLASS B/ 350MM X 9M CLASS B/ 350MM X 12M CLASS B/ 400MM X 6M CLASS B/ 400MM X 9M CLASS B/ 400MM X 12M CLASS B/ 500MM X 6M CLASS B/ 500MM X 9M CLASS B/ 500MM X 12M CLASS B/ 600MM X 6M CLASS B/ 600MM X 9M	ECP	MS 1314:PART 4:2004	

CLASS B/ 600MM X 12M CLASS C/ 400MM X 6M CLASS C/ 400MM X 9M CLASS C/ 400MM X 12M CLASS C/ 450MM X 6M CLASS C/ 450MM X 9M CLASS C/ 450MM X 12M CLASS C/ 500MM X 6M CLASS C/ 500MM X 9M CLASS C/ 500MM X 12M CLASS C/ 600MM X 6M CLASS C/ 600MM X 9M CLASS C/ 600MM X 12M		
--	--	--

FJ CONCRETE & PILES SDN BHD

No. PPS : 1170201SR0164
No. CERT : A001743

LOT 1300, BLOCK 20, KEMENA LAND DISTRICT, MARKET GARDEN, JALAN SAMALAJU COASTAL HIGHWAY 97011 BINTULU SARAWAK (CAWANGAN BINTULU)	TEL : 086-253227 FAX : 086-253236
--	--------------------------------------

TARIKH MULA	25-02-2019	TARIKH TAMAT	24-02-2020
JENIS / SAIZ		JENAMA	STANDARD
Precast Reinforced Concrete Square Piles CLASS M, S / 200MM , 250MM		FJ CONCRETE & PILES	MS 1314:PART 4:2004
Small Precast Reinforced Concrete Square Piles CLASS RCS-1 150mm, 175mm		FJ CONCRETE & PILES SDN BHD	MS 1314:PART 6:2004

GSG CONCRETE INDUSTRIES (M) SDN BHD

No. PPS : 1170621JH0201
No. CERT : A 002882

BT 6 3/4, JALAN BESAR SUNGAI MATI SUNGAI MATI 84400 LEDANG JOHOR	TEL : 069753399 FAX : 069752836
--	------------------------------------

TARIKH MULA	21-06-2018	TARIKH TAMAT	20-06-2019
JENIS / SAIZ		JENAMA	STANDARD
Precast Reinforced Concrete Square Piles 200MM x 200MM x 3M, 200MM x 200MM x 6M, 225MM x 225MM x 3M, 225MM x 225MM x 6M, 250MM x 250MM x 3M, 250MM x 250MM x 6M, 275MM x 275MM x 3M, 275MM x 275MM x 6M, 300MM x 300MM x 3M, 300MM x 300MM x 6M, 300MM x 300MM x 9M, 300MM x 300MM x 12M		GCP	MS 1314:PART 3:2004
Small Precast Reinforced Concrete Square Piles 150MM x 150MM x 3M, 150MM x 150MM x 6M		GCP	MS 1314:PART 6:2004

HARDRIVE PILES SDN BHD

No. PPS : 1160826SL0142
 No. CERT : A002109

LOT 253,KM 5, JALAN SUNGAI LALANG,
 43500 HULU LANGAT SELANGOR

TEL : 03-87237980
 FAX : 03-87237977

TARIKH MULA

06-09-2018

TARIKH TAMAT

05-09-2019

JENIS / SAIZ	JENAMA	STANDARD
Precast Reinforced Concrete Square Piles 200MM X 200MM X 6M 200MM X 200MM X 3M 200MM X 200MM X 9M 205MM X 200MM X 3M 205MM X 200MM X 6M 205MM X 200MM X 9M 205MM X 200MM X 12M 300MM X 200MM X 3M 300MM X 200MM X 6M 300MM X 200MM X 9M 300MM X 200MM X 12M 350MM X 200MM X 3M 350MM X 200MM X 6M 350MM X 200MM X 9M 350MM X 200MM X 12M 400MM X 200MM X 3M 400MM X 200MM X 6M 400MM X 200MM X 9M 400MM X 200MM X 12M	HARDRIVE	MS 1314:PART 3:2004
Small Precast Reinforced Concrete Square Piles 150MM X 150MM X 3M 150MM X 150MM X 6M	HARDRIVE	MS 1314:PART 6:2004

HUME CONCRETE (EM) SDN BHD

No. PPS : 1190404SB0274
 No. CERT : A001630

5TH MILE, JALAN TUARAN, KOTA KINABALU.
 88300 SABAH

TEL : 088-426119
 FAX : 088-422473

TARIKH MULA

04-04-2019

TARIKH TAMAT

03-04-2020

JENIS / SAIZ	JENAMA	STANDARD
Precast Reinforced Concrete Square Piles 200MM x 3M 200MM x 6M 200MM x 9M 250MM x 3M 250MM x 6M 250MM x 9M 250MM x 12M 300MM x 3M 300MM x 6M 300MM x 9M 350MM x 3M 350MM x 12M	HUME	MS 1314:PART 3:2004
Small Precast Reinforced Concrete Square Piles 150MM X 150MM X 3M 150MM X 150MM X 6M 175MM x 3M 175MM x 6M	HARDRIVE	MS 1314:PART 6:2004

INDUSTRIAL CONCRETE PRODUCTS SDN BHD

No. PPS : 1160425NS0114
No. CERT : A001139

LOT 5777, KAWASAN PERINDUSTRIAN NILAI,
71800 NILAI NEGERI SEMBILAN

TEL : 06 7993091
FAX : 03 7993094

TARIKH MULA	11-05-2019	TARIKH TAMAT	10-05-2020
JENIS / SAIZ		JENAMA	STANDARD
Precast Pretensioned Spun Concrete Piles CLASS A : 350mm, 400mm, 450mm, 500mm, 600mm CLASS B : 350mm, 400mm, 450mm, 500mm, 600mm CLASS C : 350mm, 400mm, 450mm, 500mm, 600mm		ICP	MS 1314:PART 4:2004

INDUSTRIAL CONCRETE PRODUCTS SDN BHD

No. PPS : 1160425SL0115
No. CERT : A002177

BATU 12 1/2, KAMPUNG TOK MUDA, LOCKED BAG 207, KAPAR POST OFFICE,
KAPAR 42200 KLANG SELANGOR

TEL : 03 32508844
FAX : 03 32501966

TARIKH MULA	25-04-2019	TARIKH TAMAT	24-04-2020
JENIS / SAIZ		JENAMA	STANDARD
Precast Pretensioned Spun Concrete Piles CLASS A: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS B: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS C : 300mm, 350mm, 400mm, 450mm, 500mm, 600mm		ICP	MS 1314:PART 4:2004

INDUSTRIAL CONCRETE PRODUCTS SDN BHD

No. PPS : 1160425SL0116
No. CERT : A002178

LOT 22936, BATU 6 JALAN KEBUN, KAMPUNG JAWA, MUKIM KLANG,
42450 KLANG SELANGOR

TEL : 03-51611699
FAX : 03-51611959

TARIKH MULA	25-04-2019	TARIKH TAMAT	24-04-2020
JENIS / SAIZ		JENAMA	STANDARD
Precast Pretensioned Spun Concrete Piles CLASS A: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS B: 250mm, 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS C: 250mm, 300mm, 350mm, 400mm, 450mm, 500mm, 600mm		ICP	MS 1314:PART 4:2004

INDUSTRIAL CONCRETE PRODUCTS SDN BHD

No. PPS : 1160425PP0117
No. CERT : A002819

LOT 1254, MUKIM 12, SUNGAI BAKAP, 14200 SEBERANG PERAI SELATAN
PULAU PINANG

TEL : 04 5825971
FAX : 04 5826329

TARIKH MULA

25-04-2019

TARIKH TAMAT

24-04-2020

JENIS / SAIZ

JENAMA

STANDARD

Precast Pretensioned Spun Concrete Piles
CLASS A: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm
CLASS B: 250mm, 300mm, 350mm, 400mm, 450mm, 500mm,
600mm
CLASS C: 250mm, 300mm, 350mm, 400mm, 450mm, 500mm,
600mm

ICP

MS 1314:PART 4:2004

INDUSTRIAL CONCRETE PRODUCTS SDN BHD

No. PPS : 1160425JH0118
No. CERT : A002819

LOT 9981 & 9982, JALAN ULU CHOH-GELANG PATAH,
MUKIM JERAM BATU 81500 PEKAN NENAS JOHOR

TEL : 07 2888393
FAX : 018 6454800

TARIKH MULA

09-05-2019

TARIKH TAMAT

08-05-2020

JENIS / SAIZ

JENAMA

STANDARD

Precast Pretensioned Spun Concrete Piles
CLASS A: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm
CLASS B: 250mm, 300mm, 350mm, 400mm, 450mm, 500mm,
600mm
CLASS C: 250mm, 300mm, 350mm, 400mm, 450mm, 500mm,
600mm

ICP

MS 1314:PART 4:2004

INDUSTRIAL CONCRETE PRODUCTS SDN BHD

No. PPS : 1160425JH0119
No. CERT : A004106

CT 5435, LOT 5633 & CT 5445, LOT 5643, JALAN SEELONG
MUKIM SENAI-KULAI 81400 SENAI JOHOR

TEL : 07 5985288
FAX : 07 5988200

TARIKH MULA

09-05-2019

TARIKH TAMAT

08-05-2020

JENIS / SAIZ

JENAMA

STANDARD

Precast Pretensioned Spun Concrete Piles
CLASS A: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm
CLASS B: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm,
700mm, 800mm
CLASS C: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm,
700mm, 800mm

ICP

MS 1314:PART 4:2004

INDUSTRIAL CONCRETE PRODUCTS SDN BHD

No. PPS : 1160425TR0120
No. CERT : A001594

LOT 110, KAWASAN PERINDUSTRIAN GONG BADAK,
GONG BADAK 21300 KUALA TERENGGANU TERENGGANU

TEL : 09 6666633
FAX : 09 6660634

TARIKH MULA	07-05-2019	TARIKH TAMAT	06-05-2020
JENIS / SAIZ		JENAMA	STANDARD
Precast Pretensioned Spun Concrete Piles CLASS A: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS B: 250mm, 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS C: 250mm, 300mm, 350mm, 400mm, 450mm, 500mm, 600mm		ICP	MS 1314:PART 4:2004

INDUSTRIAL CONCRETE PRODUCTS SDN BHD

No. PPS : 1160524PK0124
No. CERT : A003933

LOT 1, PERSIARAN TASEK, TASEK INDUSTRIAL ESTATE
31400 IPOH PERAK

TEL : 05 2913599
FAX : 05 2916606

TARIKH MULA	24-05-2019	TARIKH TAMAT	23-05-2020
JENIS / SAIZ		JENAMA	STANDARD
Precast Pretensioned Spun Concrete Piles CLASS A: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS B: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS C: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm		ICP	MS 1314:PART 4:2004

INDUSTRIAL CONCRETE PRODUCTS SDN BHD

No. PPS : 1160524PK0125
No. CERT : A003932

PT 2272 & PLOT A1,A3 & A4, LUMUT PORT INDUSTRIAL PARK,
KAWASAN PERINDUSTRIAN KG ACEH 32000 SITIAWAN PERAK

TEL : 05 6913143
FAX : 05 6919443

TARIKH MULA	24-05-2019	TARIKH TAMAT	23-05-2020
JENIS / SAIZ		JENAMA	STANDARD
Precast Pretensioned Spun Concrete Piles CLASS A/ 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS B/ 250mm, 300mm, 350mm, 400mm, 450mm, 500mm, 600mm, 700mm, 800mm, 900mm, 1000mm, 1200mm CLASS C/ 250mm, 300mm, 350mm, 400mm, 450mm, 500mm, 600mm, 700mm, 800mm, 900mm, 1000mm, 1200mm		ICP	MS 1314:PART 4:2004

LEADER CONCRETE SDN BHD

No. PPS : 1170713SR0204
 No. CERT : A001686

LOT 1642 BLOCK 33 SARIKEI LAND DISTRICT
 96100 SARAWAK

TEL : 084655379
 FAX : 084655378

TARIKH MULA

31-07-2018

TARIKH TAMAT

30-07-2019

JENIS / SAIZ

JENAMA

STANDARD

Precast Reinforced Concrete Square Piles
 CLASS S JTYPE : HAMMER DRIVEN
 CLASS M JTYPE : HAMMER DRIVEN

LEADER RC PILE

MS 1314:PART 3:2004

MDC PRECAST INDUSTRIES SDN BHD

No. PPS : 1170614KD0199
 No. CERT : A 001370

PT 48877 JALAN PERSIARAN AMANJAYA 5 BANDAR AMANJAYA
 08000 KUALA MUDA KEDAH

TEL : 0124265288
 FAX : 088-794327

TARIKH MULA

05-08-2018

TARIKH TAMAT

04-08-2019

JENIS / SAIZ

JENAMA

STANDARD

Small Precast Reinforced Concrete Square Piles
 CLASS RCS -1/ 150mm X 150mm X 3M
 CLASS RCS -1/ 150mm X 150mm X 6M

MDC , API

MS 1314:PART 6:2004

Small Precast Reinforced Concrete Square Piles
 CLASS RCS -1/ 175mm X 175mm X 3M
 CLASS RCS -1/ 175mm X 175mm X 6M

MDC , API

MS 1314:PART 6:2004

Small Precast Reinforced Concrete Square Piles
 CLASS S/ 200mm X 200mm X 3M
 CLASS S/ 200mm X 200mm X 6M
 CLASS S/ 200mm X 200mm X 9M
 CLASS S/ 250mm X 200mm X 3M
 CLASS S/ 250mm X 200mm X 6M
 CLASS S/ 250mm X 200mm X 9M
 CLASS S/ 300mm X 200mm X 3M
 CLASS S/ 300mm X 200mm X 6M
 CLASS S/ 300mm X 200mm X 9M
 CLASS S/ 300mm X 200mm X 12M
 CLASS S/ 350mm X 200mm X 3M
 CLASS S/ 350mm X 200mm X 6M
 CLASS S/ 350mm X 200mm X 9M
 CLASS S/ 350mm X 200mm X 12M
 CLASS S/ 400mm X 200mm X 3M
 CLASS S/ 400mm X 200mm X 6M
 CLASS S/ 400mm X 200mm X 9M
 CLASS S/ 400mm X 200mm X 12M
 CLASS S/ 450mm X 200mm X 3M
 CLASS S/ 450mm X 200mm X 6M
 CLASS S/ 450mm X 200mm X 9M
 CLASS S/ 450mm X 200mm X 12M

MDC , API

MS 1314:PART 3:2004

CLASS J/ 200mm X 200mm X 3M
 CLASS J/ 200mm X 200mm X 6M
 CLASS J/ 200mm X 200mm X 9M
 CLASS J/ 250mm X 200mm X 3M
 CLASS J/ 250mm X 200mm X 6M
 CLASS J/ 250mm X 200mm X 9M
 CLASS J/ 250mm X 200mm X 12M
 CLASS J/ 350mm X 200mm X 3M
 CLASS J/ 350mm X 200mm X 6M

CLASS J/ 350mm X 200mm X 9M CLASS J/ 350mm X 200mm X 12M CLASS J/ 400mm X 200mm X 3M CLASS J/ 400mm X 200mm X 6M CLASS J/ 400mm X 200mm X 9M CLASS J/ 400mm X 200mm X 12M CLASS J/ 450mm X 200mm X 6M CLASS J/ 450mm X 200mm X 12M		
---	--	--

METRIC CONCRETE INDUSTRIES SDN BHD

No. PPS : 1170324PK0176
No. CERT : A003937

PT2645-PT2648, TUNGZEN INDUSTRIAL PARK, MUKIM SUNGAI RAYA, KAMPUNG KEPAYANG 31300 BATU GAJAH PERAK	TEL : 0165508316 FAX : 053575657
---	-------------------------------------

TARIKH MULA	13-05-2019	TARIKH TAMAT	12-05-2020
JENIS / SAIZ	JENAMA	STANDARD	
Small Precast Reinforced Concrete Square Piles 150MM x 150MM X 6M RCS-1 150MM x 150MM X 6M RCS-2 200MM X 200MM X 6M PCS-2	METRIC	MS 1314:PART 6:2004	
Precast Prestressed Concrete Square Piles 125MM X 125MM X 6M PCS-1	METRIC	MS 1314:PART 5:2004	
Precast Reinforced Concrete Square Piles CLASS J 200MM X 200MM, 250MM X 250MM CLASS M 250MM X 250MM, 300MM X 300MM CLASS S 300MM X 300MM, 200MM X 200MM	METRIC	MS 1314:PART 3:2004	

OKA CONCRETE INDUSTRIES SDN BHD

No. PPS : 1160204PK0099
No. CERT : A003920

NO. 6, LEBUHRAYA CHATEAU, OFF PERSIARAN KAMPAR IPOH, PERAK. 30250 KINTA PERAK	TEL : 052563408 FAX : 052563408
--	------------------------------------

TARIKH MULA	07-12-2018	TARIKH TAMAT	06-12-2019
JENIS / SAIZ	JENAMA	STANDARD	
Precast Reinforced Concrete Square Piles RC PILES CLASS S : 200MM X 200MM X 3M, 200MM X 200MM X 6M, 200MM X 200MM X 9M, 250MM X 250MM X 3M 250MM X 250MM X 6M, 250MM X 250MM X 9M RC PILES CLASS S : 300MM X 300MM X 3M, 300MM X 300MM X 6M, 300MM X 300MM X 9M, 300MM X 300MM X 12M RC PILES CLASS J : 200MM X 200MM X 3M, 200MM X 200MM X 6M, 200MM X 200MM X 9M, 250MM X 250MM X 6M, 250MM X 250MM X 12M, 300MM X 300MM X 6M, 300MM X 300MM X 12M PRECAST REINFORCED CONCRETE PILES - CLASS 1 : 200MMX200MM, 250MMX250MM, 300MMX300MM & 350MMX350MM;	OKA	MS 1314:PART 3:2004	
Small Precast Reinforced Concrete Square Piles RC PILES CLASS RCS - 1 : 150MM X 150MM X 3M, 150MM X 150MM X 6M, 175MM X 175MM X 3M,	OKA	MS 1314:PART 6:2004	

175MM X 175MM X 6M PRECAST REINFORCED CONCRETE PILES (SMALL SIZE) : 150MM X 150MM X 3M, 150MM X 150MM X 4.5M		
Precast Prestressed Concrete Square Piles PC PILES CLASS PCS - 1 : 125MM X 125MM X 3M, 125MM X 125MM X 6M	OKA	MS 1314:PART 5:2004

PBJ CONCRETE SDN BHD

No. PPS : 1170221SB0169
No. CERT : A001709

MILE.4, EASTERN ROAD
91000 SABAH (CAWANGAN TAWAU)

TEL : 01131652488
FAX : 089763612

TARIKH MULA	22-03-2019	TARIKH TAMAT	21-03-2020
JENIS / SAIZ		JENAMA	STANDARD
Small Precast Reinforced Concrete Square Piles CLASS RCS-1		COMPANY ID = PBJ CONCRETE SDN BHD	MS 1314:PART 6:2004
Precast Reinforced Concrete Square Piles CLASS S		COMPANY ID = PBJ CONCRETE SDN BHD	MS 1314:PART 3:2004

PERUSAHAAN KONKRIT MERDEKA SDN BHD

No. PPS : 1160523PP0123
No. CERT : A002800

LOT 710, MUKIM 13, JALAN TOK KANGAR, JURU
14100 SEBERANG PERAI TENGAH PULAU PINANG

TEL : 045088998
FAX : 045088209

TARIKH MULA	25-09-2018	TARIKH TAMAT	24-09-2019
JENIS / SAIZ		JENAMA	STANDARD
Small Precast Reinforced Concrete Square Piles RCS-1/ 150MM X 150MM X 6M RCS-1/ 150MM X 150MM X 3M RCS-1/ 175MM X 175MM X 3M RCS-1/ 175MM X 175MM X 6M		PKM	MS 1314:PART 6:2004
Precast Reinforced Concrete Square Piles CLASS S / 200MM X 200MM, 300MM X 300MM 225MM X 225MM, 250MM X 250MM 275MM X 275MM, 350MM X 350MM 375MM X 375MM, 400MM X 400MM 450MM X 450MM		PKM	MS 1314:PART 3:2004

PMW CONCRETE INDUSTRIES SDN BHD

No. PPS : 1160712PK0137
No. CERT : A001295

LOT 133077, JALAN LAHAT, BUKIT MERAH INDUSTRIAL ESTATE LAHAT, PERAK.
31500 IPOH PERAK

TEL : 05-3219022
FAX : 05-3218070

TARIKH MULA	20-07-2018	TARIKH TAMAT	19-07-2019
JENIS / SAIZ		JENAMA	STANDARD
Precast Pretensioned Spun Concrete Piles 250MM X 250MM X 6M		PMW	MS 1314:PART 4:2004

300MM X 300MM X 6M 300MM X 300MM X 12M		
---	--	--

SCIB CONCRETE MANUFACTURING SDN BHD

No. PPS : 1170612SR0196
No. CERT : A004177

LOT 1258, JALAN UTAMA, PENDING INDUSTRIAL ESTATE, KUCHING, 93450 SARAWAK	TEL : 082-334485 FAX : 082-334406
---	--------------------------------------

TARIKH MULA	24-04-2019	TARIKH TAMAT	23-04-2020
JENIS / SAIZ		JENAMA	STANDARD
Precast Reinforced Concrete Square Piles CLASS J / 200MM X 200MM X 3M CLASS J / 200MM X 200MM X 6M CLASS J / 250MM X 250MM X 6M CLASS J / 250MM X 250MM X 12M		SCIB	MS 1314:PART 3:2004
Small Precast Reinforced Concrete Square Piles CLASS RCS-1 / 150MM X 150MM X 3M CLASS RCS-1 / 150MM X 150MM X 6M CLASS RCS-1 / 175MM X 175MM X 3M CLASS RCS-1 / 175MM X 175MM X 6M		SCIB	MS 1314:PART 6:2004
Precast Pretensioned Spun Concrete Piles CLASS B / OUTSIDE DIAMETER 250MM (LENGTH: 6M, 9M, 12M) DIAMETER 300MM (LENGTH: 6M, 9M, 12M)		SCIB	MS 1314:PART 4:2004

SEDCO PRECAST SDN BHD

No. PPS : 1170614SB0198
No. CERT : A001625

7TH KM, TUARAN-KOTA BELUD HIGHWAY KG. KINDU, P.O.BOX 405 89208 TUARAN SABAH	TEL : 088-791326 FAX : 088-794327
--	--------------------------------------

TARIKH MULA	09-07-2018	TARIKH TAMAT	08-07-2019
JENIS / SAIZ		JENAMA	STANDARD
Precast Reinforced Concrete Square Piles 200mm x 200mm x 3m, 6m 250mm x 250mm x 3m, 6m, 9m, 12m; 300mm x 300mm x 3m, 6m, 9m, 12m		Sedco Precast	MS 1314:PART 3:2004
Precast Reinforced Concrete Square Piles 150mm X 150mm X 3m, 6m		Sedco Precast	MS 1314:PART 6:2004

SEJATI KONKRIT SDN BHD

No. PPS : 1161104SL0149
No. CERT : A002112

LOT 2111, 2112, BATU 2 1/4, JALAN BANGI LAMA, SEMENYIH 43500 KAJANG SELANGOR	TEL : 03-87230641 FAX : 03-87230737
---	--

TARIKH MULA	10-10-2018	TARIKH TAMAT	09-10-2019
JENIS / SAIZ		JENAMA	STANDARD
Precast Reinforced Concrete Square Piles 200MM X 200MM, 250MM X 250MM, 300MM X 300MM, 350MM X 350MM, 400MM X 400MM		Class S - Sejati Pile	MS 1314:PART 3:2004

SEJATI KONKRIT SDN BHD

No. PPS : 1170531JH0188
 No. CERT : A 002889

LOT 309, LOT 2149, JALAN SEELONG, KAMPUNG BARU,
 81410 SENAI JOHOR

TEL : 07-5993359
 FAX : 07-5993935

TARIKH MULA

31-07-2018

TARIKH TAMAT

30-07-2019

JENIS / SAIZ

JENAMA

STANDARD

Precast Reinforced Concrete Square Piles
 200MM X 200MM, 250MM X 250MM, 300MM X 300MM,
 350MM X 350MM, 400MM X 400MM

CLASS S - SEJATI PILE

MS 1314:PART 3:2004

SUNWAY SPUN PILE (M) SDN BHD

No. PPS : 1170606SL0190
 No. CERT : A002082

LOT NO.10071, MUKIM BATANG KALI, 44300 DAERAH HULU SELANGOR
 SELANGOR DARUL EHSAN. 44300 SELANGOR

TEL : 07-5993359
 FAX : 07-5993935

TARIKH MULA

07-06-2018

TARIKH TAMAT

06-06-2019

JENIS / SAIZ

JENAMA

STANDARD

Precast Pretensioned Spun Concrete Piles
 300MM, 350MM, 400MM, 450MM, 500MM, 600MM, CLASS B

SUNWAY

MS 1314:PART 4:2004

SUPER PILES SDN BHD

No. PPS : 1150921JH0041
 No. CERT : A004080

LOT 11481 3 1/2 MILES JALAN MINYAK BEKU
 83030 BATU PAHAT JOHOR

TEL : 07-431 3559/07-
 434
 FAX : 07-431 5368

TARIKH MULA

10-12-2018

TARIKH TAMAT

09-12-2019

JENIS / SAIZ

JENAMA

STANDARD

Precast Prestressed Concrete Square Piles
 PCS-1/ 150MM X 150MM X 3M
 PCS-1/ 150MM X 150MM X 6M
 PCS-2/ 200MM X 200MM X 3M
 PCS-2/ 200MM X 200MM X 6M

SUPER PILES

MS 1314:PART 5:2004

WINABUMI SDN BHD

No. PPS : 1160930SB0145
 No. CERT : A004080

LOT 5,6 &7,LORONG 2A-1,KKIP TIMUR INDUSTRIAL ZONE 12 KOTA KINABALU
 INDUSTRIAL PARK 88460 KOTA KINABALU SABAH

TEL : 088-381 489
 FAX : 088-381 469

TARIKH MULA

02-10-2018

TARIKH TAMAT

01-10-2019

JENIS / SAIZ

JENAMA

STANDARD

Precast Pretensioned Spun Concrete Piles
 Class B
 500mm, 250mm, 300mm, 450mm, 600mm x 12M, 9M, 6M

WB

MS 1314:PART 4:2004

ALLIANCE PRECAST INDUSTRIES SDN BHD

No. PPS : 1170606SL0191
No. CERT : A002102

LOT 309, LOT 2149, JALAN SEELONG, KAMPUNG BARU,
81410 SENAI JOHOR

TEL : 03-60284088
FAX : 03-6028 4018

TARIKH MULA	31-07-2018	TARIKH TAMAT	30-07-2019
JENIS / SAIZ		JENAMA	STANDARD
Precast Concrete Pipes With Flexible Joints For Drainage And Sewerage And Precast Concrete Manholes (Heavy Duty) REINFORCED- CLASS L,M,H - DN 300, 375, 450, 600, 750, 900, 1050,1200,1350,1500,1650,1800		PIPEPLUS	MS 881:PART 1:1991
MANHOLE(CHAMBER RING) - HEAVY DUTY : DN 1220 X 600, DN 1220 X 1200, DN 1220 X 1500, DN 1524 X 600, DN 1524 X 1200, DN 1524 X 1500, DN 1830 X 600, DN 1830 X 1200, DN 1830 X 1500			
MANHOLE (TAPER TOP) - HEAVY DUTY : DN915 X DN1220 X 600 , DN915 X DN1220 X 1200, DN915 X DN1220 X 1500, DN915 X DN1524 X 600, DN915 X DN1524 X 1200, DN915 X DN1524 X 1500, DN915 X DN1830 X 600, DN915 X DN1830 X 1200, DN915 X DN1830 X 1500 MM			

E-RETE (MALAYA) SDN BHD

No. PPS : 1181002PK0308
No. CERT : A001299

LOT 20374-76, JALAN IPOH/CHEMOR,
BATU 9, IPOH 31200 PERAK

TEL : 605-2017069
FAX : 605-2017068

TARIKH MULA	02-10-2018	TARIKH TAMAT	01-10-2019
JENIS / SAIZ		JENAMA	STANDARD
Precast Concrete Pipes With Ogee Joints REINFORCED 1) LAND DRAINAGE 2) SEWERAGE CLASS – L, M, H NOMINAL DIAMETER (MM): 300, 375, 450, 525, 600, 750, 900, 1050, 1200, 1500		E-RETE M	S 881:PART 3:1991
Precast Concrete Pipes With Flexible Joints For Drainage And Sewerage And Precast Concrete Manholes (Heavy Duty) REINFORCED – CLASS L, M, H NOMINAL SIZE (MM): DN375, 450, 525, 600, 750, 900, 1050, 1200, 1500 (PIPES); DN 1200, 1350, 1500, 1800 (SHALLOW AND DEEP MANHOLES)		E-RETE M	S 881:PART 1:1991

G-CAST CONCRETE SDN BHD

No. PPS : 1180104SL0236
No. CERT : A002155

PLOT 6, JALAN BUNGA AZALEA 1/2, KAWASAN INDUSTRI
BUNGA AZALEA 48200 SERENDAH SELANGOR

TEL : 03-7983 8068
FAX : 03-7982 8068

TARIKH MULA	27-01-2019	TARIKH TAMAT	26-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Precast Concrete Pipes With Flexible Joints For Drainage And Sewerage And Precast Concrete Manholes (Heavy Duty)		G-CAST	MS 881:PART 1:1991

<p>MODEL:PIPES NOMINAL LAND DRAINAGE SIZE(MM): DN450, DN600, DN750,DN900 MODEL: MANHOLES NOMINAL CHAMBER COVER SLAB SIZE(MM): DN 1200, DN 1350, DN 1500, DN 1800 MANHOLES CHAMBER RING NOMINAL SIZE(MM): DN1200 X 600MM, DN1200 X 900MM, DN1200 X 1200MM, DN1200 X 1500MM, DN1350 X 600MM, DN1350 X 900MM, DN1350 X 1200MM, DN1350 X 1500MM, DN1500 X 600MM, DN1500 X 900MM, DN1500 X 1200MM, DN1500 X 1500MM, DN1800 X 600, DN1800 X 900MM, DN1800 X 1200MM, DN1800 X 1500MM MANHOLES TAPER TOP / SIZE(MM): DN 1200 X DN 675 X 600MM, DN 1350 X DN 900 X 900MM, DN 1500 X DN 900 X 900MM, DN 1800 X DN 900 X 900MM REINFORCED-CLASS L,M,H / SEWERAGE (MM), DN 450, DN600, DN 750 , DN 900</p>		
Precast Concrete Pipes With Ogee Joints MODEL: REINFORCED- LAND DRAINAGE SIZE(MM): DN300,375, 450, 600, 750, 900, 1050,1200, 1350, 1500, 1650, 1800 MODEL: REINFORCED -SEWERAGE SIZE(MM): DN300, 375, 450, 600, 750, 900, 1050, 1200, 1350, 1500, 1650, 1800	G-CAST	MS 881:PART 3:1991
Precast Concrete Pipes MODEL:REINFORCED SIZE (MM): DN450, DN525, DN600, DN750, DN900, DN1050, DN1200, DN1350, DN1500,DN1650, DN1800, DN2100	G-CAST	BS 5911-1:2002

GSG CONCRETE INDUSTRIES (M) SDN BHD

No. PPS : 1170621JH0201
No. CERT : A 002882

BT 6 3/4, JALAN BESAR SUNGAI MATI SUNGAI MATI
84400 LEDANG JOHOR

TEL : 69753399
FAX : 69752836

TARIKH MULA	21-06-2018	TARIKH TAMAT	20-06-2019
JENIS / SAIZ	JENAMA	STANDARD	
Precast Concrete Pipes With Ogee Joints 600MM, 750MM, 900MM, 1050MM, 1200MM, 1350MM, 1500MM, 1650MM, 1800MM	GSG	MS 881:PART 3:1991	
Precast Reinforced Concrete Small Box Culverts 600MM x 450MM, 600MM x 600MM, 750MM x 450MM, 750MM x 600MM,750MM x 750MM, 900MM x 450MM, 900MM x 600MM, 900MM x 750MM, 900MM x 900MM,1200 MM x 600MM, 1200MM x 750MM, 1200MM x 900MM, 1200MM x 1050MM, 1200MM x 1200MM, 1500MM x 600MM, 1500MM x 750MM,1500MM x 900MM,1500MM 1050MM, 1500MM x 1200MM,1500MM x1350MM,1500MM x 1500MM, 1800MM x 750MM, 1800MM x 900MM, 1800MM x 1050MM, 1800MM x 1200MM,1800MM x 1350MM,1800MMx 1500MM, 1800MM x 1650MM, 1800MM x 1800MM	GSG	MS 1293:PT.1:1992	
600MM x 450MM, 600MM x 600MM, 900MM x 450MM, 900MM x 600MM, 900MM x 750MM, 900MM x 900MM, 1200MM x 600MM, 1200MM x 750MM, 1200MM x 900MM, 1200MM x 1050MM,1200MMx1200MM, 1500MM x 600MM, 1500MM x 750MM, 1500MM x 900MM, 1500MM x 1050MM, 1500MM x 1200MM, 1500MM x 1350MM,1500MM x 1500MM,			

1800MM x 750MM, 1800MM x 900MM, 1800MM x 1050MM,
 1800MM x 1200MM, 1800MM x 1350MM, 1800MM x
 1500MM, 1800MM x 1650MM, 1800MM x 1800MM

OKA CONCRETE INDUSTRIES SDN BHD

No. PPS : 1160204PK0099
 No. CERT : A003920

NO. 6, LEBUHRAYA CHATEAU, OFF PERSIARAN KAMPAR IPOH, PERAK.
 30250 KINTA PERAK

TEL : 052563408
 FAX :

TARIKH MULA	07-12-2018	TARIKH TAMAT	06-12-2019
JENIS / SAIZ		JENAMA	STANDARD
Precast Concrete Pipes With Flexible Joints For Drainage And Sewerage And Precast Concrete Manholes (Heavy Duty) PIPS REINFORCED LAND DRAINAGE NOMINAL SIZE (MM): DN 300, DN 375, DN 450, DN 525, DN 600, DN 675, DN 750, DN 900, DN 1050, DN 1200, DN 1350, DN 1500, DN1650, DN 1800		OKA	MS 881:PART 1:1991
PIPS REINFORCED CLASS L,M,H SEWERAGE NOMINAL SIZE (MM): DN 300, DN 375, DN 450, DN 525, DN 600, DN 675, DN 750, DN 900, DN 1050, DN 1200, DN 1350, DN 1500, DN 1650, DN 1800			
MANHOLES CHAMBER RING - HEAVY DUTY DEEP OR/AND SHALLOW MANHOLES NOMINAL SIZE (MM): DN 900 X 600, DN 900 X 900, DN 900 X 1200, DN 900 X 1500, DN 1050 X 600, DN 1050 X 900, DN 1050 X 1200, DN 1050 X 1500, DN1200 X 600, DN 1200 X 900, DN1200 X 1200, DN 1200 X 1500, DN 1350 X 600, DN 1350 X 900, DN 1350 X 1200, DN 1350 X 1500, DN 1500 X 600, DN 1500 X 900, DN 1500 X 1200, DN 1500 X 1500, DN 1800 X 600, DN 1800 X 900, DN 1800			
MANHOLES CHAMBER COVER SLAB. HEAVY DUTY DEEP OR/AND SHALLOW MANHOLES NOMINAL SIZE (MM): DN 900, DN 1050, DN1200, DN 1350, DN 1500, DN 1800, DN 2100, DN 2400, DN2700, DN 3000, DN 2500			
MANHOLES CHAMBER RING - HEAVY DUTY NOMINAL SIZE (MM) : DN 2100 X 1000MM, DN 2400 x 1000MM, DN 2700 X 1000MM, DN 3000 X 1000MM, DN 2500 X 1000MM			
Precast Concrete Pipes With Ogee Joints PIPS LAND DRAINAGE & SEWERAGE CLASS L, M, H : NOMINAL SIZE (DN) : 300, 375, 450, 525, 600, 675, 750, 825, 900, 975, 1050, 1125, 1200, 1350, 1500, 1650, 1800 MM		OKA	MS 881:PART 3:1991

ADVANCED TECHNICAL LAMINATES MANUFACTURING SDN BHD

No. PPS : 1140408SL0001
No. CERT : A002185

LOT 56 & 57, JALAN INDUSTRI 2/2, TAMAN INDUSTRI INTEGRASI RAWANG,
48000 GOMBAK SELANGOR

TEL : 0360933282
FAX : 0360931282

TARIKH MULA	03-05-2019	TARIKH TAMAT	02-05-2020
JENIS / SAIZ		JENAMA	STANDARD
Woven Base Type FILM BASE VELTISUN LIGHT NOMINAL GRAMMAGE: 350 ± 50 KG/M2, NOMINAL THICKNESS : 0.38MM		CAMEL, RADENSHIELD, PARSDEX, BISON, VS, THERMACOOL BUBBLES, UNIFOIL, THERMAFOIL, FiX-FAS, DYNASPEC	MS 2095:2014
FILM BASE VELTISUN HEAVYDUTY NOMINAL GRAMMAGE: 574 ± 50KG/M2 NOMINAL THICKNESS:0.56MM			
PAPER BASE FR450 6L NOMINAL GRAMMANGE: 160 ±10 KG/M2 NOMINAL THICKNESS: 0.20MM			
WOVEN BASE W228AM FR NOMINAL GRAMMANGE: 150 ± 40KG/M2 NOMINAL THICKNESS : 0.20MM			
WOVEN BASE W118A FR(L) NOMINAL GRAMMANGE: 130 ± 20KG/M2 NOMINAL THICKNESS : 0.15MM			
WOVEN BASE W118FR NOMINAL GRAMMANGE: 155 ± 10KG/M2 NOMINAL THICKNESS: 0.16MM			
WOVEN BASE W228AA FR NOMINAL GRAMMANGE: 150 ± 40KG/M2 NOMINAL THICKNESS: 0.16MM			
FILM BASE SUPER FOIL NOMINAL GRAMMAGE: 287 ± 50KG/M2 NOMINAL THICKNESS: 0.18MM			
Reflective Insulation BUBBLE BASE B228AAFR-10MM NOMINAL GRAMMAGE:240 ± 20 G/M2 NOMINAL THICKNESS: 3.0MM			
BUBBLE BASE SB228AA-20MM NOMINAL GRAMMANGE: 315 ±50 KG/M2 NOMINAL THICKNESS: 4.8MM			
FOAM BASE SUPER FOAM NOMINAL GRAMMANGE: 440 ±20 G/M2 NOMINAL THICKNESS:6.3MM			
FOAM BASE SUPER R -20MM FR NOMINAL GRAMMAGE : 670G/M2 NOMINAL THICKNESS : 20MM			
FOAM BASE SUPER R -10MM FR NOMINAL GRAMMAGE : 670G/M2 NOMINAL THICKNESS : 11MM			
BUBBLE BASE SBW228FR-20MM NOMINAL GRAMMAGE: 400G/M2 NOMINAL THICKNESS: 5.8MM			

ASSOCIATED AIR-PAK INDUSTRIES SDN BHD

No. PPS : 1181017PK0314
No. CERT : A003928

9, PERSIARAN RISHAH 9 KAWASAN PERINDUSTRIAN SILIBIN IPOH
30100 PERAK

TEL : 6055262122
FAX : 6055275476

TARIKH MULA	17-10-2018	TARIKH TAMAT	16-10-2019
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Reflective Insulation HS 2550 Nominal Thickness 3.5mm	XINFRAZ - HEAT SHIELD	MS 2095:2014
Reflective Insulation HS2550 NOMINAL THICKNESS 3.5mm	XINFRAZ-HEAT SHIELD QTE	MS 2095:2014

FOIL LAMINATE INDUSTRIES SDN BHD

No. PPS : 1140724PP0008
No. CERT : A002798

1139 LORONG PERINDUSTRIAN BUKIT MINYAK 11, TAMAN PERINDUSTRIAN BUKIT MINYAK,
SIMPANG AMPAT 14100 SEBERANG PERAI TENGAH PULAU PINANG

TEL : +604-5011999
FAX : +604-5011991

TARIKH MULA	30-09-2018	TARIKH TAMAT	29-09-2019
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Woven Foil MATT-FOIL MF2-FR	WHALE, ELSIE	MS 2095:2014
Paper Foil TAC-FOIL; TAC-880BS		
Reflective Insulation- Foam ACOUSTIC THERMAL FOIL; ATF2FR		
Woven Foil MATT-FOIL; MF1-FR; MATT-FOIL; MF2-CLASS '0'; Bubble Base Type AIR-TAC BUBBLE FOIL: BB238FR-10 AIR-TAC BUBBLE FOIL; BBS2FR-25	WHALE, KOOL INSULATION, ELSIE	MS 2095:2014
Paper Foil TAC-FOIL; TAC-828FR CLASS '0'	WHALE, KOOL INSULATION	MS 2095:2014
Paper Foil WHALE ULTRA-FOIL; FGM88-FR CLASS '0'	WHALE	MS 2095:2014
Woven And Bubble Base AIR-TAC BUBBLE FOIL BW2FR-10		
Bubble Base Type BF-FOIL; BFB2FR CLASS '0'		
Reflective Insulation- Foam ACOUSTIC THERMAL FOIL; ATF1FR		
Polymer Base Type BRITE-FOIL; BF2-FR, BRITE-PLUS; BP2FR-TS		

HYPAK SDN BHD

No. PPS : 1180213ML0250
 No. CERT : A001175

LOT 24, JALAN USAHA 8 AIR KEROH INDUSTRIAL ESTATE
 75450 MELAKA

TEL : 06 - 232 7822
 FAX : 06 - 232 5086

TARIKH MULA

13-02-2019

TARIKH TAMAT

12-02-2020

JENIS / SAIZ

JENAMA

STANDARD

Woven Foil
 FRAM2 1.25mt x 48 mt
 LFRAM2 1.25mt x 48mt
 FRAL1 1.25mt x 48mt

SEASONS SHIELD / COOLMAX

MS 2095:2014

K FOIL INSULATION (MALAYSIA) SDN BHD

No. PPS : 1170529PP0186
 No. CERT : A002822

9, KILANG BERKEMBAR, LORONG IKS BUKIT MINYAK PERDA FASA 2,
 BUKIT MERTAJAM SEBERANG PERAI TENGAH 14000 PULAU PINANG

TEL : 604-5024898
 FAX : 604-5076306

TARIKH MULA

29-05-2019

TARIKH TAMAT

28-05-2020

JENIS / SAIZ

JENAMA

STANDARD

Woven Base Type
 MS AWA K750 / GRAMMAGE 140 G/M2
 RATING: FIRE PROPAGATION INDEX, I: 8.0
 SURFACE SPREAD OF FLAME: CLASS ONE
 LIGHT DUTY; MEDIUM VAPOUR BARRIER;
 REFLECTIVE EMITTANCE
 THERMAL RESISTANCE: 1.212 M2K/W

KFOIL, COOLMAX

MS 2095:2014

Paper Foil
 Paper Foil Type / MS APRA / Grammage 170 g/m2
 Rating: Fire propagation index, I:2.5
 Surface spread of flame: Class One
 Extra Light Duty; Medium vapour barrier
 Double sided reflective emittance:
 High surface water absorbency
 Thermal resistance: 2.102 m2K/w

SAN MIGUEL YAMAMURA WOVEN PRODUCTS SDN BHD

No. PPS : 1140425ML0002
 No. CERT : A001177

LOTS 9 & 10, JALAN USAHA 4, AYER KEROH INDUSTRIAL ESTATE,
 75450 AYER KEROH MELAKA

TEL : +606 2323898
 FAX : +606 2321437

TARIKH MULA

20-02-2019

TARIKH TAMAT

19-02-2020

JENIS / SAIZ

JENAMA

STANDARD

Woven Foil
 WF302B; FR2-AL/MPET
 NOMINAL GRAMMAGE: 155G/M2
 WF301; FR1-AL
 NOMINAL GRAMMAGE: 118G/M2

ENVIRO-TUFF TM, DUOFOIL

MS 2095:2014

WF302A; FR2-AL/AL NOMINAL GRAMMAGE: 163G/M2		
L302; VENO FOIL NOMINAL GRAMMAGE: 113G/M2		
L302P; VENO FOIL NOMINAL GRAMMAGE: 114g/M2		
Reflective Insulation S302 / NOMINAL GRAMMAGE 300G/M2		
S302A NOMINAL GRAMMAGE 293G/M2		
G302 NOMINAL GRAMMAGE 345G/M2		
G302A NOMINAL GRAMMAGE 361G/M2		
XFW301A-5 NOMINAL GRAMMAGE 270G/M2		
XFW301A-8 NOMINAL GRAMMAGE 430G/M2		
G302A1 NOMINAL GRAMMAGE 350G/M2		
G302B NOMINAL GRAMMAGE 340G/M2		
S302B NOMINAL GRAMMAGE 280G/M2		
S302A1 NOMINAL GRAMMAGE 300G/M2		
BFB 302 NOMINAL GRAMMAGE 475G/M2		
Paper Foil P302 ; NOMINAL GRAMMAGE: 153G/M2		

TROCELLEN S.E.A. SDN BHD

No. PPS : 1170822SL0212
No. CERT : A002097

LOT 2213, KEBUN BARU, BATU 9, JALAN KASAWARI
42500 KUALA LANGAT SELANGOR

TEL : 0331221213
FAX : 0331221211

TARIKH MULA	22-08-2018	TARIKH TAMAT	21-08-2019
JENIS / SAIZ		JENAMA	STANDARD
Reflective Insulation Foam density: 25kg/m3 Model: W3CF4 + ALU-S Thickness: 6mm - 30mm		Trocellen Pro	MS 2095:2014
Foam density: 33kg/m3 Model: NF4 + ALU-S Thickness: 5mm - 12mm			

YH LAMINATED PRODUCTS SDN BHD

No. PPS : 1160504ML0121
 No. CERT : A001176

LOT 2995,JALAN PK 11, KAWASAN PERINDUSTRIAN KRUBONG,
 75250 MELAKA TENGAH MELAKA

TEL : 06-3372170
 FAX : 06-3357199

TARIKH MULA

27-06-2018

TARIKH TAMAT

26-06-2019

JENIS / SAIZ	JENAMA	STANDARD
Woven Foil SN3-FR / 126 g/m ² ; Thickness : 0.17mm SN2-FR / 100 g/m ² ; Thickness : 0.3mm Bubble Base Type SB250 / 250 g/m ² ; Thickness : 3.8 mm SB200-FR/ 200g/m ² ; Thickness: 4.0 m SB400-FR+ / 380 g/m ² ; Thickness : 9.0 mm	SUNFOIL	MS 2095:2014
Woven Foil SN3-FR / 126g/m ² ; Thickness : 0.17mm SN2-FR / 100 g/m ² ; Thickness : 0.3mm Paper Foil PA2-FR / 195 g/m ; Thickness : 0.25mm Bubble Base Type SB250 / 250 g/m ² ; Thickness : 3.8mm SB200-FR/ 200 g/m ² ; Thickness: 4.0 mm SN3-FR+ / 250 g/m ² ; Thickness : 2.0 mm SB400-FR+ / 380 g/m ² ; Thickness : 9.0 mm	ELSIE	MS 2095:2014

HANSON BUILDING MATERIALS MALAYSIA S/B

No. PPS : 1171205WP0230
No. CERT : A001007

SG BESI PLANT LOT 110, 163 DAN 166, JALAN 3/89B,
OFF JALAN SUNGAI BESI, 57100 WILAYAH PERSEKUTUAN

TEL : +60392228927
FAX : +60392220654

TARIKH MULA	17-01-2019	TARIKH TAMAT	16-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Ready Mix Concrete 2020NGN, 2520NGN, 3020NGN, 3520NGN, 4020NGN		NIL	MS EN 206:2016

KTK CONCRETE SDN BHD

No. PPS : 1181127KD0327
No. CERT : A 001375

LOT 77, LORONG PERUSAHAAN 5, KULIM INDUSTRIAL ESTATE,
09000 KULIM, KEDAH

TEL : 016-4191960
FAX : 04-7352217

TARIKH MULA	27-11-2018	TARIKH TAMAT	26-11-2019
JENIS / SAIZ		JENAMA	STANDARD
Ready Mix Concrete Desgined Concrete (Consistence Class:S2); C16/20 (Normal) ; 0.66(Max,W/C), 365 KG (Min.Cement Content)		KTK CONCRETE SDN BHD	MS EN 206:2016 CIS 21:2016
Desgined Concrete C20/25 (Normal) ; 0.59(Max,W/C), 295 KG (Min.Cement Content)			
Desgined Concrete C25/30 (Normal) ; 0.54(Max,W/C), 325 KG (Min.Cement Content)			
Desgined Concrete C30/37 (Normal) ; 0.48(Max,W/C) 355 KG (Min.Cement Content)			

LAFARGE CONCRETE (M) SDN BHD - KL PLANT

No. PPS : 1180312WP0257
No. CERT : A001009

LOT 310, SEKSYEN 92 PN 46797 JALAN EMPAT OFF JALAN CHAN SOW LIN
51100 KUALA LUMPUR WILAYAH PERSEKUTUAN

TEL : 0377872000
FAX : 0377872129

TARIKH MULA	29-03-2019	TARIKH TAMAT	28-03-2020
JENIS / SAIZ		JENAMA	STANDARD
Ready Mix Concrete 30N, 25N		LAFARGE	MS 523:PART 1:2005

LAFARGE CONCRETE (M) SDN BHD - PJ PLANT

No. PPS : 1180423SL0262
 No. CERT : A002182

NO.2 , JALAN KILANG 46050 PETALING JAYA
 SELANGOR

TEL : 016-6623526
 FAX :

TARIKH MULA

23-04-2019

TARIKH TAMAT

22-04-2020

JENIS / SAIZ

JENAMA

STANDARD

Ready Mix Concrete
 PRODUCER'S CONCRETE CODE : 25N
 STRENGTH CLASS : C20/25

LAFARGE

MS 523:
 PART 1:2005,
 CIS 21:2016

PRODUCER'S CONCRETE CODE : 30N
 STRENGTH CLASS : C25/30

TARIKH MULA

03-01-2019

TARIKH TAMAT

02-01-2020

JENIS / SAIZ

JENAMA

STANDARD

Ready Mix Concrete
 ME20N/001, ME25N/001, ME30N/001, ME35N/001

LY Concrete
 Products Sdn Bhd

MS EN 206:2016,
 CIS 21:2016

MACRO DIMENSION CONCRETE SDN BHD

No. PPS : 1181221WP0333
 No. CERT : A001006

LOT 296, JLN DUA, OFF JLN CHAN SOW LIN
 55200 WILAYAH PERSEKUTUAN

TEL : 03-61423418
 FAX : 03-61423461

TARIKH MULA

21-12-2018

TARIKH TAMAT

20-12-2019

JENIS / SAIZ

JENAMA

STANDARD

Ready Mix Concrete
 S3-S5

MDC

CIS 21:2016,
 MS EN 206:2016

MACRO DIMENSION CONCRETE SDN BHD

No. PPS : 1190513PP0363
 No. CERT : A002823

LOT 169, MUKIM 12, DAERAH BARAT DAYA
 BATU MAUNG 11960 PULAU PINANG

TEL : 03-61423418
 FAX : 03-61423461

TARIKH MULA

13-05-2019

TARIKH TAMAT

12-05-2020

JENIS / SAIZ

JENAMA

STANDARD

Ready Mix Concrete
 CODE: G25N3BG

MDC

MS EN 206:2016,
 CIS 21:2016

TYPE : DESIGNED CONCRETE STRENGTH CLASS : C20/25		
---	--	--

PARAGON CONCRETE SDN BHD

No. PPS : 1181226SR0334
No. CERT : A001690

LOT 1437, BLOCK 224 4 1/2 MILE, JALAN BATU KAWA KUCHING 93250 SARAWAK	TEL : 082682866 FAX : 082683866							
TARIKH MULA : 26-12-2018	TARIKH TAMAT : 25-12-2019							
<table border="1"> <thead> <tr> <th>JENIS / SAIZ</th> <th>JENAMA</th> <th>STANDARD</th> </tr> </thead> <tbody> <tr> <td>Ready Mix Concrete C30 CLASS S3, C35 CLASS S3, C45 CLASS S4</td> <td>PARAGON CONCRETE</td> <td>MS EN 206:2016,CIS 21:2016</td> </tr> </tbody> </table>			JENIS / SAIZ	JENAMA	STANDARD	Ready Mix Concrete C30 CLASS S3, C35 CLASS S3, C45 CLASS S4	PARAGON CONCRETE	MS EN 206:2016,CIS 21:2016
JENIS / SAIZ	JENAMA	STANDARD						
Ready Mix Concrete C30 CLASS S3, C35 CLASS S3, C45 CLASS S4	PARAGON CONCRETE	MS EN 206:2016,CIS 21:2016						

PERFECT MIX PORTFOLIO SDN BHD (NUSAJAYA PLANT)

No. PPS : 1170809JH0208
No. CERT : A 004082

PTD 141091, MUKIM PULAI, NUSAJAYA, 79250 JOHOR	TEL : 07-333 8899 FAX : 07-333 8988						
TARIKH MULA : 09-12-2018	TARIKH TAMAT : 08-12-2019						
<table border="1"> <thead> <tr> <th>JENIS / SAIZ</th> <th>JENAMA</th> <th>STANDARD</th> </tr> </thead> <tbody> <tr> <td>Ready Mix Concrete G35N, G35P</td> <td>Perfect Mix</td> <td>MS 523: PART 1:2005, CIS 21:2016</td> </tr> </tbody> </table>		JENIS / SAIZ	JENAMA	STANDARD	Ready Mix Concrete G35N, G35P	Perfect Mix	MS 523: PART 1:2005, CIS 21:2016
JENIS / SAIZ	JENAMA	STANDARD					
Ready Mix Concrete G35N, G35P	Perfect Mix	MS 523: PART 1:2005, CIS 21:2016					

SETIA READYMIX SDN BHD - BANGSAR PLANT (PLANT IDENTIFICATION: SRSB-14-W-1)

No. PPS : 1180827WP0301
No. CERT : A001004

MAILING SEKSYEN 97, MUKIM KUALA LUMPUR, 40170 KUALA LUMPUR WILAYAH PERSEKUTUAN	TEL : FAX :														
TARIKH MULA : 27-08-2018	TARIKH TAMAT : 26-08-2019														
<table border="1"> <thead> <tr> <th>JENIS / SAIZ</th> <th>JENAMA</th> <th>STANDARD</th> </tr> </thead> <tbody> <tr> <td>Ready Mix Concrete C20/25</td> <td>GRADE 25</td> <td>MS EN 206:2016, CIS 21:2016</td> </tr> <tr> <td>Ready Mix Concrete C25/30</td> <td>GRADE 30</td> <td>MS EN 206:2016, CIS 21:2016</td> </tr> <tr> <td>Ready Mix Concrete C28/35</td> <td>GRADE 35</td> <td>MS EN 206:2016, CIS 21:2016</td> </tr> </tbody> </table>				JENIS / SAIZ	JENAMA	STANDARD	Ready Mix Concrete C20/25	GRADE 25	MS EN 206:2016, CIS 21:2016	Ready Mix Concrete C25/30	GRADE 30	MS EN 206:2016, CIS 21:2016	Ready Mix Concrete C28/35	GRADE 35	MS EN 206:2016, CIS 21:2016
JENIS / SAIZ	JENAMA	STANDARD													
Ready Mix Concrete C20/25	GRADE 25	MS EN 206:2016, CIS 21:2016													
Ready Mix Concrete C25/30	GRADE 30	MS EN 206:2016, CIS 21:2016													
Ready Mix Concrete C28/35	GRADE 35	MS EN 206:2016, CIS 21:2016													

SETIA READYMIX SDN BHD - BERANANG PLANT (PLANT IDENTIFICATION: SRSB-010-D-4)

No. PPS : 1181031SL0319
No. CERT : A002132

LOT 39, MUKIM BERANANG, DAERAH HULU LANGAT,
43700 HULU LANGAT SELANGOR

TEL : 03-33482200
FAX : 03-33482222

TARIKH MULA	31-10-2018	TARIKH TAMAT	30-10-2019
JENIS / SAIZ		JENAMA	STANDARD
Ready Mix Concrete C20/25, C25/30, C28/35		Setia Readymix Sdn Bhd	MS 523: PART 1:2005, CIS 21:2016

SETIA READYMIX SDN BHD - SEMENYIH PLANT (PLANT IDENTIFICATION : SRSB-010-D-3)

No. PPS : 1181031SL0318
No. CERT : A002131

LOT PT 33987 (RIZAB KUBUR), MUKIM SEMENYIH,
DAERAH HULU LANGAT 43500 HULU LANGAT SELANGOR

TEL :
FAX :

TARIKH MULA	31-10-2018	TARIKH TAMAT	30-10-2019
JENIS / SAIZ		JENAMA	STANDARD
Ready Mix Concrete C20/25, C25/30, C28/35		Setia Readymix Sdn Bhd	CIS 21:2016, MS 523:PART 1:2005

SETIA READYMIX SDN BHD - SETIA ALAM PLANT 1 (PLANT IDENTIFICATION: SRSB-010-D-1)

No. PPS : 1181022SL0316
No. CERT : A002127

LOT PT 32276, PERSIARAN SETIA MAKMUR, SEKSYEN U14, MUKIM BUKIT RAJA,
DAERAH PETALING 40170 PETALING SELANGOR

TEL :
FAX :

TARIKH MULA	22-10-2018	TARIKH TAMAT	21-10-2019
JENIS / SAIZ		JENAMA	STANDARD
Ready Mix Concrete C20/25, C25/30, C28/35		Setia Readymix Sdn Bhd	MS 523: PART 1:2005, CIS 21:2016

SETIA READYMIX SDN BHD - SETIA ALAM PLANT 2 (PLANT IDENTIFICATION: SRSB-010-D-2)

No. PPS : 1181022SL0317
No. CERT : A002128

LOT PT 32276, PERSIARAN SETIA MAKMUR, SEKSYEN U14, MUKIM BUKIT RAJA,
DAERAH PETALING 40170 PETALING SELANGOR

TEL :
FAX :

TARIKH MULA	22-10-2018	TARIKH TAMAT	21-10-2019
JENIS / SAIZ		JENAMA	STANDARD
Ready Mix Concrete C20/25, C25/30, C28/35		Setia Readymix Sdn Bhd	MS 523: PART 1:2005, CIS 21:2016

SPC INDUSTRIES SDN BHD

No. PPS : 1190218JH0347
No. CERT : A004096

21 M/S JALAN PONTIAN ULU CHOH 81150 JOHOR	TEL : 07-6996208 FAX : 07-6994137	
TARIKH MULA 18-02-2019	TARIKH TAMAT 17-02-2020	
JENIS / SAIZ Ready Mix Concrete PRODUCER'S CONCRETE CODE : G50 LDP, G40 PS, G50 HCI	JENAMA SP	STANDARD MS 523: PART 1:2005, CIS 21:2016

STRONG MIXED CONCRETE SDN BHD

No. PPS : 1180806WP0296
No. CERT : A001003

LOT 28, JALAN LIMA, OFF JALAN CHAN SAW LIN KUALA LUMPUR 58000 WILAYAH PERSEKUTUAN	TEL : FAX :	
TARIKH MULA 06-08-2018	TARIKH TAMAT 05-08-2019	
JENIS / SAIZ Ready Mix Concrete C16/20 (NORMAL), MAX W/C 0.61, MIN CEMENT CONTENT 270kg C16/20 (PUMP), MAX W/C 0.60, MIN CEMENT CONTENT 290kg C20/25 (NORMAL), MAX W/C 0.57, MIN CEMENT CONTENT 290kg C20/25 (PUMP), MAX W/C 0.55 MIN CEMENT CONTENT 310kg C25/30 (NORMAL), MAX W/C 0.48, MIN CEMENT CONTENT 330kg C25/30 (PUMP), MAX W/C 0.48, MIN CEMENT CONTENT 330kg C25/30 (TREMIE 1), MAX W/C 0.49, MIN CEMENT CONTENT 340kg C25/30 (TREMIE 2), MAX W/C 0.49, MIN CEMENT CONTENT 350kg C28/35 (NORMAL), MAX W/C 0.46 MIN CEMENT CONTENT 350kg C28/35 (PUMP), MAX W/C 0.46 MIN CEMENT CONTENT 360kg C28/35 (TREMIE 1), MAX W/C 0.45 MIN CEMENT CONTENT 370kg C28/35 (TREMIE 2), MAX W/C 0.45 MIN CEMENT CONTENT 380kg C32/40 (NORMAL), MAX W/C 0.42 MINIMUM CEMENT CONTENT 380kg	JENAMA STRONG MIXED CONCRETE	STANDARD MS EN 206:2016, CIS 21:2016

C32/40 (PUMP), MAX W/C 0.42 MIN CEMENT CONTENT 390kg		
C32/40 (TREMIE 1), MAX W/C 0.41 MINIMUM CEMENT CONTENT 400kg		
C32/40 (TREMIE 2), MAX W/C 0.41 MINIMUM CEMENT CONTENT 410kg		
C35/45 (NORMAL), MAX W/C 0.38 MIN CEMENT CONTENT 420kg		
C35/45 (PUMP), MAX W/C 0.38 MIN CEMENT CONTENT 430kg		
C35/45 (TREMIE 1), MAX W/C 0.38 MIN CEMENT CONTENT 440kg		
C35/45 (TREMIE 2), MAX W/C 0.38 MIN CEMENT CONTENT 450kg		
C40/50 (NORMAL), MAX W/C 0.36 MIN CEMENT CONTENT 440kg		
C40/50 (PUMP), MAX W/C 0.37, MIN CEMENT CONTENT 450kg		
C40/50 (TREMIE 1), MAX W/C 0.36 MIN CEMENT CONTENT 460kg		
C40/50 (TREMIE 2), MAX W/C 0.36 MIN CEMENT CONTENT 470kg		
C40/50 (TREMIE 3), MAX W/C 0.32 MIN CEMENT CONTENT 470kg		
C50/60 (TREMIE 3), MAX W/C 0.31 MIN CEMENT CONTENT 480kg		
C16/20 (NORMAL), MAX W/C 0.65 MIN CEMENT CONTENT 215kg- (OPC) 55kg- (PFA)		
C16/20 (PUMP), MAX W/C 0.64 MIN CEMENT CONTENT 225kg- (OPC) 55kg- (PFA)		
C20/25 (NORMAL), MAX W/C 0.57 MIN CEMENT CONTENT 240kg- (OPC) 60kg- (PFA)		
C20/25 (PUMP), MAX W/C 0.55 MIN CEMENT CONTENT 250kg- (OPC) 60kg- (PFA)		
C25/30 (NORMAL), MAX W/C 0.50, MIN CEMENT CONTENT 270kg- (OPC) 70kg- (PFA)		
C25/30 (PUMP), MAX W/C 0.49, MIN CEMENT CONTENT 280kg- (OPC) 70kg- (PFA)		
C28/35 (NORMAL), MAX W/C 0.46, MIN CEMENT CONTENT 295kg- (OPC) 75kg- (PFA)		
C28/35 (PUMP), MAX W/C 0.45 MIN CEMENT CONTENT 305kg- (OPC) 75kg- (PFA)		
C28/35 (TREMIE 1), MAX W/C 0.45 MIN CEMENT CONTENT 310kg- (OPC) 80kg- (PFA)		
C28/35 (TREMIE 2), MAX W/C 0.44 MIN CEMENT CONTENT 320kg- (OPC) 80kg- (PFA)		

C32/40 (NORMAL), MAX W/C 0.43 MIN CEMENT CONTENT 320kg- (OPC) 80kg- (PFA)		
C32/40 (PUMP), MAX W/C 0.43 MIN CEMENT CONTENT 320kg- (OPC) 80kg- (PFA)		
C32/40 (TREMIE 1), MAX W/C 0.43 MIN CEMENT CONTENT 325kg- (OPC) 85kg- (PFA)		
C32/40 (TREMIE 2), MAX W/C 0.42 MIN CEMENT CONTENT 335kg- (OPC) 85kg- (PFA)		
C35/45 (NORMAL), MAX W/C 0.40 MIN CEMENT CONTENT 340kg- (OPC) 90kg- (PFA)		
C35/45 (PUMP), MAX W/C 0.40 MIN CEMENT CONTENT 340kg- (OPC) 90kg- (PFA)		
C35/45 (TREMIE 1), MAX W/C 0.40 MIN CEMENT CONTENT 350kg- (OPC) 90kg- (PFA)		
C35/45 (TREMIE 2), MAX W/C 0.39 MIN CEMENT CONTENT 360kg- (OPC) 90kg- (PFA)		
C40/50 (NORMAL), MAX W/C 0.36 MIN CEMENT CONTENT 375kg- (OPC) 95kg- (PFA)		
C40/50 (PUMP), MAX W/C 0.35 MIN CEMENT CONTENT 380kg- (OPC) 100kg- (PFA)		
C40/50 (TREMIE 1), MAX W/C 0.36 MIN CEMENT CONTENT 390kg- (OPC) 100kg- (PFA)		
C40/50 (TREMIE 2), MAX W/C 0.35 MIN CEMENT CONTENT 400kg- (OPC) 100kg- (PFA)		
C40/50 (TREMIE 3), MAX W/C 0.30 MIN CEMENT CONTENT 400kg- (OPC) 100kg- (PFA)		
C50/60 (TREMIE 3), MAX W/C 0.28 MIN CEMENT CONTENT 420kg- (OPC) 110kg- (PFA)		

STRONG MIXED CONCRETE SDN BHD

No. PPS : 1181115JH0323
No. CERT : A004081

PTD 152682, MUKIM PULAI JALAN SILC 1, KAWASAN PERINDUSTRIAN SILC
NUSAJAYA 79200 JOHOR

TEL :
FAX :

TARIKH MULA	15-11-2018	TARIKH TAMAT	14-11-2019
JENIS / SAIZ		JENAMA	STANDARD
Ready Mix Concrete C12/15, C16/20, C20/25, C25/30, C40/50, C32/40, C35/45 NORMAL			MS EN 206:2016, CIS 21:2016
C16/20, C20/25, C25/30, C28/35, C32/40, C35/45, C40/50, PUMP			
C25/30, C28/35, C32/40, C35/45, C40/50 TREMIE 1			
C25/30, C28/35, C40/50 TREMIE 2			
C40/50, C50/60 TREMIE 3			

STRONG MIXED CONCRETE SDN BHD

No. PPS : 1181127PP0328
 No. CERT : A002804

LOT A1-2, PARCEL A1 SEKSYEN 8 GEORGETOWN
 11600 PULAU PINANG

TEL :
 FAX :

TARIKH MULA

27-11-2018

TARIKH TAMAT

26-11-2019

JENIS / SAIZ	JENAMA	STANDARD
Ready Mix Concrete C16/20, C20/25, C25/30, C28/35, C32/40, C35/45, C40/50, NORMAL	STRONG MIXED CONCRETE SDN BHD	MS EN 206:2016, MS523-2:2011, MS523-3:2010, CIS 21:2016
C16/20, C20/25, C25/30, C28/35, C32/40, C35/45, C40/50, PUMP		
C25/30, C28/35, C32/40, C35/45, C40/50 TREMIE 1		
C25/30, C28/35, C32/40, C35/45, C40/50 TREMIE 2		
C40/50, C50/60 TREMIE 3		

STRONG MIXED CONCRETE SDN BHD

No. PPS : 1190124WP0345
 No. CERT : A001008

LOT 4719, SEBAHAGIAN LOT 32661, JALAN SEGAMBUT MUKIM BATU
 51200 WILAYAH PERSEKUTUAN

TEL :
 FAX :

TARIKH MULA

24-01-2019

TARIKH TAMAT

23-01-2020

JENIS / SAIZ	JENAMA	STANDARD
Ready Mix Concrete CEM 1	C16/20, C20/25, C25/30, C28/35, C32/40, C28/35, C35/45, C40/50 (NORMAL)	MS EN 206:2016, CIS21:2016, MS523-2:2011, MS523-3:2010
Ready Mix Concrete CEM 1	C16/20, C25/30, C28/35, C32/40, C35/45 C40/50 (PUMP)	MS EN 206:2016, CIS21:2016, MS523-2:2011, MS523-3:2010
Ready Mix Concrete CEM 1	C25/30, C28/35, C32/40, C35/45, C40/50 (TREMIE 1)	MS EN 206:2016, CIS21:2016, MS523-2:2011, MS523-3:2010
Ready Mix Concrete CEM 1	C25/30, C28/35, C32/40, C35/45, C40/50 (TREMIE 2)	MS EN 206:2016, CIS21:2016, MS523-2:2011, MS523-3:2010
Ready Mix Concrete CEM 1	C40/50, C50/60 (TREMIE 3)	MS EN 206:2016, CIS21:2016, MS523-2:2011, MS523-3:2010
Ready Mix Concrete CEM II	C16/20, C20/25, C25/30, C28/35, C32/40, C35/45, C40/50 (NORMAL)	MS EN 206:2016, CIS21:2016, MS523-2:2011, MS523-3:2010

Ready Mix Concrete CEM II	C16/20, C20/25, C25/30, C28/35, C32/40, C35/45, C40/50 (PUMP)	MS EN 206:2016, CIS21:2016, MS523-2:2011, MS523-3:2010
Ready Mix Concrete CEM II	C25/30, C28/35, C32/40, C35/45, C40/50 (TREMIE 1)	MS EN 206:2016, CIS21:2016, MS523-2:2011, MS523-3:2010
Ready Mix Concrete CEM 1	C25/30, C28/35, C32/40, C35/45, C40/50 (TREMIE 2)	MS EN 206:2016, CIS21:2016, MS523-2:2011, MS523-3:2010
Ready Mix Concrete CEM II	C40/50, C50/60 (TREMIE 3)	MS EN 206:2016, CIS21:2016, MS523-2:2011, MS523-3:2010

SUNGAI RASAU PLANT 1

No. PPS : 1181227SL0335
No. CERT : A002144

LOT 723, JALAN SUNGAI RASAU SHAH ALAM 41300 SELANGOR	TEL : 019 3323721 FAX :		
TARIKH MULA 27-12-2018	TARIKH TAMAT 26-12-2019		
JENIS / SAIZ		JENAMA	STANDARD
Ready Mix Concrete READY-MIXED CONCRETE / 30P-30BS STRENGTH CLASS : C25/30		SUNTIGA	MS 523: PART 1:2005, CIS 21:2016

SUNGAI RASAU PLANT 2

No. PPS : 1181227SL0336
No. CERT : A002143

LOT 723, JALAN SUNGAI RASAU SHAH ALAM 41300 SELANGOR	TEL : 019 3323721 FAX :		
TARIKH MULA 27-12-2018	TARIKH TAMAT 26-12-2019		
JENIS / SAIZ		JENAMA	STANDARD
Ready Mix Concrete PRODUCER'S CONCRETE CODE : 30P-30BS		SUNTIGA	MS 523: PART 1:2005, CIS 21:2016

UNIQUE MIX (PENANG) SDN BHD

No. PPS : 1190418PP0288
No. CERT : A002820

LOT 7595, MUKIM 13, JALAN BUKIT GAMBIER
11700 PULAU PINANG

TEL : 04-2636486
FAX : 04-2637470

TARIKH MULA	18-04-2019	TARIKH TAMAT	17-04-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
--------------	--------	----------

Ready Mix Concrete Producer's Concrete Code : G30N, Type of Concrete : Designed Concrete, Strength Class : C25/30	Manufacturer ID : Unique Mix (Penang) Sdn Bhd	MS 523: PART1:2005, MS523-2:2011, MS523-3:2010, CIS 21:2016
---	--	---

CLAY INDUSTRIES SDN BHD

No. PPS : 1160119JH0090
No. CERT : A004092

57 MILES, JALAN JOHOR
86100 KLUANG JOHOR

TEL : 07-7581201
FAX : 07-7581175

TARIKH MULA	10-01-2019	TARIKH TAMAT	09-01-2020
JENIS / SAIZ	JENAMA	STANDARD	
Ceramic Wash Basin (Padestal) 163 TYPES OF MODEL	CLAYTAN, CLAYTAN SIGNATURE, GLOBE, LEGEND, SILVERDALE, INAX, JP GLOBE, CAROMA, BTHRMS	MS 147:2001	
Ceramic Flushing Cisterns Equipped With Mechanism CRONOS CC CISTERN ATHENA CC CISTERN, PROFILE CC CISTERN, OPAL II CC CISTERN, GRUS CC CISTERN, GEO CC CISTERN, VAND CC CISTERN, OPAL 2000 CISTERN, LIANO CC CISTERN	CAROMA	MS 795:2002, MS 795-1:2011	
Ceramic Flushing Cisterns Equipped With Mechanism INAX T11, INAX T12	INAX	MS 795:2002, MS 795-1:2011	
Ceramic Flushing Cisterns Equipped With Mechanism LC3009 , LC3005, LC3004, LC3007, LC3010, LC3011D, LC3014D, LC3013D, LC3016, LC3017, LC3029, LC3008, LC 627, LC3030D, LC3306D	CLAYTAN	MS 795:2002, MS 795-1:2011	
Ceramic Flushing Cisterns Equipped With Mechanism LC3302, LC3305	LEGEND	MS 795:2002, MS 795-1:2011	
Ceramic Flushing Cisterns Equipped With Mechanism LC 304, LC3020	GLOBE	MS 795:2002, MS 795-1:2011	
Ceramic Flushing Cisterns Equipped With Mechanism LC981082, LC983022D, LC3011D, LC93025, LC3033D, LC83029D,LC93029	CLAYTAN SIGNATURE	MS 795:2002, MS 795-1:2011	
Ceramic Flushing Cisterns Equipped With Mechanism LC3310, LC3313, LC3315, LC3317	SILVERDALE	MS 795:2002, MS 795-1:2011	
Ceramic Flushing Cisterns Equipped With Mechanism LC3025, LC3029, LC3005	BTHRMS	MS 795:2002, MS 795-1:2011	
Ceramic Water Closet Pans With Flushing Cisterns (One Piece) WC1622, WC1655S, WC1699, WC1633A, WC1688	CLAYTAN	MS 147:2001, MS 795-1:2011, MS 1522:2011	
Ceramic Water Closet Pans With Flushing Cisterns (One Piece) WC1622,WC1699	CAROMA	MS 147:2001, MS 795-1:2011, MS 1522:2011	
Ceramic Water Closet Pans With Flushing Cisterns (One Piece) WC91699DM04T,WC91811	CLAYTAN SIGNATURE	MS 147:2001, MS 795-1:2011, MS 1522:2011	
Ceramic Water Closet Pans With Flushing Cisterns (One Piece) WC1655S,WC1622S,WC1622P	BTHRMS	MS 147:2001, MS 795-1:2011, MS 1522:2011	
Ceramic Water Closet Pans With Flushing Cisterns (One Piece) WC1633B,WC1866P,WC1855,WC1899	EURANO	MS 147:2001, MS 795-1:2011, MS 1522:2011	
Ceramic Water Closet Pans With Flushing Cisterns (One Piece) WC91855,WC1811S	16. CLAYTAN, CLAYTAN SIGNATURE, GLOBE, LEGEND, LEGEND ENGLAND	MS 147:2001, MS 795-1:2011, MS 1522:2011	

Ceramic Water Closet Pans Without Flushing Cisterns ES401, ES403, WC644, WC624, WC3705 ST202, WC602, WC612 MATCHING LC3004, WC612; MATCHING LC3005, WC611 MATCHING LC3004, WC1; MATCHING LC3005, WC4505 MATCHING LC3005, WC4505; MATCHING LC3007, WC4501 MATCHING LC3004, WC4501; MATCHING LC3005, WC4501 MATCHING LC3010, WC4503; MATCHING LC3004, WC4511 MATCHING LC3011, WC4304; MATCHING LC3005, WC4510 MATCHING LC3007, WC4510; MATCHING LC3010, WC3504 MATCHING LC3014, WC3505; MATCHING LC3007, WC4303 MATCHING LC3013, WC4506; MATCHING LC3016, WC4308 MATCHING LC3005, WH4801 WC4201, WC4707BI/TI, WC626 WC4301 MATCHING LC3001, WC4301 MATCHING LC3005, WC4306 MATCHING LC3005, WC4306 MATCHING LC3006, WC623 MATCHING LC627, WC623 MATCHING LC3005, WC622 MATCHING LC3004, WC622 MATCHING LC3005, WC4504 MATCHING LC3014, WC4507 MATCHING LC3017	GLOBE, CLAYTAN	MS 147:2001, MS 1522:2011
Ceramic Water Closet Pans Without Flushing Cisterns GEO CC PAN MATCHING GEO CC CISTERN, VAND CC OPAL 2000 CC PAN MATCHING OPAL 2000 CC CISTERN, PROFILE CC PAN MATCHING PROFILE CC CISTERN, OPAL II CC PAN MATCHING OPAL II CISTERN, ROYALE WH PAN, CUBE WH PAN, SEIDO WH PAN	CAROMA	MS 147:2001, MS 1522:2011
Ceramic Water Closet Pans Without Flushing Cisterns WC4509 MATCHING LC3029, WC4515 MATCHING LC3025, WC4518A MATCHING CISTERN LC3010, WC4526B MATCHING LC3306, WC4525B MATCHING LC3025, WC4528B MATCHING LC3005, WC4512B MATCHING LC3025, WC3100 MATCHING LC3030D, WH4809, WH140, WC9501 CARE MATCHING LC3005 WC4529P MATCHING LC3005, WC4521B MATCHING LC3011 LEDA WC9701 CARE PAN WC4709	CLAYTAN	MS 147:2001, MS 1522:2011
Ceramic Water Closet Pans Without Flushing Cisterns INAX C11 MATCHING T11, INAX C12 MATCHING T12	INAX	MS 147:2001, MS 1522:2011
Ceramic Water Closet Pans Without Flushing Cisterns WC4455 MATCHING LC3305, WC4456 MATCHING LC3305, WC7702, WC7703, WC7701, WH8803 WC4451 MATCHING LC3302, WC7705	LEGEND	MS 147:2001, MS 1522:2011
Ceramic Water Closet Pans Without Flushing Cisterns WC98387 MATCHING LC981082 WC94516 MATCHING LC983022D WC94512 MATCHING LC93025DBICO WC94521S MATCHING L3011D WC94525B MATCHING LC93025 WC94533 MATCHING LC3033D WC94101 MATCHING LC93029D WC94101 MATCHING LC93029, WC94709, WC94601, WC98388, WC98283M, WH94809, WH981528; WC93503	CLAYTAN SIGNATURE	MS 147:2001, MS 1522:2011
Ceramic Water Closet Pans Without Flushing Cisterns WC4515S MATCHING LC3025, WC4515P MATCHING LC3025, WC4515S MATCHING LC3029, WC4501S MATCHING LC3005, WC4707BI, WC4709BI, WH4809, WH4815	BTHRMS	MS 147:2001, MS 1522:2011

Ceramic Water Closet Pans Without Flushing Cisterns WC4460B MATCHING LC3310, WC4463B MATCHING LC3313, WC4465 MATCHING LC3315, WC4467B MATCHING LC3317	SILVERDALE	MS 147:2001, MS 1522:2011
Ceramic Water Closet Pans Without Flushing Cisterns WC4530 MATCHING LC3020	GLOBE	MS 147:2001, MS 1522:2011
Ceramic Water Closet Pans Without Flushing Cisterns WC4530 MATCHING LC3010DT; WC644II	EURANO	MS 147:2001, MS 1522:2011
Ceramic Water Closet Pans Without Flushing Cisterns WC4530S MATCHING LC3010DT, WC4520 MATCHING LC3011ND, WC4516 MATCHING LC3022, WC4516 MATCHING LC3022, WC4533 MATCHING LC3033, WC4533 MATCHING LC3033, WC4102 MATCHING LC3032, WC8387 MATCHING LC81082, WC9502, WC8283, WC4601, WC8388, WH4901, WH4810, WH4809	(21) CLAYTAN, CLAYTAN SIGNATURE, GLOBE, LEGEND, LEGEND ENGLAND	MS 147:2001, MS 1522:2011
Ceramic Water Closet Pans Without Flushing Cisterns WC4528 MATCHING LC3101DT, WC4506 MATCHING LC3005, WC4526 MATCHING CISTERN LC3306 WC4709TI, WC4709BI	CLAYTAN, CLAYTAN SIGNATURE, GLOBE, LEGEND, LEGEND ENGLAND	MS 147:2001, MS 1522:2011
Ceramic Wash Basin (Padestal) WB1128SR, COMPACT WALL BASIN, LINEA ELBA SEMI RECESS BASIN, MILAN 600 WALL BASIN, CAMELOT VANITY BASIN, CRAVELLE 600 VANITY BASIN, MILAN/MEDINA 550 VANITY BASIN, FLORA 500 WALL BASIN, CARAVELLE 600 SEMI-RECESS BASIN, LASER SEMI-RECESS BASIN MILAN/MEDINA PEDESTAL., CRAVELLE PEDESTAL; TORRES URINAL	LEGEND	MS 2578:2014
Ceramic Wash Basin (Padestal) INAX L51, INAX L 13, INAX L14, INAX L41, INAX L21, INAX L31, INAX L32, INAX L 11, INAX L12; INAX P21; INAX P11	INAX	MS 2578:2014
Ceramic Wash Basin (Padestal) WB 701, WB702, WB 704, WB106, WB122, WB 132, WB134, WB 136, WB 140, WB142, WB144, WB 145, WB146; LS 802, LS 804, LS 806, LS 807, LS 808, KS 901; BP1, BP151, BP 152, BP 153, BP 145, BP1754, BP1755, BP 1756, BP 1758, BP 1711 SR 1701, SR 1703, SR 1711, SR 1718 UR 402, UR 405, UR 407, UR604, UR 609, UR 5602, UR 5603, UR 5605 BD 1, BD 502, BD 503, BD 504, BD 505, BD 5105; TA 723, TA 501, TA 726, TA 729 TA 702, TA 705, TA502;	JP GLOBE, CLAYTAN	MS 2578:2014
Ceramic Wash Basin (Padestal) LEDA VASQUE ABOVE COUNTER VANITY BASIN, LEDA VASQUE SEMI-RECESSED BASIN, LEDA VASQUEINSERT VANITY BASIN, CARAVELLE 550 SRB, GEO WALL HUNG BASIN	CAROMA	MS 2578:2014
Ceramic Wash Basin (Padestal) BP1710WT, SRFC1710WT, BP1753, SR1701	BTHRMS	MS 2578:2014

INNO CERAMITEC SDN BHD

No. PPS : 1160223JH0102
No. CERT : A004108

56 MILES, JALAN JOHOR BAHRU AYER HITAM
86100 BATU PAHAT JOHOR

TEL : 07-7583799
FAX : 07-7582648

TARIKH MULA

21-05-2019

TARIKH TAMAT

20-05-2020

JENIS / SAIZ	JENAMA	STANDARD
Ceramic Urinals UB4001, UB4002, UB4003, UB4006, UB4009, UB4019	INNO, SERICITE	MS 147:2001
Ceramic Water Closet Pans Without Flushing Cisterns WC1016/LC5016, WC1019/LC5019, WC1028/LC5028, WC1026/LC5026, WC1012/LC5002, WC1009/LC5002, WC1002/LC5002, WC1006/LC5006, WC1031/LC5028, WC1036/LC5028, WC1001, WC1013, SQ7003, SQ7004, WC1033/LC5033, WC1046/LC5046, WC1040/LC5019	INNO, SERICITE	MS 147:2001, MS 1522:2015
Ceramic Wash Basin WB2001, WB2002, WB2023, WB2043, WB2051B, WB2052B, WB2031, WB2041, WB2042, WB2003, WB2009, WB2033, WB2010, WB2022, WB2014, WB2015, WB2025, WB2052, WB2004, WB2016, WB2024, WB2046, WB2047, WB2050, WB2053, WB2030, WB2013, WB2038, WB2056, WB2035, WB2020, WB2055	INNO, SERICITE	MS 147:2001, MS 2578:2014
Ceramic Water Closet Pans With Flushing Cisterns (One Piece) WC1015, WC1030, WC1038, WC1048, WC1045, WC1044, WC1043, WC1041	SERICITE	MS 147:2001, MS 795-1:2011, MS 1522:2015
Ceramic Flushing Cisterns Equipped With Mechanism LC5002, LC5016, LC5019, LC5028, LC5026, LC5006, LC5033, LC5046	INNO, SERICITE	MS 795-1:2011

NAGAKO CERAMICS SDN BHD

No. PPS : 1180116SR0240
No. CERT : A001691

LOT 1112, BLOCK 33, SARIKEI L. D. SARIKEI LIGHT INDUSTRIAL ESTATE JALAN
BAJI/SENTUBU 96100 SARIKEI SARAWAK

TEL : 084-653237
FAX : 084-658843

TARIKH MULA

16-01-2019

TARIKH TAMAT

15-01-2020

JENIS / SAIZ	JENAMA	STANDARD
Ceramic Wash Basin WASH BASIN (CL806, CL809, CL900, CL901, CL902, CL114, CL116, CL133, CL136)	CERASAN, SAMA, LASIO	MS 147:2001
Ceramic Wash Basin URINAL (U402)	CERASAN, SAMA	MS 147:2001
Ceramic Water Closet Pans Without Flushing Cisterns GROUP 2 - WALL HUNG WC PANS (MODEL NO: NC 302), (NC 303S), NC 303P)	CERASAN, SAMA, LASIO	MS 147:2001, MS 1522:2011
PEDESTAL WC PANS (MODEL NO: NC 201, WC 502, NC 203S, NC 203P, NC 207, NC 208S, NC 208P, NC 209S, NC 209P, INTEGRAL OUTLET)		
Ceramic Water Closet Pans Without Flushing Cisterns GROUP 2 - SQUATTING WC PANS (SQ 31S, INTEGRAL OUTLET)	SAMA	MS 147:2001, MS 795-1:2011, MS 1522:2015

GROUP 2 - SQUATTING WC PANS
(MODEL NO: SQ 31P, INTEGRAL OUTLET)

PAKAI INDUSTRIES BERHAD

No. PPS : 1170906SL0215
No. CERT : A002107

NO.8 & NO.10 JALAN HI-TECH 6/1 KAWASAN PERINDUSTRIAN HI-TECH 6
43500 HULU LANGAT SELANGOR

TEL : 03-9108 2199
FAX : 03-9108 3199

TARIKH MULA	06-09-2018	TARIKH TAMAT	05-09-2019
JENIS / SAIZ		JENAMA	STANDARD
Plastic Flushing Cisterns Equipped With Mechanism TK3, TK7 SIPHON FLUSHING TYPE: SINGLE INLET VALVE MODEL NO.: P110, P113, P118, P119 FLUSHING DEVICE MODEL NO.: F100		MAYOR, PAKAI, STAR	MS 795-1:2011
TK3, TK6, TK7 INSPIRE FLUSHING TYPE: SINGLE INLET VALVE MODEL NO.: P110, P113, P118, P119, FLUSHING DEVICE MODEL NO.: F200			
TK3, TK6, TK7 VISION FLUSHING TYPE: SINGLE INLET VALVE MODEL NO.: P110, P113, P118, P119 FLUSHING DEVICE MODEL NO.: F210			
TK3, TK6, TK7 TWINS FLUSHING TYPE: DUAL INLET VALVE MODEL NO.: P110, P113, P118, P119 FLUSHING DEVICE MODEL NO.: F300			
TK3, TK6, TK7, HARMONIC FLUSHING TYPE: SINGLE INLET VALVE MODEL NO.: P110, P113, P118, P119 FLUSHING DEVICE MODEL NO.: F400			

ROCA MALAYSIA SDN BHD

No. PPS : 1160108SL0086
No. CERT : A002124

LOT 552, LOCKED BAG NO. 212, JALAN RAJA MUSA KAWASAN PERINDUSTRIAN
BESTARI JAYA 45600 KUALA SELANGOR SELANGOR

TEL : 03-32803051
FAX : 03-32803054

TARIKH MULA	12-10-2018	TARIKH TAMAT	11-10-2019
JENIS / SAIZ		JENAMA	STANDARD
Ceramic Wash Basin L528, LB06, L384, L562, L138, L82, L500, L600, L400, L2293U, L2292U, L2394, L2292, LS3, LS560, L365PP		ECONAX	MS 147:2001, MS 2578:2014
Ceramic Wash Basin Boston 400, Boston 500, Boston 600, Windsor 410, Windsor 480, Windsor 605, Monte Carlo, Bergamo Round, Bergamo SQ/ADBO010, Dover, Rosslare 560, Handicap, Modena, Latina 500, Latina 600, Como, Basel, Trezzo 480, Arosa, Venice, Windsor, Gemelli SQ SR 550 x 480 / AAGM101 Moritz, Yale, Gemelli SQ SI 550 x 410 / AAGM131, Gemelli Round SI 450 x 410 / AAGM151, Gemelli SQ SI 450 x 410 / AAGM12		JOHNSON SUISSE	MS 147:2001, MS 2578:2014

York, Gemelli Round OC 450 x 410 / AAGM141, Gemelli SQ OC 450 x 410 / AAGM111, Basel, Trezzo 485, Gemelli SQ OC 400 x 400 / AAGM100, Gemelli Round OC 400 / AAGM120, Mars, Mercury, Venus, Jupiter, Gemelli Round SI 400 / AAGM130, Gemelli SQ SI 400 x 400 / AAGM110 Windsor Corner, Celico, Torino, Lab Sink 560, Lab Sink 400		
Ceramic Bidets MONTE CARLO, VALENTIA, MODENA Ceramic Wash Basin (Padestal) COMO PEDESTAL, UNIVERSAL, MONTE CARLO, HALF, HALF PEDESTAL MODENA, HALF PEDESTAL LUGANO Ceramic Urinals SANTANA 320 , SANTANA 455 , MALVERN, RICHMOND, SANTANA 320 BI, SANTANA 320 TI CLEANSING, SANTANA 320 BI CLEANSING, SANTANA 455 BI, SANTANA 455 TI CLEANSING, SANTANA 320 BI (CL), SANTANA 450 BI (CL) SANTANA 320 TI, SANTANA 455 TI, SANTANA 455 BI CLEANSING	JOHNSON SUISSE	MS 147:2001
Ceramic Wash Basin (Padestal) LD1, LD2, LD3, LD5, LD690, LD89, LD6, LD82 Ceramic Urinals U15, U21, U26, U30, U114, U104, U22, U24	ECONAX	MS 147:2001

SAMA SANITARYWARE (M) SDN BHD

No. PPS : 1180426SR0266
No. CERT : A004176

LOT 2450, 9TH MILE, OYA ROAD, 96000 SIBU, SARAWAK

TEL : 084-653237
FAX : 084-658843

TARIKH MULA	27-04-2019	TARIKH TAMAT	26-04-2020
JENIS / SAIZ		JENAMA	STANDARD
Ceramic Water Closet Pans Without Flushing Cisterns WC501S, WC501P		SAMA	MS 147:2001, MS 1522:2011
Ceramic Urinals U2030		SAMA	MS 147:2001
Ceramic Wash Basin BA801, BA802, BA804, BA805		SAMA	MS 147:2001, MS 2578:2014
Ceramic Wash Basin BA803, LS8360		CERASAN	MS 147:2001, MS 2578:2014

T.J. POTTERY SDN BHD

No. PPS : 1160606PK0126
No. CERT : A003931

2, PLOT 61, JALAN CHEPOR 11/7, KAWASAN PERUSAHAAN SERAMIK CHEPOR,
CHEMOR 31200 KINTA PERAK

TEL : 05-2014525
FAX : 05-2014503

TARIKH MULA	08-04-2019	TARIKH TAMAT	07-04-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Ceramic Water Closet Pans With Flushing Cisterns (One Piece) CASTILLO 1702, MONTE CRISTO VW 1019, ALPINE 2010, ANDES 3680, ADESSO VW 1008, WC 1000, VIM VW 1001	DOLPHIN TJP, SANNEZ TJP, the VERVE, PANTHEON, ANSPORN, ACL	MS 147:2001, MS 795:2002, MS 1522:2015, MS 795-1:2011
Ceramic Water Closet Pans Without Flushing Cisterns ADESSO VW 2008, WC 625, CARTYA VW 2004, CASTILLO 720, CASPIAN 1905, VENIUS 605, VIM VW 2001, PILDOOR VW 2002, SHARRIDENS VW 20010, WC 103, SHARRIDENS VW 10310, CARTYA VW 1004, SHARRIDENS VW 10210	DOLPHIN TJP, SANNEZ TJP, the VERVE, PANTHEON, ANSPORN, ACL, eurano	MS 1522:2015
Ceramic Flushing Cisterns Not Equipped With Mechanism C 206, C 208, C 215, C 230, C 230A, C 290, C 330, C 390, C 820, C 1905, CARTYA C 2014 VIM C 2001, PILDOOR C 2002, CARTYA C 2004, ADESSO C 2008	DOLPHIN TJP, SANNEZ TJP, the VERVE, PANTHEON, ANSPORN, ACL, eurano	MS 147:2001
Ceramic Wash Basin (Padestal) SOLANGE VP 2006F, ADESSO VP 2028, ADESSO VP 2038F, BP 168, 118010024P, SOLANGE VP 2006 H Ceramic Urinals SHARRIDENS VUB 30410, 30010, 30210, 30110, 30310, UB 708 Ceramic Bidets BD 1		
Ceramic Wash Basin MONTE CRISTO VB 2019, SHARRIDENS VB 20010, ADESSO VB 2018, SOLANGE VB 2006, CARTYA VB 2004, ADESSO VB 2008, WB 55, ADESSO VB 2028, WB 506, WB 510, MONTE CRISTO VB 2009, WB 601, WB 6150, WB 670, SHARRIDENS VLS 20010, VC 118, TANITO VC 2015, VIM VS 2001, MONTE CRISTO VS 2009, AV 4350, ADESSO VS 2008, WB 285, MONTE CRISTO VS 2019, SOLANGE VS 2056, TANITO VU 2025, TANITO VU 2035, AV 55, AV 3483, ADESSO VA 2008, AV 3726, AV 6050, SOLANGE VA 2046, PILDOOR VA 2012	DOLPHIN TJP, SANNEZ TJP, the VERVE, PANTHEON, ANSPORN, ACL, eurano	MS 2578:2014

CERAMICA INDAH SDN BHD

No. PPS : 1150413SR0031
 No. CERT : A001685

4 1/2 MILE, KUNG PHIN ROAD, OFF PENRISSEN ROAD, KUCHING
 93250 KUCHING SARAWAK

TEL : 082-451567
 FAX : 082-577201

TARIKH MULA

16-08-2018

TARIKH TAMAT

15-08-2019

JENIS / SAIZ	JENAMA	STANDARD
Glazed Ceramic Tiles (<7.5mm) BIIA - 200 X 200 MM, 300 X 300 MM, BIIB - 200 X 200 MM, 200 X 250 MM, BIII - 200 X 200MM, 200 X 250 MM, 200 X 300 MM, BIA - 300 X 300 MM BIIB - 200 X 300 MM, 200 X 400 MM BIIA - 400 X 400 MM, BIIB - 300 X 400 MM, BIII - 300 X 400 MM, BIA - 300 X 600 MM, 600 X 600 MM BIIA - 500 x 500 MM, BIA - 500 x 500 MM Unglazed Ceramic Tiles (<7.5mm) BIA - 200 X 200 MM, 300 X 300 MM BIA - 400 X 400 MM, 300 X 600 MM, 600 X 600 MM	KIMGRES, VITROGRE, DUROGRES, HABITAT, JOHNSON, Lamaison Gallery, MegaGres, Feruni, ACOTILES	MS ISO 13006:2003

GUOCERA SDN BHD

No. PPS : 1170531JH0187
 No. CERT : A 002886

201 JALAN MENGKIBOL 86000, KLUANG JOHOR
 86000 KLUANG JOHOR

TEL : +067-7723599
 FAX : +067-7723598

TARIKH MULA

08-07-2018

TARIKH TAMAT

07-07-2019

JENIS / SAIZ	JENAMA	STANDARD
Glazed Ceramic Tiles (>7.5mm) GROUP BIII 20CM X 40CM, 25CM X 33CM, 30CM X 45CM, 30CM X 60CM 20CM X 25CM GROUP BIIA 30CM X 30CM, 40CM X 40CM, 45CM X 45CM, 50CM X 50CM 20CM X 20CM	CERAMICHE GUOCERA, FORZA, SOLARE	MS ISO 13006:2003
Glazed Ceramic Tiles (>7.5mm) GROUP BIA 15CM X 60CM, 30CM X 30CM, 30CM X 60CM, 60CM X 60CM	CERAMICHE GUOCERA, SOLARE	MS ISO 13006:2003
Unglazed Ceramic Tiles (>7.5mm) GROUP BIA 30CM X 60CM, 60CM X 60CM, 30CM X 60CM, 60CM X 60CM		
Glazed Ceramic Tiles (>7.5mm) 30x30cm	Guocera, Solare	MS ISO 13006:2003

GUOCERA TILE INDUSTRIES (MERU) SDN BHD

No. PPS : 1160217SL0100
No. CERT : A002092

LOT 11832, 5 1/2 MILES JALAN MERU
41050 KLANG SELANGOR

TEL : 0333927623
FAX : 0333927612

TARIKH MULA	06-07-2018	TARIKH TAMAT	05-07-2019
JENIS / SAIZ		JENAMA	STANDARD
Glazed Ceramic Tiles (>7.5mm) 15CMX60CM, 30CMX30CM, 30CMX60CM		CERAMICHE GUOCERA	MS ISO 13006:2003
Unglazed Ceramic Tiles (>7.5mm) 30CMX30CM			
Glazed Ceramic Tiles (>7.5mm) 15CMX60CM, 30CMX30CM, 30CMX60CM		GUOCERA GRES	MS ISO 13006:2003
Unglazed Ceramic Tiles (>7.5mm) 30CMX30CM			

KIM HIN CERAMIC (SEREMBAN) SDN BHD

No. PPS : 1151211NS0064
No. CERT : A001130

LOT NO.10807, TUANKU JAAFAR INDUSTRIAL ESTATE
P.O. BOX 171, 70720 SEREMBAN NEGERI SEMBILAN

TEL : 06-6774609/
6774611/ 6775501
FAX : 06-6773566

TARIKH MULA	02-08-2018	TARIKH TAMAT	01-08-2019
JENIS / SAIZ		JENAMA	STANDARD
Glazed Ceramic Tiles (>7.5mm) GROUP BIIA- 30CM X 30CM, 40CM X 40CM, 50CM X 50CM		DUROGRES, KIMGRES & JOHNSON	MS ISO 13006:2003
GROUP BIA - 10CM X 60CM, 15CM X 60CM, 30CM X 60CM, 60CM X 60CM, 30CM X 30CM, 50CM X 50CM, 20CM X 80CM, 40CM X 80CM, 80CM X 80CM, 15CM X 90CM, 60CM X 90CM			
GROUP BIB - 30CM X 30CM			
Glazed Ceramic Tiles (>7.5mm) GROUP BIA - 30CM X 60CM		FERUNI CERAMICHE	MS ISO 13006:2003
Glazed Ceramic Tiles (>7.5mm) GROUP BIA - 40CM X 40CM		JOHNSON	MS ISO 13006:2003
Glazed Ceramic Tiles (>7.5mm) GROUP BIIB - 30CM X 30CM		DUROGRES	MS ISO 13006:2003
Glazed Ceramic Tiles (>7.5mm) GROUP BIIB - 30CM X 30CM		KIMGRES	MS ISO 13006:2003

MALAYSIAN MOSAICS SDN BHD

No. PPS : 1150218JH0025
No. CERT : A 002884

BATU 4, JALAN BATU PAHAT
86000 KLUANG JOHOR

TEL : 077761406
FAX : 077761380

TARIKH MULA

13-06-2018

TARIKH TAMAT

12-06-2019

JENIS / SAIZ

JENAMA

STANDARD

Unglazed Ceramic Tiles (>7.5mm)
GROUP BIA - GLAZED
30CM X 30CM, 30CM X 60CM, 60CM X 60CM

GROUP BIA - UNGLAZED POLISHED (P)
30CMX30CM, 40CMX40CM, 30CMX60CM, 60CMX60CM,
60CMX90CM

GROUP BIA - UNGLAZED NON-POLISHED (NP)/
20CMX20CM, 30CMX30CM, 40 CMX40CM,
30CMX60CM, 60CMX60CM, 60CMX90CM

GROUP BIA UNGLAED NON-POLISHED 30CMx30CM

Glazed Ceramic Tiles (<7.5mm)
GROUP BIIA GLAZED
30CMx30CM, 40CMx40CM

MML

MS ISO 13006:2003

MALAYSIAN MOSAICS SDN BHD

No. PPS : 1151029JH0055
No. CERT : A 004077

BATU 3 1/4 , JALAN MERSING
86000 KLUANG JOHOR

TEL : 077761406
FAX : 077761380

TARIKH MULA

20-11-2018

TARIKH TAMAT

19-11-2019

JENIS / SAIZ

JENAMA

STANDARD

Unglazed Ceramic Tiles (>7.5mm)
BIA UNGLAED NON-POLISHED
20CMx10CM, 20CMx20CM, 30CMx30CM,10CMx10CM

BIA UNGLAZED POLISHED
30CMx30CM

BIA UNGLAZED NON-POLISHED
30CMx30CM

MML

MS ISO 13006: 2003,
MS ISO 13006:2014

MALAYSIAN MOSAICS SDN BHD

No. PPS : 1151029JH0056
No. CERT : A 004076

NO. PLO 1 , OFF JALAN BATU PAHAT KAWASAN PERINDUSTRIAN MENGKIBOL
86000 KLUANG JOHOR

TEL : 077761406
FAX : 077761380

TARIKH MULA

20-11-2018

TARIKH TAMAT

19-11-2019

JENIS / SAIZ

JENAMA

STANDARD

Glazed Ceramic Tiles (>7.5mm)
GROUP BIA- GLAZED

MML, AZURA, ES'TILE

MS ISO 13006: 2003,
MS ISO 13006:2014

30CMX30CM, 33CMX33CM, 40 CMX40CM, 45CMX45CM 30CMX60CM, 60CMX60CM		
Glazed Ceramic Tiles (>7.5mm) GROUP BIB-GLAZED 30CMX30CM, 33CMX33CM, 40CMX40CM, 45CMX45CM GROUP BIII-GLAZED 25CMX25CM, 30CMX30CM, 30 CMX45CM, 30CMX60CM, 40CMX40CM, 20CMx25CM, 20CMx33CM	MML, ES'TILE	MS ISO 13006:2003

MYDECOR SDN BHD

No. PPS : 1171011JH0218
No. CERT : A 002897

51, JALAN KERANJI KLUANG
86000 JOHOR

TEL : 077718196
FAX : 0167717843

TARIKH MULA	11-10-2018	TARIKH TAMAT	10-10-2019
JENIS / SAIZ		JENAMA	STANDARD
Glazed Ceramic Tiles (>7.5mm) Non-modular 7.5x15cm & 10x10cm		MyGres	MS ISO 13006:2003

NIRO CERAMIC (M) SDN BHD

No. PPS : 1151218JH0070
No. CERT : A004084

PLO 316 JALAN PERAK 4 KAWASAN PERINDUSTRIAN PASIR GUDANG
81700 JOHOR BAHRU JOHOR

TEL : 072762995
FAX : 072762993

TARIKH MULA	19-12-2018	TARIKH TAMAT	18-12-2019
JENIS / SAIZ		JENAMA	STANDARD
Unglazed Ceramic Tiles (>7.5mm) GROUP Bla - UNGLAZED NON-POLISHED - NON - MODULAR 20cm x 20cm, 30cm x 30cm, 30cm x 40cm, 30cm x 60cm, 40cm x 40cm, 60cm x 60cm, 60cm x 120cm GROUP Bla - UNGLAZED POLISHED - NON - MODULAR 20cm x 20cm, 30cm x 30cm, 30cm x 40cm, 30cm x 60cm, 40cm x 40cm, 60cm x 60cm, 60cm x 120cm NON-MODULAR - CUT TILES 10cm x 60cm, 15cm x 60cm, 30cm x 60cm, 20cm x 120cm Glazed Ceramic Tiles (>7.5mm) GROUP Bla - GLAZED - NON - MODULAR 30cm x 60cm, 60cm x 60cm, 60cm x 120cm NON - MODULAR - CUT TILES 20cm x 120cm, 10cm x 60cm, 15cm x 60cm, 60cm x 60cm, 30cm x 30cm (Approximate: 55.2cm x 47.9cm - Hexagon)		NIRO GRANITE, PORTINO, ZIRCONIO	MS ISO 13006:2014

SEACERA GROUP BERHAD

No. PPS : 1160229SL0103
 No. CERT : A002083

LOT 16428, 14KM, JALAN IPOH KAWASAN PERINDUSTRIAN SELAYANG
 68100 BATU CAVES SELANGOR

TEL : 03-61362494
 FAX : 03-61378422

TARIKH MULA	07-06-2018	TARIKH TAMAT	06-06-2019
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
--------------	--------	----------

Glazed Ceramic Tiles (>7.5mm) Group BIA / 30 CM X 30 CM	SEACERA, MYGRES	MS ISO 13006:2003
--	-----------------	-------------------

TIMES CERAMICA SDN BHD

No. PPS : 1181018JH0315
 No. CERT : A 004075

PLO 153, JALAN TERUNTUM 3, KAWASAN PERINDUSTRIAN TG. LANGSAT, PSIR GUDANG, MUKIM SUNGAI TIRAM 81700 JOHOR

TEL : +607 254 1689
 FAX : +607 256 5388

TARIKH MULA	18-10-2018	TARIKH TAMAT	17-10-2019
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
--------------	--------	----------

Glazed Ceramic Tiles (>7.5mm) 30 cm x 60 cm, 60 cm x 60 cm	TIMES CERAMICA	MS ISO 13006:2014
Glazed Ceramic Tiles (>7.5mm) 30 cm x 60 cm, 60 cm x 60 cm	BMS	MS ISO 13006:2003
Glazed Ceramic Tiles (>7.5mm) 30 cm x 60 cm, 60 cm x 60 cm	NIRO GRANITE	MS ISO 13006:2003
Glazed Ceramic Tiles (>7.5mm) 30 cm x 60 cm, 60 cm x 60 cm	PORTINO	MS ISO 13006:2003

VENUS CERAMIC INDUSTRY SDN.BHD

No. PPS : 1160127JH0092
 No. CERT : A004095

PLO 58, KAWASAN PERINDUSTRIAN KLUANG II BATU 4,
 JALAN MERSING 86000 KLUANG JOHOR

TEL : +607-7878999
 FAX : +607-7878889

TARIKH MULA	08-07-2018	TARIKH TAMAT	07-07-2019
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
--------------	--------	----------

Glazed Ceramic Tiles (>7.5mm) GROUP BIIA - GLAZED 25CM X 33CM, 30CM X 30CM, 30CM X 60CM, 33CM X 33CM, 40CM X 40CM, 45CM X 45CM	VENUS, VENERE	MS ISO 13006:2014
GROUP B1B-GLAZED (THICKNESS MORE THEN OR EQUAL TO 7.5MM 30CM X 30CM, 30CM X 60CM)		
Unglazed Ceramic Tiles (>7.5mm) GROUP BIA - UNGLAZED (NON-POLISHED) 30CM X 30CM, 30CM X 60CM, 60CM X 60CM		
GROUP BIA - UNGLAZED (POLISHED) 30CM X 30CM, 30CM X 60CM, 60CM X 60CM, 80CM X 80CM		

WHITE HORSE CERAMIC INDUSTRIES SDN BHD

PLO 464, JALAN GANGSA, ZONE II, PASIR GUDANG INDUSTRIAL ESTATE,
JOHOR, MALAYSIA 81700 PASIR GUDANG JOHOR

No. PPS : 1151124JH0060
No. CERT : A004093

TEL : +6072551010
FAX : +6072518222

TARIKH MULA	01-03-2019	TARIKH TAMAT	29-02-2020
JENIS / SAIZ		JENAMA	STANDARD
Glazed Ceramic Tiles (>7.5mm) Group BIA 20 cm x 20 cm, 30 cm x 30 cm, 8 cm x 20 cm		WHITE HORSE, FREYA	MS ISO 13006:2014
Group BIIB 20 cm x 20 cm, 25 cm x 25 cm, 30 cm x 60 cm, 50 cm x 50 cm, 30 cm x 30 cm, 40 cm x 40 cm			
Group BIIB 20 cm x 20 cm, 40 cm x 40 cm			
Group BIII 25 cm x 33 cm, 25 cm x 40 cm, 30 cm x 30 cm, 30 cm x 40 cm, 30 cm x 45 cm, 45 cm x 45 cm, 1.8 cm x 30 cm, 6.5 cm x 25 cm, 6 cm x 33 cm, 25 cm x 50 cm, 25 cm x 75 cm, 30 cm x 60 cm, 20 cm x 20 cm, 20 cm x 25 cm, 6.5 cm x 20 cm, 5 cm x 20 cm			

WHITE HORSE CERAMIC INDUSTRIES SDN BHD

PLO 29, KAWASAN PERINDUSTRIAN TANJUNG LANGSAT, PASIR GUDANG,
JOHOR, MALAYSIA 81700 PASIR GUDANG JOHOR

No. PPS : 1151124JH0062
No. CERT : A004094

TEL : +6072563888
FAX : +6072563757

TARIKH MULA	01-03-2019	TARIKH TAMAT	29-02-2020
JENIS / SAIZ		JENAMA	STANDARD
Glazed Ceramic Tiles (>7.5mm) Group BIA 30 cm X 60 cm, 60 cm X 60 cm, 80 cm X 80 cm, 30 cm X 90 cm, 60 cm X 90 cm, 60 cm X 120 cm 40 cm X 40 cm, 40 cm X 80 cm, 15 cm X 90 cm, 15 cm X 30 cm, 15 cm X 60 cm, 30 cm X 30 cm, 18 cm x 60 cm		WHITE HORSE, FREYA	MS ISO 13006:2014
Group BIIB 50 cm X 50 cm, 30 cm X 60 cm			
Unglazed Ceramic Tiles (>7.5mm) Group BIA 30 cm x 60 cm, 60 cm x 60 cm, 80 cm x 80 cm, 60 cm x 120 cm			

YI-LAI INDUSTRY BERHAD

No. PPS : 1160321JH0108
 No. CERT : A 002893

LOT 7020 BATU 23 JALAN AIR HITAM
 81000 KULAIJAYA JOHOR

TEL : 07-6522652
 FAX : 07-6523388

TARIKH MULA

15-08-2018

TARIKH TAMAT

14-08-2019

JENIS / SAIZ	JENAMA	STANDARD
Glazed Ceramic Tiles (<7.5mm) NON MODULAR 20CMX20CM, 20CMX25CM, 20 CMX30CM, 25CMX33CM 20CMX20CM, 25CMX40CM, 30CMX30CM, 30CMX40CM, 30CMX60CM, 40CMX40CM, 45CMX45CM, 50CMX50CM, 60CMX60CM 30CMX60CM,30CMX30CM Unglazed Ceramic Tiles (>7.5mm) NON MODULAR 20CMX20CM, 30X30CM, 40CMX40CM, 30CMX60CM, 60CMX60CM 30CMX60CM, 45CMX45CM, 60CMX60CM	ALPHA TILES, FERUNI, NIRO GRANITE, PORTINO	MS ISO 13006:2014



www.cidb.gov.my

ISBN 978-967-0997-26-1



9 789670 997261